

## University of Groningen

### From the wound to the bench

García Pérez, Andrea

DOI:  
[10.33612/diss.128078435](https://doi.org/10.33612/diss.128078435)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2020

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*  
García Pérez, A. (2020). *From the wound to the bench: A study of wound-colonising bacteria and their interactions*. University of Groningen. <https://doi.org/10.33612/diss.128078435>

#### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

#### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

**From the wound to the bench:  
A study of wound-colonising bacteria  
and their interactions**

Andrea N. García-Pérez

The work described in this thesis was performed in the Laboratory of Molecular Bacteriology, Department of Medical Microbiology of the University of Groningen and University Medical Center Groningen (The Netherlands).

This PhD research was financially supported by the Graduate School of Medical Sciences (GSMS) of the University of Groningen, CoNaCyT, the Eleven Flowers Fund, and the generous sponsors of the Ubbo Emmius Fund's crowdfunding project 'Beat the bacterium'.



From the wound to the bench: A study of wound-colonising bacteria and their interactions  
Dissertation of the University of Groningen

ISBN: 978-94-034-2799-7 (printed version)

ISBN: 978-94-034-2800-0 (electronic version)

Copyright © 2020 Andrea N. García-Pérez

Book cover: Electron Microscope Unit at the University of Cape Town

Supplemental files: <https://unishare.nl/index.php/s/DERoqdHLazYZ4Q9>

The printing of this thesis was financially supported by the Graduate School of Drug Exploration (GUIDE) and the University of Groningen. Their support is highly appreciated.

All rights reserved. No parts of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the written permission of the author. The copyright of previously published chapters of this thesis also remains with the publisher or journal.

Printed by Gildeprint Drukkerijen, Enschede, the Netherlands



university of  
 groningen

# **From the wound to the bench**

A study of wound-colonising bacteria and their  
 interactions

**PhD thesis**

to obtain the degree of PhD at the  
 University of Groningen  
 on the authority of the  
 Rector Magnificus Prof. C. Wijmenga  
 and in accordance with  
 the decision by the College of Deans.

This thesis will be defended in public on

Wednesday 1 July 2020 at 16.15 hours

by

**Andrea Nayelli García Pérez**

born on 19 July 1982  
 in Mexico City, Mexico

**Supervisors:**

Prof. J. M. van Dijk

Dr. G. Buist

**Assessment Committee:**

Prof. W. J. Quax

Prof. B. C. Kahl

Prof. J. Kok

**Paranymphs:**

Rocío Aguilar-Suárez

Marines du Teil

Adriana Pérez Fortis



*A mi madre, mi padre y 'Saroo'*





# Contents

<b>1. General introduction and scope of the thesis</b>	<b>1</b>
1.1. Introduction . . . . .	2
1.2. Scope and outline of this thesis . . . . .	5
<b>2. Epideromyolysis bullosa subtypes and the wound microbiome: a pilot study</b>	<b>11</b>
2.1. Introduction . . . . .	12
2.2. Materials and Methods . . . . .	13
2.2.1. Ethics statement . . . . .	13
2.2.2. Study participants and sample collection . . . . .	15
2.2.3. DNA extraction . . . . .	16
2.2.4. Choice of universal primers . . . . .	17
2.2.5. PCR amplification . . . . .	18
2.2.6. 16S rRNA gene sequencing and analysis . . . . .	18
2.3. Results . . . . .	19
2.3.1. Phenol-chloroform based method resulted in better DNA yields . . . . .	19
2.3.2. Differences among chronic and acute wounds were observed in several taxonomic levels . . . . .	19
2.3.3. <i>S. aureus</i> was abundant in both acute and chronic wounds . . . . .	22

2.3.4.	Different wound microbiomes among EB subtypes . . . . .	25
2.4.	Discussion . . . . .	26
<b>3.</b>	<b><i>S. aureus</i> exoproteomes in co-culture</b>	<b>31</b>
3.1.	Introduction . . . . .	32
3.2.	Results . . . . .	34
3.2.1.	<i>S. aureus</i> grows unimpaired when co-cultured with <i>B. thuringien-</i> <i>sis</i> or <i>K. oxytoca</i> on solid agar . . . . .	34
3.2.2.	<i>S. aureus</i> isolates t111 and t13595 are highly related but not identical . . . . .	35
3.2.3.	Total numbers of <i>S. aureus</i> exoproteins are reduced when <i>S. aureus</i> is co-cultured with Bt or Ko . . . . .	37
3.2.4.	Co-cultured <i>S. aureus</i> , <i>B. thuringiensis</i> and <i>K. oxytoca</i> isolates display species-specific exoproteome changes in terms of biological processes . . . . .	40
3.2.5.	Particular exoproteins of <i>S. aureus</i> , <i>K. oxytoca</i> and <i>B. thuringien-</i> <i>sis</i> show quantitative changes in mono- or co-cultures . . . . .	42
3.3.	Discussion . . . . .	48
3.4.	Material and Methods . . . . .	52
3.4.1.	Ethical approval . . . . .	52
3.4.2.	Bacterial isolation, identification and culture conditions . . . . .	52
3.4.3.	Genomic DNA extraction, genome sequencing and analysis . . . . .	53
3.4.4.	Preparation of protein extracts . . . . .	54
3.4.5.	Mass Spectrometry and data analysis . . . . .	55
3.4.6.	Bioinformatic analyses . . . . .	56

3.4.7.	Biological and Chemical Safety . . . . .	56
3.4.8.	Ethics . . . . .	57
3.4.9.	Funding . . . . .	57
3.4.10.	Disclosure of Potential Conflicts of Interest . . . . .	57
3.4.11.	Acknowledgements . . . . .	57
<b>4.</b>	<b>Staphylococcal interactions with wound-colonising bacteria</b>	<b>69</b>
4.1.	Introduction . . . . .	70
4.2.	Methods . . . . .	72
4.2.1.	Strains and growth conditions . . . . .	72
4.2.2.	Preparation of protein extracts . . . . .	72
4.2.3.	Mass spectrometry analyses . . . . .	74
4.2.4.	RNA isolation . . . . .	74
4.2.5.	RNA sequencing and analysis . . . . .	75
4.2.6.	<i>Galleria mellonella</i> infections . . . . .	77
4.2.7.	Data Summary . . . . .	78
4.3.	Results . . . . .	78
4.3.1.	Profiling of the <i>S. aureus</i> cellular proteome reflects decreased virulence upon culturing with <i>K. oxytoca</i> . . . . .	78
4.3.2.	Co-culturing leads to upregulation of <i>S. aureus</i> genes involved in amino acid and nucleotide metabolism and transport under the tested conditions . . . . .	83
4.3.3.	Planktonic <i>S. aureus</i> displays specific gene expression signatures upon co-culturing . . . . .	85

4.3.4.	<i>S. aureus</i> shows massive silencing of gene expression upon co-culturing under biofilm-mimicking conditions . . . . .	86
4.3.5.	Reduced mortality of <i>Galleria mellonella</i> upon co-infection with <i>S. aureus</i> and <i>K. oxytoca</i> . . . . .	88
4.4.	Discussion . . . . .	89
4.5.	Author Statements . . . . .	97
4.5.1.	Author contributions . . . . .	97
4.5.2.	Conflicts of interest . . . . .	97
4.5.3.	Funding . . . . .	97
4.5.4.	Acknowledgements . . . . .	97
<b>5.</b>	<b>Metatranscriptomic snapshot of <i>S. aureus</i> and <i>C. striatum</i></b>	<b>105</b>
5.1.	Introduction . . . . .	106
5.2.	Materials and methods . . . . .	107
5.2.1.	Ethics Statement . . . . .	107
5.2.2.	Wound sampling and RNA extraction . . . . .	108
5.2.3.	16S rRNA gene sequencing and analysis . . . . .	108
5.2.4.	RNA sequencing and metatranscriptome analysis . . . . .	109
5.3.	Results and discussion . . . . .	111
5.4.	Data availability . . . . .	116
5.5.	Conflict of interest . . . . .	116
5.6.	Acknowledgements . . . . .	117
5.7.	Author contributions . . . . .	117

5.8. Funding . . . . .	118
<b>6. Summary and future perspectives</b>	<b>121</b>
<b>Appendices</b>	<b>129</b>
Samenvatting en perspectief voor toekomstig onderzoek . . . . .	130
Resumen y perspectivas a futuro . . . . .	139
Acknowledgements . . . . .	147



## List of Figures

1.1	Thin human skin section . . . . .	4
1.2	Schematic representation of the distinct steps in microbial biofilm development . . . . .	5
1.3	Schematic diagram of different characteristics of bacterial biofilm . . . . .	6
2.1	Agarose gel for detection of amplified bacterial 16S rRNA gene regions V1-V3 . . . . .	21
2.2	Species diversity . . . . .	23
2.3	Most abundant bacterial species . . . . .	24
2.4	Principal component analysis of the microbiome composition based on the classification table at the genus level . . . . .	25
2.5	Most abundant bacterial species identified in wound samples from patients with different EB subtypes . . . . .	27
3.1	Growth characteristics of the isolated bacteria on agar plates . . . . .	36
3.2	Total numbers of extracellular proteins identified per culture . . . . .	39
3.3	Relationships among cultures . . . . .	41
3.4	Overview of the predicted functions of the exoproteins found in all staphylococcal cultures . . . . .	43
4.1	Experimental workflow . . . . .	79
4.2	Cellular proteins identified per culture . . . . .	80



4.3	Visualization of global predicted functions of cellular proteins identified in all staphylococcal cultures (stationary phase) . . . . .	81
4.4	Overview of co-culture experiments according to Clusters of Orthologous Groups (COG) . . . . .	84
4.5	Differentially expressed genes (DEG) of <i>S. aureus</i> upon co-culturing in liquid and on agar media . . . . .	87
4.6	Mortality of <i>Galleria mellonella</i> larvae upon (co)infection with <i>S. aureus</i> t111, t13595, <i>B. thuringiensis</i> and <i>K. oxytoca</i> . . . . .	90
5.1	Functional classification of the staphylococcal metatranscriptome .	113

## List of Tables

2.1	Classification and genetic abnormalities of Epidermolysis Bullosa (EB)	14
2.2	Sample registration from swabs (SWB) or bandages (BDG)	15
2.3	DNA concentrations with different extraction methods.	20
3.1	Summary of differentially detected extracellular proteins among the different cultures	44
4.1	Functional analysis of the different data sets (mono or co-culture) from <i>S. aureus</i> t111, t13595, <i>B. thuringiensis</i> and <i>K. oxytoca</i> during exponential phase	92
4.2	Functional analysis of the different data sets (mono or co-culture) from <i>S. aureus</i> t111, t13595, <i>B. thuringiensis</i> and <i>K. oxytoca</i> during stationary phase	93
5.1	Overview of genes associated to virulence, disease and defence expressed <i>in situ</i> vs. co-culture.	114
5.2	Overview of genes associated to virulence, disease and defence expressed <i>in situ</i> vs monoculture.	115

