University of Groningen

2,8'-Disubstituted-1,1'-Binaphthyls

Vyskočil, Štěpán; Meca, Luděk; Tišlerová, Iva; Císařová, Ivana; Polášek, Miroslav; Harutyunyan, Syuzanna R.; Belokon, Yuri N.; Stead, Russel M.J.; Farrugia, Louis; Lockhart, Stephen C.

Published in:
Chemistry

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2002

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Vyskočil, Š., Meca, L., Tišlerová, I., Císařová, I., Polášek, M., Harutyunyan, S. R., Belokon, Y. N., Stead, R. M. J., Farrugia, L., Lockhart, S. C., Mitchell, W. L., & Kočovský, P. (2002). 2,8'-Disubstituted-1,1'-Binaphthyls: A New Pattern in Chiral Ligands. *Chemistry*, 8(20), 4633-4648.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Supporting Information:

2,8'-Disubstituted-1,1'-Binaphthyls: A New Pattern in Chiral Ligands

Štěpán Vyskočil,^{*,†,‡} Luděk Meca,[‡] Iva Tišlerová,[‡] Ivana Císařová,[‡] Miroslav Polášek,[§]
Syuzanna R. Harutyunyan,^Δ Yuri N. Belokon,^{*,Δ} Russel M. J. Stead,[∇] Louis Farrugia,[†]
Stephen C. Lockhart,[†] William L. Mitchell,[⊥] and Pavel Kočovský^{*,†}

[†]*Department of Chemistry, University of Glasgow, Glasgow G12 8QQ, U.K.*

[‡]*Department of Organic Chemistry, Charles University, 128 40 Prague 2, Czech Republic*

[§]*J. Heyrovský Institute of Physical Chemistry and Electrochemistry, Academy of Sciences of the Czech Republic, 182 23 Prague 8, Czech Republic*

^Δ*A. N. Nesmeyanov Institute of Organo-Element Compounds, Russian Academy of Sciences, 117813, Moscow, Vavilov 28, Russian Federation*

[∇]*Department of Chemistry, University of Leicester, Leicester LE1 7RH, U.K.*

[⊥]*Department of Chemistry, Glaxo-SmithKlyne PLC, The Frythe, Welwyn, Herts. AL6 9AR, U.K.*

1. Quantum Chemistry Calculations

Optimized structures of **18** (DFT-B3LYP with 6-31G** basis set; Cartesian coordinates in Ångströms)

Ground State

C	-1.781039	-0.482796	-1.005993
C	-1.720281	0.457067	0.073744
C	-0.568011	0.792728	0.869914
C	0.781018	0.149143	0.757714
C	1.849891	0.792252	0.066154
C	1.678627	2.022196	-0.632080
C	2.727990	2.613261	-1.297416
C	4.010470	2.012132	-1.307606
C	4.210330	0.821235	-0.650548
C	3.148272	0.181628	0.043965
C	3.333205	-1.047998	0.720128
C	2.298998	-1.654920	1.394871
C	1.017367	-1.053236	1.416785
C	-0.681667	1.761893	1.853150
C	-1.891463	2.430870	2.126817
C	-3.011976	2.111830	1.404827
C	-2.962935	1.133808	0.376911
C	-4.148809	0.838524	-0.344819
C	-4.149150	-0.090367	-1.353751
C	-2.949408	-0.749328	-1.687682
Br	-0.256102	-1.447942	-1.662715

O	-0.053325	-1.605396	2.061315
H	0.701680	2.492672	-0.634098
H	2.571523	3.550696	-1.823551
H	4.828872	2.491800	-1.836134
H	5.188303	0.346266	-0.653012
H	4.315038	-1.513857	0.705741
H	2.470857	-2.593763	1.906827
H	0.200378	1.998978	2.439792
H	-1.929239	3.181552	2.910360
H	-3.961180	2.602178	1.602571
H	-5.058669	1.368834	-0.078469
H	-5.056460	-0.317827	-1.904571
H	-2.933556	-1.470769	-2.496009
C	0.095476	-2.873480	2.678857
H	0.382709	-3.646569	1.955350
H	0.831872	-2.849146	3.492480
H	-0.883401	-3.118563	3.093584

Transition State

C	-2.338362	0.121466	0.388809
C	-1.239036	0.983946	0.073394
C	0.061021	0.681105	-0.532700
C	1.094770	-0.344188	-0.126867
C	2.472668	0.121781	0.018632
C	2.836836	1.493559	0.190662
C	4.147250	1.897120	0.316934
C	5.205910	0.962197	0.273351
C	4.902985	-0.373257	0.183091
C	3.555810	-0.820994	0.102517
C	3.261688	-2.200703	0.168182
C	1.962698	-2.622126	0.263826
C	0.888735	-1.700092	0.173741
C	0.531538	1.654891	-1.410778
C	0.034871	2.978801	-1.445454
C	-0.866779	3.368280	-0.489429
C	-1.533052	2.380125	0.291239
C	-2.568300	2.762288	1.186824
C	-3.407849	1.823428	1.736925
C	-3.352954	0.503899	1.242590
Br	-2.812448	-1.338948	-0.784423
O	-0.381117	-2.113185	0.379724
H	2.061772	2.243553	0.256874
H	4.364325	2.951011	0.466178
H	6.236746	1.294671	0.348364
H	5.689456	-1.123403	0.204008
H	4.075983	-2.919135	0.203505
H	1.749414	-3.675356	0.390910
H	1.419985	1.433878	-1.991366
H	0.466158	3.695845	-2.136979

H	-1.148633	4.409585	-0.362260
H	-2.707366	3.820250	1.390412
H	-4.192229	2.109635	2.430405
H	-4.166484	-0.185608	1.438025
C	-0.663534	-3.475743	0.659132
H	-0.365524	-4.131929	-0.167740
H	-0.174515	-3.806639	1.582890
H	-1.745949	-3.522376	0.776043

Figure 6. Optimized geometry of **18**. Important atom distances and angles are as follows: C1-C11 (1.50 Å), Br1-C8 (1.92 Å), Br1-O1 (3.73 Å), Br1-C8-C9 (123.6°), C9-C1-C11 (125.3°), dihedral C9-C1-C11-C19 (101.4°), dihedral C21-O1-C12-C11 (175.9°).

Figure 7. Transition structure geometry of **18**. Important atom distances and angles are as follows: C1-C11 (1.51 Å), Br1-C8 (1.93 Å), Br1-O1 (2.80 Å), Br1-C8-C9 (120.6°), C9-C1-C11 (129.5°), dihedral C9-C1-C11-C19 (-129.7°), dihedral C21-O1-C12-C11 (178.6).

2. X-Ray Crystallography

Figure 8. ORTEP diagram of (±)-**18** showing the atom labeling scheme. Displacement parameters are shown at the 50% probability level.

Table 1. Crystal data and structure refinement for (±)-**18**.

Identification code	(±)- 18
Empirical formula	C ₂₁ H ₁₅ Br O
Formula weight	363.24
Temperature	105(2) K
Wavelength	0.71070 Å
Crystal system, space group	Triclinic, P-1
Unit cell dimensions	a = 9.8350(2) Å alpha = 108.0840(12) deg. b = 15.2530(2) Å beta = 91.3530(10) deg. c = 17.0760(3) Å gamma = 99.3550(11) deg.
Volume	2395.20(7) Å ³
Z, Calculated density	6, 1.511 Mg/m ³
Absorption coefficient	2.576 mm ⁻¹
F(000)	1104
Crystal size	0.5 x 0.4 x 0.2 mm
Theta range for data collection	3.19 to 25.07 deg.
Limiting indices	-11 ≤ h ≤ 11, -18 ≤ k ≤ 18, -19 ≤ l ≤ 20
Reflections collected / unique	34246 / 8418 [R(int) = 0.0594]
Completeness to theta = 25.07	99.0 %
Absorption correction	Multiscan
Max. and min. transmission	0.598 and 0.415
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	8418 / 0 / 802
Goodness-of-fit on F ²	0.993
Final R indices [I > 2σ(I)]	R ₁ = 0.0335, wR ₂ = 0.0850
R indices (all data)	R ₁ = 0.0397, wR ₂ = 0.0900
Largest diff. peak and hole	0.561 and -0.753 e.Å ⁻³

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (+)-**18**. U(eq) is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
Br(1)	6521(1)	5165(1)	13721(1)	22(1)
C(11)	8994(3)	6579(2)	13547(1)	17(1)
C(12)	9943(3)	6031(2)	13626(2)	19(1)
C(13)	10421(3)	5424(2)	12925(2)	21(1)
C(14)	9985(3)	5405(2)	12151(2)	20(1)
C(15)	8611(3)	5971(2)	11237(2)	21(1)
C(16)	7655(3)	6490(2)	11139(2)	24(1)
C(17)	7069(3)	7026(2)	11834(2)	23(1)
C(18)	7493(3)	7062(2)	12613(2)	20(1)
C(19)	8509(3)	6548(2)	12743(2)	17(1)
C(110)	9044(3)	5964(2)	12035(2)	18(1)
C(11')	8594(3)	7279(2)	14296(1)	18(1)
C(12')	9502(3)	8126(2)	14568(2)	23(1)
C(13')	9239(3)	8881(2)	15234(2)	28(1)
C(14')	8049(3)	8797(2)	15614(2)	26(1)
C(15')	5904(3)	7859(2)	15823(2)	25(1)
C(16')	4996(3)	7044(2)	15639(2)	25(1)
C(17')	5225(3)	6256(2)	14994(2)	21(1)
C(18')	6366(3)	6311(2)	14556(1)	16(1)
C(19')	7366(3)	7149(2)	14713(1)	18(1)
C(10')	7105(3)	7938(2)	15382(2)	21(1)
O(1)	10351(2)	6101(1)	14421(1)	24(1)
C(1)	11338(3)	5553(2)	14531(2)	27(1)
Br(2)	5464(1)	9170(1)	12557(1)	27(1)
C(21)	2624(3)	8206(2)	12841(2)	18(1)
C(22)	3104(3)	8320(2)	13641(2)	21(1)
C(23)	3719(3)	7631(2)	13825(2)	24(1)
C(24)	3844(3)	6827(2)	13208(2)	23(1)
C(25)	3427(3)	5826(2)	11747(2)	23(1)
C(26)	2898(3)	5675(2)	10959(2)	24(1)
C(27)	2278(3)	6366(2)	10773(2)	21(1)
C(28)	2191(3)	7183(2)	11372(2)	19(1)
C(29)	2707(3)	7361(2)	12202(2)	18(1)
C(210)	3337(3)	6662(2)	12387(2)	19(1)
C(21')	1983(3)	8949(2)	12652(2)	18(1)
C(22')	578(3)	8877(2)	12703(2)	22(1)
C(23')	-168(3)	9514(2)	12532(2)	26(1)
C(24')	507(3)	10224(2)	12286(2)	24(1)
C(25')	2605(3)	11056(2)	11911(2)	25(1)
C(26')	3981(3)	11172(2)	11809(2)	28(1)
C(27')	4774(3)	10569(2)	12002(2)	24(1)
C(28')	4172(3)	9868(2)	12293(2)	19(1)
C(29')	2725(3)	9685(2)	12386(1)	17(1)
C(20')	1944(3)	10321(2)	12193(2)	20(1)
O(2)	2990(2)	9158(1)	14220(1)	26(1)
C(2)	3358(4)	9283(2)	15068(2)	34(1)
Br(3)	10125(1)	2704(1)	10427(1)	26(1)
C(31)	7670(3)	2072(2)	11320(2)	18(1)
C(32)	7547(3)	1165(2)	10788(2)	21(1)
C(33)	6643(3)	841(2)	10062(2)	24(1)
C(34)	5880(3)	1429(2)	9880(2)	24(1)
C(35)	5177(3)	2984(2)	10212(2)	23(1)
C(36)	5297(3)	3888(2)	10712(2)	24(1)
C(37)	6194(3)	4212(2)	11440(2)	22(1)
C(38)	6949(3)	3630(2)	11649(2)	21(1)
C(39)	6858(3)	2686(2)	11139(2)	17(1)
C(310)	5943(3)	2358(2)	10403(2)	19(1)

C(31')	8599(3)	2383(2)	12101(2)	17(1)
C(32')	7976(3)	2282(2)	12792(2)	21(1)
C(33')	8721(3)	2510(2)	13564(2)	24(1)
C(34')	10092(3)	2851(2)	13644(2)	22(1)
C(35')	12226(3)	3381(2)	13086(2)	23(1)
C(36')	12931(3)	3545(2)	12456(2)	26(1)
C(37')	12230(3)	3320(2)	11672(2)	24(1)
C(38')	10855(3)	2945(2)	11539(2)	19(1)
C(39')	10040(3)	2759(2)	12171(2)	17(1)
C(30')	10790(3)	2994(2)	12964(2)	19(1)
O(3)	8364(2)	613(1)	10998(1)	27(1)
C(3)	8301(4)	-322(2)	10452(2)	37(1)

Table 3. Bond lengths [Å] and angles [deg] for (±)-**18**.

Br(1)-C(18')	1.913(2)
C(11)-C(12)	1.380(4)
C(11)-C(19)	1.426(3)
C(11)-C(11')	1.499(3)
C(12)-O(1)	1.374(3)
C(12)-C(13)	1.411(4)
C(13)-C(14)	1.370(4)
C(13)-H(13)	0.94(3)
C(14)-C(110)	1.405(4)
C(14)-H(14)	0.96(3)
C(15)-C(16)	1.362(4)
C(15)-C(110)	1.422(4)
C(15)-H(15)	0.97(3)
C(16)-C(17)	1.411(4)
C(16)-H(16)	0.94(3)
C(17)-C(18)	1.366(4)
C(17)-H(17)	0.90(3)
C(18)-C(19)	1.421(4)
C(18)-H(18)	0.93(3)
C(19)-C(110)	1.430(3)
C(11')-C(12')	1.384(4)
C(11')-C(19')	1.433(4)
C(12')-C(13')	1.407(4)
C(12')-H(12')	0.88(3)
C(13')-C(14')	1.360(4)
C(13')-H(13')	0.88(3)
C(14')-C(10')	1.414(4)
C(14')-H(14')	0.92(3)
C(15')-C(16')	1.351(4)
C(15')-C(10')	1.425(4)
C(15')-H(15')	0.91(3)
C(16')-C(17')	1.409(4)
C(16')-H(16')	0.97(3)
C(17')-C(18')	1.369(4)
C(17')-H(17')	0.94(3)
C(18')-C(19')	1.428(4)
C(19')-C(10')	1.444(3)
O(1)-C(1)	1.425(3)
C(1)-H(1A)	0.97(3)
C(1)-H(1B)	0.97(4)
C(1)-H(1C)	0.93(3)
Br(2)-C(28')	1.914(3)
C(21)-C(22)	1.383(4)
C(21)-C(29)	1.422(4)
C(21)-C(21')	1.496(4)
C(22)-O(2)	1.376(3)
C(22)-C(23)	1.404(4)
C(23)-C(24)	1.372(4)
C(23)-H(23)	0.93(3)
C(24)-C(210)	1.409(4)
C(24)-H(24)	0.99(3)
C(25)-C(26)	1.367(4)
C(25)-C(210)	1.415(4)
C(25)-H(25)	0.95(3)
C(26)-C(27)	1.411(4)
C(26)-H(26)	0.93(3)
C(27)-C(28)	1.362(4)
C(27)-H(27)	0.95(3)
C(28)-C(29)	1.422(4)
C(28)-H(28)	0.96(3)
C(29)-C(210)	1.425(4)
C(21')-C(22')	1.375(4)
C(21')-C(29')	1.436(4)
C(22')-C(23')	1.402(4)
C(22')-H(22')	0.92(3)

C(23')-C(24')	1.361(4)
C(23')-H(23')	0.93(3)
C(24')-C(20')	1.415(4)
C(24')-H(24')	0.93(3)
C(25')-C(26')	1.358(4)
C(25')-C(20')	1.422(4)
C(25')-H(25')	0.91(3)
C(26')-C(27')	1.405(4)
C(26')-H(26')	0.97(4)
C(27')-C(28')	1.370(4)
C(27')-H(27')	0.98(3)
C(28')-C(29')	1.428(4)
C(29')-C(20')	1.438(4)
O(2)-C(2)	1.431(3)
C(2)-H(2A)	0.98(3)
C(2)-H(2B)	0.94(4)
C(2)-H(2C)	1.07(4)
Br(3)-C(38')	1.915(3)
C(31)-C(32)	1.384(4)
C(31)-C(39)	1.421(4)
C(31)-C(31')	1.500(3)
C(32)-O(3)	1.370(3)
C(32)-C(33)	1.412(4)
C(33)-C(34)	1.359(4)
C(33)-H(33)	0.96(4)
C(34)-C(310)	1.412(4)
C(34)-H(34)	0.95(3)
C(35)-C(36)	1.362(4)
C(35)-C(310)	1.414(4)
C(35)-H(35)	0.97(3)
C(36)-C(37)	1.412(4)
C(36)-H(36)	0.98(3)
C(37)-C(38)	1.366(4)
C(37)-H(37)	0.93(3)
C(38)-C(39)	1.420(4)
C(38)-H(38)	0.98(4)
C(39)-C(310)	1.432(4)
C(31')-C(32')	1.382(4)
C(31')-C(39')	1.427(4)
C(32')-C(33')	1.408(4)
C(32')-H(32')	0.85(3)
C(33')-C(34')	1.351(4)
C(33')-H(33')	1.01(3)
C(34')-C(30')	1.419(4)
C(34')-H(34')	0.95(3)
C(35')-C(36')	1.359(4)
C(35')-C(30')	1.423(4)
C(35')-H(35')	0.97(3)
C(36')-C(37')	1.407(4)
C(36')-H(36')	0.93(3)
C(37')-C(38')	1.365(4)
C(37')-H(37')	0.90(3)
C(38')-C(39')	1.430(4)
C(39')-C(30')	1.440(3)
O(3)-C(3)	1.432(4)
C(3)-H(3A)	0.99(4)
C(3)-H(3B)	0.98(3)
C(3)-H(3C)	0.96(4)
C(12)-C(11)-C(19)	119.5(2)
C(12)-C(11)-C(11')	120.3(2)
C(19)-C(11)-C(11')	119.8(2)
O(1)-C(12)-C(11)	115.7(2)
O(1)-C(12)-C(13)	123.0(2)
C(11)-C(12)-C(13)	121.2(2)
C(14)-C(13)-C(12)	119.6(2)
C(14)-C(13)-H(13)	120.6(17)
C(12)-C(13)-H(13)	119.7(17)

C(13)-C(14)-C(110)	121.6(2)
C(13)-C(14)-H(14)	120(2)
C(110)-C(14)-H(14)	119(2)
C(16)-C(15)-C(110)	121.0(2)
C(16)-C(15)-H(15)	119.9(17)
C(110)-C(15)-H(15)	119.2(17)
C(15)-C(16)-C(17)	120.1(3)
C(15)-C(16)-H(16)	120(2)
C(17)-C(16)-H(16)	120(2)
C(18)-C(17)-C(16)	120.6(3)
C(18)-C(17)-H(17)	120.9(18)
C(16)-C(17)-H(17)	118.5(18)
C(17)-C(18)-C(19)	121.0(2)
C(17)-C(18)-H(18)	118.3(19)
C(19)-C(18)-H(18)	120.7(19)
C(18)-C(19)-C(11)	122.7(2)
C(18)-C(19)-C(110)	118.2(2)
C(11)-C(19)-C(110)	119.1(2)
C(14)-C(110)-C(15)	122.2(2)
C(14)-C(110)-C(19)	118.9(2)
C(15)-C(110)-C(19)	119.0(2)
C(12')-C(11')-C(19')	119.6(2)
C(12')-C(11')-C(11)	114.6(2)
C(19')-C(11')-C(11)	125.8(2)
C(11')-C(12')-C(13')	121.9(3)
C(11')-C(12')-H(12')	117.7(16)
C(13')-C(12')-H(12')	120.5(16)
C(14')-C(13')-C(12')	120.0(3)
C(14')-C(13')-H(13')	120(2)
C(12')-C(13')-H(13')	120(2)
C(13')-C(14')-C(10')	120.7(3)
C(13')-C(14')-H(14')	122(2)
C(10')-C(14')-H(14')	117(2)
C(16')-C(15')-C(10')	121.2(3)
C(16')-C(15')-H(15')	119.9(19)
C(10')-C(15')-H(15')	118.9(19)
C(15')-C(16')-C(17')	119.9(3)
C(15')-C(16')-H(16')	123.0(19)
C(17')-C(16')-H(16')	117.1(19)
C(18')-C(17')-C(16')	120.4(3)
C(18')-C(17')-H(17')	118.8(18)
C(16')-C(17')-H(17')	120.8(18)
C(17')-C(18')-C(19')	123.0(2)
C(17')-C(18')-Br(1)	114.4(2)
C(19')-C(18')-Br(1)	122.68(18)
C(18')-C(19')-C(11')	127.4(2)
C(18')-C(19')-C(10')	115.1(2)
C(11')-C(19')-C(10')	117.4(2)
C(14')-C(10')-C(15')	119.3(2)
C(14')-C(10')-C(19')	120.3(2)
C(15')-C(10')-C(19')	120.5(2)
C(12)-O(1)-C(1)	117.6(2)
O(1)-C(1)-H(1A)	109.3(19)
O(1)-C(1)-H(1B)	112(2)
H(1A)-C(1)-H(1B)	110(3)
O(1)-C(1)-H(1C)	105.6(19)
H(1A)-C(1)-H(1C)	114(3)
H(1B)-C(1)-H(1C)	106(3)
C(22)-C(21)-C(29)	119.3(2)
C(22)-C(21)-C(21')	120.5(2)
C(29)-C(21)-C(21')	120.1(2)
O(2)-C(22)-C(21)	115.6(2)
O(2)-C(22)-C(23)	123.3(2)
C(21)-C(22)-C(23)	121.1(2)
C(24)-C(23)-C(22)	120.0(3)
C(24)-C(23)-H(23)	119(2)
C(22)-C(23)-H(23)	121(2)
C(23)-C(24)-C(210)	121.4(2)

C(23)-C(24)-H(24)	121.0(17)
C(210)-C(24)-H(24)	117.6(17)
C(26)-C(25)-C(210)	120.9(2)
C(26)-C(25)-H(25)	120.1(19)
C(210)-C(25)-H(25)	119.0(19)
C(25)-C(26)-C(27)	119.9(3)
C(25)-C(26)-H(26)	121.4(19)
C(27)-C(26)-H(26)	118.7(19)
C(28)-C(27)-C(26)	120.7(3)
C(28)-C(27)-H(27)	119.8(18)
C(26)-C(27)-H(27)	119.5(18)
C(27)-C(28)-C(29)	121.2(2)
C(27)-C(28)-H(28)	121.0(16)
C(29)-C(28)-H(28)	117.8(16)
C(28)-C(29)-C(21)	122.3(2)
C(28)-C(29)-C(210)	117.9(2)
C(21)-C(29)-C(210)	119.7(2)
C(24)-C(210)-C(25)	122.1(2)
C(24)-C(210)-C(29)	118.5(2)
C(25)-C(210)-C(29)	119.4(2)
C(22')-C(21')-C(29')	119.4(2)
C(22')-C(21')-C(21)	116.2(2)
C(29')-C(21')-C(21)	124.3(2)
C(21')-C(22')-C(23')	122.7(3)
C(21')-C(22')-H(22')	117.6(19)
C(23')-C(22')-H(22')	119.6(19)
C(24')-C(23')-C(22')	119.3(3)
C(24')-C(23')-H(23')	124(2)
C(22')-C(23')-H(23')	117(2)
C(23')-C(24')-C(20')	121.0(3)
C(23')-C(24')-H(24')	120.7(19)
C(20')-C(24')-H(24')	118.1(19)
C(26')-C(25')-C(20')	121.3(3)
C(26')-C(25')-H(25')	122.8(18)
C(20')-C(25')-H(25')	115.8(19)
C(25')-C(26')-C(27')	119.4(3)
C(25')-C(26')-H(26')	122(2)
C(27')-C(26')-H(26')	119(2)
C(28')-C(27')-C(26')	120.6(3)
C(28')-C(27')-H(27')	119.3(17)
C(26')-C(27')-H(27')	120.1(17)
C(27')-C(28')-C(29')	122.8(3)
C(27')-C(28')-Br(2)	113.3(2)
C(29')-C(28')-Br(2)	123.89(19)
C(28')-C(29')-C(21')	127.4(2)
C(28')-C(29')-C(20')	115.2(2)
C(21')-C(29')-C(20')	117.4(2)
C(24')-C(20')-C(25')	119.3(3)
C(24')-C(20')-C(29')	120.2(2)
C(25')-C(20')-C(29')	120.6(3)
C(22)-O(2)-C(2)	118.0(2)
O(2)-C(2)-H(2A)	111(2)
O(2)-C(2)-H(2B)	107(2)
H(2A)-C(2)-H(2B)	112(3)
O(2)-C(2)-H(2C)	112(2)
H(2A)-C(2)-H(2C)	107(3)
H(2B)-C(2)-H(2C)	109(3)
C(32)-C(31)-C(39)	119.4(2)
C(32)-C(31)-C(31')	119.9(2)
C(39)-C(31)-C(31')	120.6(2)
O(3)-C(32)-C(31)	116.3(2)
O(3)-C(32)-C(33)	122.5(2)
C(31)-C(32)-C(33)	121.2(2)
C(34)-C(33)-C(32)	119.6(3)
C(34)-C(33)-H(33)	121(2)
C(32)-C(33)-H(33)	119(2)
C(33)-C(34)-C(310)	121.9(3)
C(33)-C(34)-H(34)	121.1(18)

C(310)-C(34)-H(34)	117.0(18)
C(36)-C(35)-C(310)	121.4(2)
C(36)-C(35)-H(35)	122(2)
C(310)-C(35)-H(35)	116(2)
C(35)-C(36)-C(37)	119.8(3)
C(35)-C(36)-H(36)	121.1(18)
C(37)-C(36)-H(36)	119.1(18)
C(38)-C(37)-C(36)	120.7(3)
C(38)-C(37)-H(37)	118.2(19)
C(36)-C(37)-H(37)	121.0(19)
C(37)-C(38)-C(39)	121.0(3)
C(37)-C(38)-H(38)	122(2)
C(39)-C(38)-H(38)	117(2)
C(38)-C(39)-C(31)	122.5(2)
C(38)-C(39)-C(310)	118.1(2)
C(31)-C(39)-C(310)	119.4(2)
C(34)-C(310)-C(35)	122.5(2)
C(34)-C(310)-C(39)	118.4(2)
C(35)-C(310)-C(39)	119.0(2)
C(32')-C(31')-C(39')	119.3(2)
C(32')-C(31')-C(31)	115.6(2)
C(39')-C(31')-C(31)	125.1(2)
C(31')-C(32')-C(33')	122.3(3)
C(31')-C(32')-H(32')	117.7(19)
C(33')-C(32')-H(32')	119.9(19)
C(34')-C(33')-C(32')	119.5(2)
C(34')-C(33')-H(33')	120.5(17)
C(32')-C(33')-H(33')	119.9(17)
C(33')-C(34')-C(30')	121.0(2)
C(33')-C(34')-H(34')	120.6(18)
C(30')-C(34')-H(34')	118.4(18)
C(36')-C(35')-C(30')	120.8(3)
C(36')-C(35')-H(35')	123.1(19)
C(30')-C(35')-H(35')	116.1(19)
C(35')-C(36')-C(37')	119.4(3)
C(35')-C(36')-H(36')	121.5(19)
C(37')-C(36')-H(36')	119.1(19)
C(38')-C(37')-C(36')	120.9(3)
C(38')-C(37')-H(37')	122(2)
C(36')-C(37')-H(37')	117(2)
C(37')-C(38')-C(39')	123.1(2)
C(37')-C(38')-Br(3)	113.44(19)
C(39')-C(38')-Br(3)	123.50(19)
C(31')-C(39')-C(38')	127.6(2)
C(31')-C(39')-C(30')	117.8(2)
C(38')-C(39')-C(30')	114.6(2)
C(34')-C(30')-C(35')	118.8(2)
C(34')-C(30')-C(39')	119.9(2)
C(35')-C(30')-C(39')	121.2(2)
C(32)-O(3)-C(3)	118.2(2)
O(3)-C(3)-H(3A)	105(2)
O(3)-C(3)-H(3B)	112(2)
H(3A)-C(3)-H(3B)	108(3)
O(3)-C(3)-H(3C)	111(2)
H(3A)-C(3)-H(3C)	111(3)
H(3B)-C(3)-H(3C)	110(3)

Table 4. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (±)-**18**.
The anisotropic displacement factor exponent takes the form:
 $-2 \pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U11	U22	U33	U23	U13	U12
Br(1)	25(1)	19(1)	17(1)	2(1)	3(1)	1(1)
C(11)	17(1)	18(1)	12(1)	4(1)	1(1)	0(1)
C(12)	18(1)	24(1)	14(1)	6(1)	-3(1)	1(1)
C(13)	18(1)	24(1)	20(1)	6(1)	1(1)	6(1)
C(14)	18(1)	24(1)	16(1)	4(1)	2(1)	5(1)
C(15)	24(1)	25(1)	13(1)	4(1)	3(1)	3(1)
C(16)	28(2)	29(2)	13(1)	7(1)	-3(1)	3(1)
C(17)	25(1)	25(1)	22(1)	9(1)	-2(1)	9(1)
C(18)	21(1)	22(1)	16(1)	4(1)	2(1)	5(1)
C(19)	17(1)	17(1)	15(1)	5(1)	2(1)	0(1)
C(110)	17(1)	20(1)	14(1)	4(1)	1(1)	1(1)
C(11')	23(1)	22(1)	11(1)	7(1)	-2(1)	5(1)
C(12')	30(2)	23(1)	15(1)	7(1)	-1(1)	1(1)
C(13')	43(2)	18(1)	19(1)	4(1)	-3(1)	-2(1)
C(14')	45(2)	18(1)	14(1)	2(1)	-1(1)	11(1)
C(15')	34(2)	30(2)	12(1)	4(1)	1(1)	18(1)
C(16')	22(1)	41(2)	17(1)	12(1)	3(1)	16(1)
C(17')	19(1)	29(2)	19(1)	11(1)	-2(1)	6(1)
C(18')	20(1)	21(1)	11(1)	5(1)	-3(1)	8(1)
C(19')	24(1)	20(1)	10(1)	4(1)	-2(1)	9(1)
C(10')	29(2)	22(1)	12(1)	5(1)	-2(1)	12(1)
O(1)	30(1)	31(1)	14(1)	6(1)	-2(1)	13(1)
C(1)	31(2)	32(2)	21(2)	9(1)	-3(1)	12(1)
Br(2)	18(1)	30(1)	33(1)	9(1)	0(1)	4(1)
C(21)	18(1)	19(1)	18(1)	8(1)	-1(1)	1(1)
C(22)	23(1)	21(1)	18(1)	6(1)	0(1)	1(1)
C(23)	29(2)	27(2)	18(1)	11(1)	-5(1)	5(1)
C(24)	24(1)	24(1)	24(1)	13(1)	-4(1)	4(1)
C(25)	22(1)	21(1)	28(2)	10(1)	0(1)	7(1)
C(26)	24(1)	21(1)	24(1)	2(1)	1(1)	6(1)
C(27)	21(1)	25(1)	17(1)	7(1)	0(1)	4(1)
C(28)	19(1)	21(1)	19(1)	9(1)	-1(1)	4(1)
C(29)	15(1)	20(1)	18(1)	8(1)	1(1)	2(1)
C(210)	18(1)	20(1)	20(1)	9(1)	1(1)	3(1)
C(21')	23(1)	16(1)	13(1)	4(1)	-2(1)	3(1)
C(22')	22(1)	23(1)	22(1)	9(1)	1(1)	1(1)
C(23')	20(2)	29(2)	28(2)	7(1)	-1(1)	7(1)
C(24')	30(2)	23(1)	19(1)	5(1)	-4(1)	10(1)
C(25')	44(2)	16(1)	15(1)	4(1)	-2(1)	7(1)
C(26')	44(2)	19(1)	16(1)	4(1)	4(1)	-4(1)
C(27')	30(2)	20(1)	15(1)	0(1)	4(1)	-2(1)
C(28')	23(1)	17(1)	14(1)	1(1)	2(1)	3(1)
C(29')	23(1)	15(1)	11(1)	1(1)	-2(1)	2(1)
C(20')	31(2)	17(1)	11(1)	1(1)	-2(1)	7(1)
O(2)	40(1)	24(1)	14(1)	4(1)	-3(1)	10(1)
C(2)	49(2)	32(2)	17(1)	4(1)	-4(1)	7(2)
Br(3)	25(1)	41(1)	16(1)	13(1)	2(1)	6(1)
C(31)	16(1)	23(1)	11(1)	4(1)	-1(1)	-1(1)
C(32)	22(1)	22(1)	16(1)	5(1)	-1(1)	2(1)
C(33)	26(1)	26(2)	14(1)	-1(1)	-4(1)	1(1)
C(34)	21(1)	33(2)	14(1)	2(1)	-5(1)	2(1)
C(35)	18(1)	37(2)	13(1)	5(1)	-1(1)	7(1)
C(36)	21(1)	32(2)	22(1)	11(1)	5(1)	10(1)
C(37)	21(1)	22(1)	22(1)	6(1)	4(1)	4(1)
C(38)	18(1)	26(1)	16(1)	4(1)	1(1)	1(1)
C(39)	14(1)	24(1)	12(1)	6(1)	0(1)	1(1)
C(310)	16(1)	27(1)	12(1)	4(1)	2(1)	1(1)
C(31')	22(1)	17(1)	12(1)	3(1)	-3(1)	3(1)

C(32')	19(2)	24(1)	15(1)	3(1)	-1(1)	-1(1)
C(33')	31(2)	28(2)	13(1)	6(1)	-1(1)	2(1)
C(34')	30(2)	21(1)	13(1)	4(1)	-6(1)	4(1)
C(35')	23(1)	21(1)	22(1)	4(1)	-8(1)	4(1)
C(36')	18(1)	24(1)	33(2)	8(1)	-6(1)	0(1)
C(37')	23(1)	25(1)	28(2)	13(1)	5(1)	5(1)
C(38')	25(1)	18(1)	15(1)	5(1)	-1(1)	7(1)
C(39')	20(1)	15(1)	14(1)	4(1)	-2(1)	3(1)
C(30')	24(1)	16(1)	17(1)	4(1)	-4(1)	4(1)
O(3)	38(1)	21(1)	19(1)	0(1)	-10(1)	9(1)
C(3)	46(2)	24(2)	34(2)	-3(1)	-12(2)	13(2)

Table 5. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (+)-**18**.

	x	y	z	U(eq)
H(13)	11060(30)	5050(20)	12993(17)	17(7)
H(14)	10320(30)	5000(20)	11670(20)	33(8)
H(15)	9020(30)	5610(20)	10756(18)	20(7)
H(16)	7370(30)	6480(20)	10610(20)	32(8)
H(17)	6420(30)	7340(20)	11753(17)	18(7)
H(18)	7110(30)	7440(20)	13060(20)	27(8)
H(12')	10260(30)	8181(17)	14309(15)	5(6)
H(15')	5750(30)	8370(20)	16231(19)	21(7)
H(16')	4160(30)	6970(20)	15930(20)	32(8)
H(17')	4590(30)	5690(20)	14848(18)	24(7)
H(13')	9830(30)	9420(20)	15386(18)	26(8)
H(14')	7820(30)	9290(20)	16030(20)	29(8)
H(1A)	12180(40)	5720(20)	14280(20)	32(8)
H(1B)	10980(30)	4890(30)	14300(20)	35(9)
H(1C)	11470(30)	5680(20)	15100(20)	27(8)
H(23)	4060(30)	7710(20)	14360(20)	31(8)
H(24)	4280(30)	6340(20)	13325(18)	24(7)
H(25)	3840(30)	5360(20)	11875(19)	30(8)
H(26)	2950(30)	5120(20)	10530(20)	28(8)
H(27)	1950(30)	6270(20)	10220(19)	21(7)
H(28)	1790(30)	7662(18)	11247(16)	11(6)
H(22')	120(30)	8390(20)	12856(18)	22(7)
H(23')	-1100(40)	9430(20)	12621(19)	32(8)
H(24')	20(30)	10620(20)	12129(19)	27(8)
H(25')	2040(30)	11420(20)	11783(18)	22(7)
H(26')	4440(40)	11680(20)	11620(20)	42(9)
H(27')	5770(30)	10630(20)	11913(18)	24(7)
H(2A)	2820(30)	8790(20)	15242(19)	30(8)
H(2B)	3200(30)	9880(30)	15370(20)	37(9)
H(2C)	4420(40)	9250(30)	15170(20)	52(11)
H(33)	6600(40)	210(30)	9690(20)	48(10)
H(34)	5270(30)	1230(20)	9400(20)	25(8)
H(35)	4550(30)	2730(20)	9720(20)	33(8)
H(36)	4760(30)	4320(20)	10579(18)	26(8)
H(37)	6330(30)	4840(20)	11770(18)	23(7)
H(38)	7640(40)	3850(20)	12120(20)	37(9)
H(32')	7110(30)	2085(19)	12742(17)	15(7)
H(33')	8220(30)	2430(20)	14057(18)	22(7)
H(34')	10610(30)	3010(20)	14159(19)	23(7)
H(35')	12650(30)	3530(20)	13640(20)	30(8)
H(36')	13870(30)	3800(20)	12530(18)	26(8)
H(37')	12720(30)	3430(20)	11270(20)	37(9)
H(3A)	8990(40)	-580(30)	10710(20)	48(10)
H(3B)	8580(30)	-340(20)	9900(20)	35(9)
H(3C)	7390(40)	-690(30)	10410(20)	46(10)

Table 6. Torsion angles [deg] for ($\pm$)-**18**.

C(19)-C(11)-C(12)-O(1)	-179.7(2)
C(11')-C(11)-C(12)-O(1)	7.0(3)
C(19)-C(11)-C(12)-C(13)	-1.4(4)
C(11')-C(11)-C(12)-C(13)	-174.6(2)
O(1)-C(12)-C(13)-C(14)	-178.9(2)
C(11)-C(12)-C(13)-C(14)	2.9(4)
C(12)-C(13)-C(14)-C(110)	-1.4(4)
C(110)-C(15)-C(16)-C(17)	-0.6(4)
C(15)-C(16)-C(17)-C(18)	2.8(4)
C(16)-C(17)-C(18)-C(19)	-1.4(4)
C(17)-C(18)-C(19)-C(11)	179.0(2)
C(17)-C(18)-C(19)-C(110)	-2.1(4)
C(12)-C(11)-C(19)-C(18)	177.4(2)
C(11')-C(11)-C(19)-C(18)	-9.4(4)
C(12)-C(11)-C(19)-C(110)	-1.5(4)
C(11')-C(11)-C(19)-C(110)	171.8(2)
C(13)-C(14)-C(110)-C(15)	178.3(3)
C(13)-C(14)-C(110)-C(19)	-1.5(4)
C(16)-C(15)-C(110)-C(14)	177.3(3)
C(16)-C(15)-C(110)-C(19)	-2.9(4)
C(18)-C(19)-C(110)-C(14)	-176.0(2)
C(11)-C(19)-C(110)-C(14)	2.9(4)
C(18)-C(19)-C(110)-C(15)	4.3(4)
C(11)-C(19)-C(110)-C(15)	-176.8(2)
C(12)-C(11)-C(11')-C(12')	82.5(3)
C(19)-C(11)-C(11')-C(12')	-90.7(3)
C(12)-C(11)-C(11')-C(19')	-99.7(3)
C(19)-C(11)-C(11')-C(19')	87.1(3)
C(19')-C(11')-C(12')-C(13')	-1.8(4)
C(11)-C(11')-C(12')-C(13')	176.1(2)
C(11')-C(12')-C(13')-C(14')	-1.7(4)
C(12')-C(13')-C(14')-C(10')	3.9(4)
C(10')-C(15')-C(16')-C(17')	-0.6(4)
C(15')-C(16')-C(17')-C(18')	0.3(4)
C(16')-C(17')-C(18')-C(19')	-0.6(4)
C(16')-C(17')-C(18')-Br(1)	178.79(19)
C(17')-C(18')-C(19')-C(11')	179.6(2)
Br(1)-C(18')-C(19')-C(11')	0.3(4)
C(17')-C(18')-C(19')-C(10')	1.1(4)
Br(1)-C(18')-C(19')-C(10')	-178.18(17)
C(12')-C(11')-C(19')-C(18')	-175.5(2)
C(11)-C(11')-C(19')-C(18')	6.8(4)
C(12')-C(11')-C(19')-C(10')	2.9(4)
C(11)-C(11')-C(19')-C(10')	-174.7(2)
C(13')-C(14')-C(10')-C(15')	176.6(3)
C(13')-C(14')-C(10')-C(19')	-2.6(4)
C(16')-C(15')-C(10')-C(14')	-178.0(3)
C(16')-C(15')-C(10')-C(19')	1.2(4)
C(18')-C(19')-C(10')-C(14')	177.8(2)
C(11')-C(19')-C(10')-C(14')	-0.8(4)
C(18')-C(19')-C(10')-C(15')	-1.4(3)
C(11')-C(19')-C(10')-C(15')	179.9(2)
C(11)-C(12)-O(1)-C(1)	-179.5(2)
C(13)-C(12)-O(1)-C(1)	2.2(4)
C(29)-C(21)-C(22)-O(2)	179.8(2)
C(21')-C(21)-C(22)-O(2)	-2.1(4)
C(29)-C(21)-C(22)-C(23)	2.5(4)
C(21')-C(21)-C(22)-C(23)	-179.4(2)
O(2)-C(22)-C(23)-C(24)	-177.4(2)
C(21)-C(22)-C(23)-C(24)	-0.3(4)
C(22)-C(23)-C(24)-C(210)	-1.6(4)
C(210)-C(25)-C(26)-C(27)	1.3(4)
C(25)-C(26)-C(27)-C(28)	-0.5(4)
C(26)-C(27)-C(28)-C(29)	-0.5(4)

C(27)-C(28)-C(29)-C(21)	-179.8(2)
C(27)-C(28)-C(29)-C(210)	0.8(4)
C(22)-C(21)-C(29)-C(28)	177.8(2)
C(21')-C(21)-C(29)-C(28)	-0.3(4)
C(22)-C(21)-C(29)-C(210)	-2.8(4)
C(21')-C(21)-C(29)-C(210)	179.1(2)
C(23)-C(24)-C(210)-C(25)	-178.4(3)
C(23)-C(24)-C(210)-C(29)	1.2(4)
C(26)-C(25)-C(210)-C(24)	178.5(3)
C(26)-C(25)-C(210)-C(29)	-1.1(4)
C(28)-C(29)-C(210)-C(24)	-179.6(2)
C(21)-C(29)-C(210)-C(24)	0.9(4)
C(28)-C(29)-C(210)-C(25)	0.0(4)
C(21)-C(29)-C(210)-C(25)	-179.4(2)
C(22)-C(21)-C(21')-C(22')	-89.7(3)
C(29)-C(21)-C(21')-C(22')	88.4(3)
C(22)-C(21)-C(21')-C(29')	93.5(3)
C(29)-C(21)-C(21')-C(29')	-88.4(3)
C(29')-C(21')-C(22')-C(23')	-2.1(4)
C(21)-C(21')-C(22')-C(23')	-179.1(2)
C(21')-C(22')-C(23')-C(24')	1.6(4)
C(22')-C(23')-C(24')-C(20')	0.6(4)
C(20')-C(25')-C(26')-C(27')	-1.4(4)
C(25')-C(26')-C(27')-C(28')	-0.1(4)
C(26')-C(27')-C(28')-C(29')	2.5(4)
C(26')-C(27')-C(28')-Br(2)	-177.5(2)
C(27')-C(28')-C(29')-C(21')	177.2(2)
Br(2)-C(28')-C(29')-C(21')	-2.8(4)
C(27')-C(28')-C(29')-C(20')	-3.0(4)
Br(2)-C(28')-C(29')-C(20')	176.92(17)
C(22')-C(21')-C(29')-C(28')	-179.8(2)
C(21)-C(21')-C(29')-C(28')	-3.0(4)
C(22')-C(21')-C(29')-C(20')	0.5(3)
C(21)-C(21')-C(29')-C(20')	177.2(2)
C(23')-C(24')-C(20')-C(25')	178.2(3)
C(23')-C(24')-C(20')-C(29')	-2.2(4)
C(26')-C(25')-C(20')-C(24')	-179.6(2)
C(26')-C(25')-C(20')-C(29')	0.7(4)
C(28')-C(29')-C(20')-C(24')	-178.2(2)
C(21')-C(29')-C(20')-C(24')	1.6(3)
C(28')-C(29')-C(20')-C(25')	1.5(3)
C(21')-C(29')-C(20')-C(25')	-178.8(2)
C(21)-C(22)-O(2)-C(2)	174.7(3)
C(23)-C(22)-O(2)-C(2)	-8.1(4)
C(39)-C(31)-C(32)-O(3)	179.8(2)
C(31')-C(31)-C(32)-O(3)	-3.4(3)
C(39)-C(31)-C(32)-C(33)	0.9(4)
C(31')-C(31)-C(32)-C(33)	177.7(2)
O(3)-C(32)-C(33)-C(34)	-178.7(2)
C(31)-C(32)-C(33)-C(34)	0.1(4)
C(32)-C(33)-C(34)-C(310)	-1.1(4)
C(310)-C(35)-C(36)-C(37)	-0.5(4)
C(35)-C(36)-C(37)-C(38)	0.2(4)
C(36)-C(37)-C(38)-C(39)	0.3(4)
C(37)-C(38)-C(39)-C(31)	177.4(2)
C(37)-C(38)-C(39)-C(310)	-0.6(4)
C(32)-C(31)-C(39)-C(38)	-178.9(2)
C(31')-C(31)-C(39)-C(38)	4.3(4)
C(32)-C(31)-C(39)-C(310)	-0.9(4)
C(31')-C(31)-C(39)-C(310)	-177.7(2)
C(33)-C(34)-C(310)-C(35)	178.6(3)
C(33)-C(34)-C(310)-C(39)	1.1(4)
C(36)-C(35)-C(310)-C(34)	-177.4(3)
C(36)-C(35)-C(310)-C(39)	0.1(4)
C(38)-C(39)-C(310)-C(34)	178.0(2)
C(31)-C(39)-C(310)-C(34)	0.0(3)
C(38)-C(39)-C(310)-C(35)	0.4(3)
C(31)-C(39)-C(310)-C(35)	-177.7(2)

C(32)-C(31)-C(31')-C(32')	-92.3(3)
C(39)-C(31)-C(31')-C(32')	84.5(3)
C(32)-C(31)-C(31')-C(39')	87.3(3)
C(39)-C(31)-C(31')-C(39')	-95.9(3)
C(39')-C(31')-C(32')-C(33')	-2.0(4)
C(31)-C(31')-C(32')-C(33')	177.6(2)
C(31')-C(32')-C(33')-C(34')	0.9(4)
C(32')-C(33')-C(34')-C(30')	0.7(4)
C(30')-C(35')-C(36')-C(37')	-0.6(4)
C(35')-C(36')-C(37')-C(38')	0.3(4)
C(36')-C(37')-C(38')-C(39')	0.2(4)
C(36')-C(37')-C(38')-Br(3)	179.7(2)
C(32')-C(31')-C(39')-C(38')	-177.7(2)
C(31)-C(31')-C(39')-C(38')	2.7(4)
C(32')-C(31')-C(39')-C(30')	1.6(4)
C(31)-C(31')-C(39')-C(30')	-178.0(2)
C(37')-C(38')-C(39')-C(31')	179.0(3)
Br(3)-C(38')-C(39')-C(31')	-0.5(4)
C(37')-C(38')-C(39')-C(30')	-0.4(4)
Br(3)-C(38')-C(39')-C(30')	-179.82(18)
C(33')-C(34')-C(30')-C(35')	178.2(3)
C(33')-C(34')-C(30')-C(39')	-1.1(4)
C(36')-C(35')-C(30')-C(34')	-178.8(3)
C(36')-C(35')-C(30')-C(39')	0.4(4)
C(31')-C(39')-C(30')-C(34')	-0.1(4)
C(38')-C(39')-C(30')-C(34')	179.3(2)
C(31')-C(39')-C(30')-C(35')	-179.4(2)
C(38')-C(39')-C(30')-C(35')	0.1(3)
C(31)-C(32)-O(3)-C(3)	-178.1(3)
C(33)-C(32)-O(3)-C(3)	0.7(4)

Figure 9. ORTEP diagram of (*S*)-(+)-**18** showing the atom labeling scheme. Displacement parameters are shown at the 50% probability level.

Table 7. Crystal data and structure refinement for (S)-(+)-**18**.

Identification code	(S)-(+)- 18
Empirical formula	C ₂₁ H ₁₅ Br O
Formula weight	363.24
Temperature	150(2) K
Wavelength	0.71070 Å
Crystal system, space group	Orthorhombic, P 212121
Unit cell dimensions	a = 14.6360(4) Å alpha = 90 deg. b = 14.6340(3) Å beta = 90 deg. c = 14.9980(3) Å gamma = 90 deg.
Volume	3212.32(13) Å ³
Z, Calculated density	8, 1.502 Mg/m ³
Absorption coefficient	2.561 mm ⁻¹
F(000)	1472
Crystal size	0.29 x 0.13 x 0.12 mm
Theta range for data collection	3.05 to 26.07 deg.
Limiting indices	-18 ≤ h ≤ 16, -18 ≤ k ≤ 14, -18 ≤ l ≤ 18
Reflections collected / unique	47446 / 6311 [R(int) = 0.0711]
Completeness to theta = 26.07	99.2 %
Absorption correction	Gaussian
Max. and min. transmission	0.753 and 0.558
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	6311 / 0 / 418
Goodness-of-fit on F ²	0.925
Final R indices [I > 2σ(I)]	R ₁ = 0.0296, wR ₂ = 0.0735
R indices (all data)	R ₁ = 0.0324, wR ₂ = 0.0765
Absolute structure parameter	0.000(9)
Largest diff. peak and hole	0.658 and -0.926 e.Å ⁻³

Table 8. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (S)-(+)-**18**. U(eq) is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
Br(1)	4219(1)	6481(1)	2301(1)	35(1)
O(1)	2708(2)	6451(2)	89(2)	44(1)
C(1)	1882(3)	5975(4)	-124(4)	53(1)
C(11)	4296(3)	6460(3)	243(2)	28(1)
C(12)	3504(3)	5967(3)	72(3)	35(1)
C(13)	3553(3)	5015(3)	-100(3)	44(1)
C(14)	4378(4)	4582(3)	-100(3)	45(1)
C(15)	6056(4)	4596(3)	79(3)	45(1)
C(16)	6841(4)	5056(3)	254(3)	45(1)
C(17)	6799(4)	6000(3)	452(3)	42(1)
C(18)	5984(3)	6455(3)	444(3)	36(1)
C(19)	5149(3)	5998(3)	261(3)	33(1)
C(110)	5190(3)	5038(3)	77(3)	36(1)
C(21)	4275(3)	7485(2)	278(3)	28(1)
C(22)	4249(3)	7899(3)	-548(3)	35(1)
C(23)	4287(3)	8858(3)	-640(3)	33(1)
C(24)	4352(3)	9394(3)	96(3)	34(1)
C(25)	4458(3)	9601(3)	1700(3)	33(1)
C(26)	4484(3)	9276(3)	2549(3)	35(1)
C(27)	4421(3)	8321(3)	2689(3)	31(1)
C(28)	4339(3)	7730(2)	1977(3)	25(1)
C(29)	4328(3)	8035(3)	1067(3)	25(1)
C(210)	4375(3)	9011(3)	962(3)	28(1)
Br(2)	4053(1)	6554(1)	-4973(1)	33(1)
O(2)	4065(2)	4699(2)	-2940(2)	42(1)
C(2)	3660(4)	3829(3)	-2762(4)	52(1)
C(31)	3956(3)	6288(3)	-2937(2)	26(1)
C(32)	3520(3)	5459(3)	-2861(3)	35(1)
C(33)	2567(3)	5415(3)	-2741(3)	45(1)
C(34)	2065(3)	6197(4)	-2658(3)	48(1)
C(35)	1973(3)	7889(4)	-2618(3)	48(1)
C(36)	2390(4)	8716(3)	-2695(3)	47(1)
C(37)	3336(4)	8769(3)	-2870(3)	43(1)
C(38)	3848(3)	7993(3)	-2950(3)	34(1)
C(39)	3441(3)	7114(3)	-2868(2)	28(1)
C(310)	2475(3)	7062(3)	-2712(3)	38(1)
C(41)	4984(3)	6342(2)	-2931(3)	26(1)
C(42)	5386(3)	6150(3)	-2122(3)	30(1)
C(43)	6325(3)	6257(3)	-1966(3)	34(1)
C(44)	6878(3)	6556(3)	-2641(3)	31(1)
C(45)	7105(3)	7064(3)	-4180(3)	33(1)
C(46)	6783(3)	7230(3)	-5021(3)	36(1)
C(47)	5862(3)	7072(3)	-5217(3)	33(1)
C(48)	5273(3)	6782(2)	-4564(3)	26(1)
C(49)	5549(3)	6618(2)	-3664(2)	24(1)
C(410)	6508(3)	6740(2)	-3495(3)	27(1)

Table 9. Bond lengths [Å] and angles [deg] for (*S*)-(+)-**18**.

Br(1)-C(28)	1.899(4)
O(1)-C(12)	1.364(5)
O(1)-C(1)	1.431(5)
C(1)-H(1A)	0.9600
C(1)-H(1B)	0.9600
C(1)-H(1C)	0.9600
C(11)-C(12)	1.389(6)
C(11)-C(19)	1.420(6)
C(11)-C(21)	1.501(5)
C(12)-C(13)	1.419(6)
C(13)-C(14)	1.363(7)
C(13)-H(13)	0.9300
C(14)-C(110)	1.389(7)
C(14)-H(14)	0.9300
C(15)-C(16)	1.357(7)
C(15)-C(110)	1.423(6)
C(15)-H(15)	0.9300
C(16)-C(17)	1.414(7)
C(16)-H(16)	0.9300
C(17)-C(18)	1.366(7)
C(17)-H(17)	0.9300
C(18)-C(19)	1.420(6)
C(18)-H(18)	0.9300
C(19)-C(110)	1.433(6)
C(21)-C(22)	1.379(6)
C(21)-C(29)	1.432(5)
C(22)-C(23)	1.411(6)
C(22)-H(22)	0.9300
C(23)-C(24)	1.358(6)
C(23)-H(23)	0.9300
C(24)-C(210)	1.416(6)
C(24)-H(24)	0.9300
C(25)-C(26)	1.361(6)
C(25)-C(210)	1.408(6)
C(25)-H(25)	0.9300
C(26)-C(27)	1.416(6)
C(26)-H(26)	0.9300
C(27)-C(28)	1.379(6)
C(27)-H(27)	0.9300
C(28)-C(29)	1.437(5)
C(29)-C(210)	1.439(5)
Br(2)-C(48)	1.917(4)
O(2)-C(32)	1.375(6)
O(2)-C(2)	1.430(5)
C(2)-H(2A)	0.9600
C(2)-H(2B)	0.9600
C(2)-H(2C)	0.9600
C(31)-C(32)	1.375(6)
C(31)-C(39)	1.428(5)
C(31)-C(41)	1.507(5)
C(32)-C(33)	1.407(7)
C(33)-C(34)	1.366(8)
C(33)-H(33)	0.9300
C(34)-C(310)	1.402(7)
C(34)-H(34)	0.9300
C(35)-C(36)	1.360(8)
C(35)-C(310)	1.424(7)
C(35)-H(35)	0.9300
C(36)-C(37)	1.410(8)
C(36)-H(36)	0.9300
C(37)-C(38)	1.366(6)
C(37)-H(37)	0.9300
C(38)-C(39)	1.422(6)
C(38)-H(38)	0.9300

C(39)-C(310)	1.435(6)
C(41)-C(42)	1.377(6)
C(41)-C(49)	1.434(5)
C(42)-C(43)	1.403(6)
C(42)-H(42)	0.9300
C(43)-C(44)	1.368(6)
C(43)-H(43)	0.9300
C(44)-C(410)	1.416(6)
C(44)-H(44)	0.9300
C(45)-C(46)	1.368(7)
C(45)-C(410)	1.430(6)
C(45)-H(45)	0.9300
C(46)-C(47)	1.399(6)
C(46)-H(46)	0.9300
C(47)-C(48)	1.372(6)
C(47)-H(47)	0.9300
C(48)-C(49)	1.429(6)
C(49)-C(410)	1.439(6)

C(12)-O(1)-C(1)	117.7(3)
O(1)-C(1)-H(1A)	109.5
O(1)-C(1)-H(1B)	109.5
H(1A)-C(1)-H(1B)	109.5
O(1)-C(1)-H(1C)	109.5
H(1A)-C(1)-H(1C)	109.5
H(1B)-C(1)-H(1C)	109.5
C(12)-C(11)-C(19)	119.3(4)
C(12)-C(11)-C(21)	120.5(4)
C(19)-C(11)-C(21)	119.6(4)
O(1)-C(12)-C(11)	116.1(4)
O(1)-C(12)-C(13)	123.8(4)
C(11)-C(12)-C(13)	120.1(4)
C(14)-C(13)-C(12)	120.0(4)
C(14)-C(13)-H(13)	120.0
C(12)-C(13)-H(13)	120.0
C(13)-C(14)-C(110)	122.3(4)
C(13)-C(14)-H(14)	118.8
C(110)-C(14)-H(14)	118.8
C(16)-C(15)-C(110)	121.9(4)
C(16)-C(15)-H(15)	119.0
C(110)-C(15)-H(15)	119.0
C(15)-C(16)-C(17)	119.2(5)
C(15)-C(16)-H(16)	120.4
C(17)-C(16)-H(16)	120.4
C(18)-C(17)-C(16)	120.8(5)
C(18)-C(17)-H(17)	119.6
C(16)-C(17)-H(17)	119.6
C(17)-C(18)-C(19)	121.6(4)
C(17)-C(18)-H(18)	119.2
C(19)-C(18)-H(18)	119.2
C(18)-C(19)-C(11)	122.4(4)
C(18)-C(19)-C(110)	117.6(4)
C(11)-C(19)-C(110)	120.0(4)
C(14)-C(110)-C(15)	123.0(4)
C(14)-C(110)-C(19)	118.1(4)
C(15)-C(110)-C(19)	118.9(4)
C(22)-C(21)-C(29)	119.8(3)
C(22)-C(21)-C(11)	114.0(3)
C(29)-C(21)-C(11)	126.1(3)
C(21)-C(22)-C(23)	121.6(4)
C(21)-C(22)-H(22)	119.2
C(23)-C(22)-H(22)	119.2
C(24)-C(23)-C(22)	119.9(4)
C(24)-C(23)-H(23)	120.1
C(22)-C(23)-H(23)	120.1
C(23)-C(24)-C(210)	121.2(4)
C(23)-C(24)-H(24)	119.4
C(210)-C(24)-H(24)	119.4

C(26)-C(25)-C(210)	121.6(4)
C(26)-C(25)-H(25)	119.2
C(210)-C(25)-H(25)	119.2
C(25)-C(26)-C(27)	118.8(4)
C(25)-C(26)-H(26)	120.6
C(27)-C(26)-H(26)	120.6
C(28)-C(27)-C(26)	120.7(4)
C(28)-C(27)-H(27)	119.6
C(26)-C(27)-H(27)	119.6
C(27)-C(28)-C(29)	122.8(3)
C(27)-C(28)-Br(1)	114.5(3)
C(29)-C(28)-Br(1)	122.7(3)
C(21)-C(29)-C(28)	127.7(3)
C(21)-C(29)-C(210)	118.0(3)
C(28)-C(29)-C(210)	114.3(4)
C(25)-C(210)-C(24)	118.7(4)
C(25)-C(210)-C(29)	121.8(4)
C(24)-C(210)-C(29)	119.5(4)
C(32)-O(2)-C(2)	117.6(4)
O(2)-C(2)-H(2A)	109.5
O(2)-C(2)-H(2B)	109.5
H(2A)-C(2)-H(2B)	109.5
O(2)-C(2)-H(2C)	109.5
H(2A)-C(2)-H(2C)	109.5
H(2B)-C(2)-H(2C)	109.5
C(32)-C(31)-C(39)	119.7(4)
C(32)-C(31)-C(41)	120.6(4)
C(39)-C(31)-C(41)	118.8(3)
O(2)-C(32)-C(31)	115.9(4)
O(2)-C(32)-C(33)	123.3(4)
C(31)-C(32)-C(33)	120.7(4)
C(34)-C(33)-C(32)	120.4(4)
C(34)-C(33)-H(33)	119.8
C(32)-C(33)-H(33)	119.8
C(33)-C(34)-C(310)	121.4(4)
C(33)-C(34)-H(34)	119.3
C(310)-C(34)-H(34)	119.3
C(36)-C(35)-C(310)	121.1(5)
C(36)-C(35)-H(35)	119.5
C(310)-C(35)-H(35)	119.5
C(35)-C(36)-C(37)	120.4(4)
C(35)-C(36)-H(36)	119.8
C(37)-C(36)-H(36)	119.8
C(38)-C(37)-C(36)	120.6(5)
C(38)-C(37)-H(37)	119.7
C(36)-C(37)-H(37)	119.7
C(37)-C(38)-C(39)	120.9(4)
C(37)-C(38)-H(38)	119.5
C(39)-C(38)-H(38)	119.5
C(38)-C(39)-C(31)	122.6(4)
C(38)-C(39)-C(310)	118.4(4)
C(31)-C(39)-C(310)	119.1(4)
C(34)-C(310)-C(35)	122.7(4)
C(34)-C(310)-C(39)	118.6(4)
C(35)-C(310)-C(39)	118.6(5)
C(42)-C(41)-C(49)	119.1(4)
C(42)-C(41)-C(31)	114.9(3)
C(49)-C(41)-C(31)	125.9(3)
C(41)-C(42)-C(43)	122.9(4)
C(41)-C(42)-H(42)	118.6
C(43)-C(42)-H(42)	118.6
C(44)-C(43)-C(42)	119.5(4)
C(44)-C(43)-H(43)	120.2
C(42)-C(43)-H(43)	120.2
C(43)-C(44)-C(410)	120.2(4)
C(43)-C(44)-H(44)	119.9
C(410)-C(44)-H(44)	119.9
C(46)-C(45)-C(410)	120.7(4)

C(46)-C(45)-H(45)	119.6
C(410)-C(45)-H(45)	119.6
C(45)-C(46)-C(47)	119.8(4)
C(45)-C(46)-H(46)	120.1
C(47)-C(46)-H(46)	120.1
C(48)-C(47)-C(46)	120.4(4)
C(48)-C(47)-H(47)	119.8
C(46)-C(47)-H(47)	119.8
C(47)-C(48)-C(49)	123.3(4)
C(47)-C(48)-Br(2)	114.3(3)
C(49)-C(48)-Br(2)	122.4(3)
C(48)-C(49)-C(41)	127.5(4)
C(48)-C(49)-C(410)	115.0(3)
C(41)-C(49)-C(410)	117.5(3)
C(44)-C(410)-C(45)	118.6(4)
C(44)-C(410)-C(49)	120.7(3)
C(45)-C(410)-C(49)	120.7(4)

Table 10. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (S)-**18**.

The anisotropic displacement factor exponent takes the form:
 $-2 \pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U ₁₁	U ₂₂	U ₃₃	U ₂₃	U ₁₃	U ₁₂
Br(1)	45(1)	30(1)	28(1)	6(1)	0(1)	-4(1)
O(1)	36(2)	34(1)	63(2)	0(2)	-8(2)	-7(1)
C(1)	41(3)	54(3)	63(3)	10(3)	-5(3)	-13(2)
C(11)	38(2)	24(2)	21(2)	-3(1)	-3(1)	-4(2)
C(12)	41(2)	33(2)	30(2)	2(2)	-10(2)	-6(2)
C(13)	57(3)	32(2)	42(3)	0(2)	-3(2)	-14(2)
C(14)	66(3)	25(2)	42(3)	-6(2)	-4(2)	2(2)
C(15)	69(3)	32(2)	33(2)	1(2)	7(2)	12(2)
C(16)	52(3)	47(3)	34(2)	9(2)	3(2)	17(2)
C(17)	46(3)	48(3)	33(2)	2(2)	-5(2)	8(2)
C(18)	42(2)	40(2)	24(2)	1(2)	-1(2)	6(2)
C(19)	46(3)	27(2)	25(2)	2(2)	-1(2)	1(2)
C(110)	54(3)	29(2)	26(2)	2(2)	-1(2)	7(2)
C(21)	28(2)	24(2)	32(2)	4(2)	-4(2)	0(2)
C(22)	41(2)	34(2)	31(2)	0(2)	-4(2)	-5(2)
C(23)	41(2)	29(2)	29(2)	10(2)	-4(2)	-4(2)
C(24)	33(2)	25(2)	43(2)	5(2)	-1(2)	-2(2)
C(25)	32(2)	26(2)	41(2)	-4(2)	1(2)	2(2)
C(26)	38(3)	30(2)	37(3)	-12(2)	-3(2)	1(2)
C(27)	28(2)	40(2)	26(2)	-1(2)	0(2)	-2(2)
C(28)	25(2)	22(2)	28(2)	3(1)	-1(2)	-1(1)
C(29)	19(2)	29(2)	28(2)	-1(1)	-3(2)	4(2)
C(210)	22(2)	28(2)	33(2)	0(2)	0(2)	2(2)
Br(2)	32(1)	42(1)	26(1)	1(1)	-5(1)	3(1)
O(2)	42(2)	27(1)	58(2)	4(1)	0(2)	-7(1)
C(2)	52(3)	35(2)	69(3)	9(2)	-12(3)	-11(2)
C(31)	24(2)	32(2)	20(2)	3(1)	3(1)	0(1)
C(32)	33(2)	42(2)	31(2)	3(2)	-1(2)	-3(2)
C(33)	35(3)	51(3)	50(3)	7(2)	-4(2)	-20(2)
C(34)	21(2)	79(4)	44(3)	6(3)	1(2)	-4(2)
C(35)	38(3)	75(3)	32(2)	-9(2)	-3(2)	23(3)
C(36)	52(3)	54(3)	33(2)	-8(2)	-9(2)	27(2)
C(37)	62(3)	38(2)	31(2)	-4(2)	-8(2)	17(2)
C(38)	37(2)	36(2)	28(2)	1(2)	-2(2)	10(2)
C(39)	29(2)	37(2)	18(2)	0(2)	-2(2)	1(2)
C(310)	26(2)	60(3)	28(2)	0(2)	-4(2)	9(2)
C(41)	30(2)	18(2)	28(2)	1(2)	0(2)	0(1)
C(42)	33(2)	33(2)	23(2)	0(2)	3(2)	0(2)
C(43)	36(2)	38(2)	28(2)	1(2)	-2(2)	4(2)
C(44)	21(2)	33(2)	38(2)	0(2)	-5(2)	2(2)
C(45)	24(2)	35(2)	40(2)	1(2)	6(2)	-1(2)
C(46)	41(2)	34(2)	32(2)	4(2)	10(2)	-2(2)
C(47)	43(2)	29(2)	27(2)	4(2)	4(2)	5(2)
C(48)	27(2)	21(2)	31(2)	-1(2)	1(2)	4(1)
C(49)	30(2)	18(2)	25(2)	-2(1)	2(1)	1(1)
C(410)	29(2)	22(2)	30(2)	-1(1)	5(2)	2(1)

Table 11. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (S)-(+)-**18**.

	x	y	z	U(eq)
H(1A)	1906	5770	-731	79
H(1B)	1370	6378	-48	79
H(1C)	1816	5458	265	79
H(13)	3021	4686	-213	52
H(14)	4397	3959	-222	53
H(15)	6085	3973	-43	54
H(16)	7400	4754	244	54
H(17)	7332	6315	590	51
H(18)	5976	7079	560	43
H(22)	4206	7537	-1056	42
H(23)	4268	9121	-1204	40
H(24)	4383	10025	29	40
H(25)	4495	10228	1604	39
H(26)	4542	9674	3029	42
H(27)	4435	8090	3266	37
H(2A)	3413	3826	-2169	78
H(2B)	4115	3360	-2814	78
H(2C)	3179	3717	-3183	78
H(33)	2278	4850	-2719	55
H(34)	1438	6156	-2565	57
H(35)	1349	7865	-2503	58
H(36)	2051	9249	-2632	56
H(37)	3613	9337	-2932	52
H(38)	4472	8040	-3060	40
H(42)	5019	5940	-1659	35
H(43)	6570	6126	-1408	41
H(44)	7500	6638	-2539	37
H(45)	7720	7162	-4054	40
H(46)	7175	7447	-5461	43
H(47)	5647	7164	-5794	40

Table 12. Torsion angles [deg] for (*S*)-(+)-**18**.

C(1)-O(1)-C(12)-C(11)	177.2(4)
C(1)-O(1)-C(12)-C(13)	-3.3(7)
C(19)-C(11)-C(12)-O(1)	178.3(4)
C(21)-C(11)-C(12)-O(1)	-10.5(5)
C(19)-C(11)-C(12)-C(13)	-1.2(6)
C(21)-C(11)-C(12)-C(13)	170.0(4)
O(1)-C(12)-C(13)-C(14)	-179.6(4)
C(11)-C(12)-C(13)-C(14)	-0.2(7)
C(12)-C(13)-C(14)-C(110)	0.9(8)
C(110)-C(15)-C(16)-C(17)	0.9(7)
C(15)-C(16)-C(17)-C(18)	-1.9(7)
C(16)-C(17)-C(18)-C(19)	1.7(7)
C(17)-C(18)-C(19)-C(11)	-179.6(4)
C(17)-C(18)-C(19)-C(110)	-0.5(6)
C(12)-C(11)-C(19)-C(18)	-179.1(4)
C(21)-C(11)-C(19)-C(18)	9.6(6)
C(12)-C(11)-C(19)-C(110)	1.9(6)
C(21)-C(11)-C(19)-C(110)	-169.5(4)
C(13)-C(14)-C(110)-C(15)	-179.9(5)
C(13)-C(14)-C(110)-C(19)	-0.3(7)
C(16)-C(15)-C(110)-C(14)	180.0(5)
C(16)-C(15)-C(110)-C(19)	0.4(7)
C(18)-C(19)-C(110)-C(14)	179.8(4)
C(11)-C(19)-C(110)-C(14)	-1.1(6)
C(18)-C(19)-C(110)-C(15)	-0.6(6)
C(11)-C(19)-C(110)-C(15)	178.5(4)
C(12)-C(11)-C(21)-C(22)	-77.7(5)
C(19)-C(11)-C(21)-C(22)	93.5(5)
C(12)-C(11)-C(21)-C(29)	105.9(5)
C(19)-C(11)-C(21)-C(29)	-82.9(5)
C(29)-C(21)-C(22)-C(23)	0.9(7)
C(11)-C(21)-C(22)-C(23)	-175.8(4)
C(21)-C(22)-C(23)-C(24)	0.1(8)
C(22)-C(23)-C(24)-C(210)	-0.6(7)
C(210)-C(25)-C(26)-C(27)	-0.3(7)
C(25)-C(26)-C(27)-C(28)	0.3(6)
C(26)-C(27)-C(28)-C(29)	1.0(6)
C(26)-C(27)-C(28)-Br(1)	-177.8(3)
C(22)-C(21)-C(29)-C(28)	178.4(4)
C(11)-C(21)-C(29)-C(28)	-5.3(7)
C(22)-C(21)-C(29)-C(210)	-1.4(6)
C(11)-C(21)-C(29)-C(210)	174.8(4)
C(27)-C(28)-C(29)-C(21)	178.0(4)
Br(1)-C(28)-C(29)-C(21)	-3.3(6)
C(27)-C(28)-C(29)-C(210)	-2.2(6)
Br(1)-C(28)-C(29)-C(210)	176.6(3)
C(26)-C(25)-C(210)-C(24)	-180.0(4)
C(26)-C(25)-C(210)-C(29)	-1.0(7)
C(23)-C(24)-C(210)-C(25)	179.0(4)
C(23)-C(24)-C(210)-C(29)	0.0(6)
C(21)-C(29)-C(210)-C(25)	-178.0(4)
C(28)-C(29)-C(210)-C(25)	2.1(6)
C(21)-C(29)-C(210)-C(24)	1.0(6)
C(28)-C(29)-C(210)-C(24)	-178.9(4)
C(2)-O(2)-C(32)-C(31)	172.8(4)
C(2)-O(2)-C(32)-C(33)	-9.4(6)
C(39)-C(31)-C(32)-O(2)	179.7(4)
C(41)-C(31)-C(32)-O(2)	-11.1(5)
C(39)-C(31)-C(32)-C(33)	1.8(6)
C(41)-C(31)-C(32)-C(33)	171.1(4)
O(2)-C(32)-C(33)-C(34)	179.4(4)
C(31)-C(32)-C(33)-C(34)	-3.0(7)
C(32)-C(33)-C(34)-C(310)	1.6(8)
C(310)-C(35)-C(36)-C(37)	0.0(7)

C(35)-C(36)-C(37)-C(38)	-1.1(7)
C(36)-C(37)-C(38)-C(39)	0.7(6)
C(37)-C(38)-C(39)-C(31)	-179.2(4)
C(37)-C(38)-C(39)-C(310)	0.8(6)
C(32)-C(31)-C(39)-C(38)	-179.3(4)
C(41)-C(31)-C(39)-C(38)	11.2(5)
C(32)-C(31)-C(39)-C(310)	0.6(5)
C(41)-C(31)-C(39)-C(310)	-168.8(3)
C(33)-C(34)-C(310)-C(35)	-179.3(5)
C(33)-C(34)-C(310)-C(39)	0.8(7)
C(36)-C(35)-C(310)-C(34)	-178.4(5)
C(36)-C(35)-C(310)-C(39)	1.5(7)
C(38)-C(39)-C(310)-C(34)	178.0(4)
C(31)-C(39)-C(310)-C(34)	-1.9(6)
C(38)-C(39)-C(310)-C(35)	-1.9(6)
C(31)-C(39)-C(310)-C(35)	178.2(4)
C(32)-C(31)-C(41)-C(42)	-69.8(5)
C(39)-C(31)-C(41)-C(42)	99.5(4)
C(32)-C(31)-C(41)-C(49)	113.7(4)
C(39)-C(31)-C(41)-C(49)	-76.9(5)
C(49)-C(41)-C(42)-C(43)	3.4(6)
C(31)-C(41)-C(42)-C(43)	-173.3(4)
C(41)-C(42)-C(43)-C(44)	-0.7(6)
C(42)-C(43)-C(44)-C(410)	-1.1(6)
C(410)-C(45)-C(46)-C(47)	-0.8(6)
C(45)-C(46)-C(47)-C(48)	2.3(6)
C(46)-C(47)-C(48)-C(49)	-0.5(6)
C(46)-C(47)-C(48)-Br(2)	-177.5(3)
C(47)-C(48)-C(49)-C(41)	178.0(4)
Br(2)-C(48)-C(49)-C(41)	-5.3(5)
C(47)-C(48)-C(49)-C(410)	-2.6(5)
Br(2)-C(48)-C(49)-C(410)	174.2(3)
C(42)-C(41)-C(49)-C(48)	175.2(3)
C(31)-C(41)-C(49)-C(48)	-8.5(6)
C(42)-C(41)-C(49)-C(410)	-4.3(5)
C(31)-C(41)-C(49)-C(410)	172.1(3)
C(43)-C(44)-C(410)-C(45)	179.2(4)
C(43)-C(44)-C(410)-C(49)	0.1(6)
C(46)-C(45)-C(410)-C(44)	178.4(4)
C(46)-C(45)-C(410)-C(49)	-2.5(6)
C(48)-C(49)-C(410)-C(44)	-176.9(3)
C(41)-C(49)-C(410)-C(44)	2.6(5)
C(48)-C(49)-C(410)-C(45)	4.0(5)
C(41)-C(49)-C(410)-C(45)	-176.5(3)

Figure 10. ORTEP diagram of **21** showing the atom labeling scheme. Displacement parameters are shown at the 50% probability level.

Table 13. Crystal data and structure refinement for **21**.

Identification code	21
Empirical formula	C21 H14 O
Formula weight	282.32
Temperature	150(2) K
Wavelength	0.71070 Å
Crystal system, space group	Monoclinic, P 21/c
Unit cell dimensions	a = 18.2280(2) Å alpha = 90 deg. b = 15.2280(3) Å beta = 104.4240(12) deg. c = 10.2160(4) Å gamma = 90 deg.
Volume	2746.33(12) Å ³
Z, Calculated density	8, 1.366 Mg/m ³
Absorption coefficient	0.082 mm ⁻¹
F(000)	1184
Crystal size	0.5 x 0.4 x 0.3 mm
Theta range for data collection	1.15 to 27.50 deg.
Limiting indices	-23 ≤ h ≤ 23, -19 ≤ k ≤ 19, -13 ≤ l ≤ 12
Reflections collected / unique	43800 / 6287 [R(int) = 0.0300]
Completeness to theta = 27.50	99.8 %
Absorption correction	None
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	6287 / 0 / 509
Goodness-of-fit on F ²	1.051
Final R indices [I > 2sigma(I)]	R1 = 0.0496, wR2 = 0.1170
R indices (all data)	R1 = 0.0753, wR2 = 0.1347
Largest diff. peak and hole	0.240 and -0.212 e.Å ⁻³

Table 14. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for **21**.
 $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
C(1)	11112(1)	5812(1)	14476(2)	42(1)
O(1)	10718(1)	5253(1)	13400(1)	39(1)
C(11)	7531(1)	4401(1)	10090(2)	35(1)
C(12)	7161(1)	5037(1)	10684(2)	42(1)
C(13)	7570(1)	5558(1)	11683(2)	40(1)
C(14)	8794(1)	6011(1)	13150(2)	38(1)
C(15)	9557(1)	5934(1)	13571(2)	38(1)
C(16)	9948(1)	5324(1)	12959(2)	31(1)
C(17)	10730(1)	4135(1)	11330(2)	31(1)
C(18)	11075(1)	3554(1)	10592(2)	35(1)
C(19)	10653(1)	3008(1)	9645(2)	34(1)
C(110)	9411(1)	2476(1)	8381(2)	38(1)
C(111)	8637(1)	2498(1)	8112(2)	40(1)
C(112)	8278(1)	3080(1)	8802(2)	36(1)
C(113)	9855(1)	3028(1)	9375(2)	31(1)
C(114)	9493(1)	3621(1)	10107(1)	26(1)
C(115)	8688(1)	3649(1)	9780(2)	28(1)
C(116)	8310(1)	4295(1)	10456(2)	28(1)
C(117)	8757(1)	4842(1)	11493(1)	27(1)
C(118)	9566(1)	4786(1)	11888(1)	26(1)
C(119)	9950(1)	4181(1)	11129(1)	26(1)
C(120)	8366(1)	5470(1)	12117(2)	33(1)
C(2)	4940(1)	-1011(1)	6316(2)	50(1)
O(2)	4661(1)	-362(1)	7081(1)	43(1)
C(21)	5697(1)	2518(1)	11253(2)	35(1)
C(22)	6465(1)	2492(1)	11247(2)	39(1)
C(23)	6701(1)	1931(1)	10399(2)	39(1)
C(24)	6428(1)	744(1)	8712(2)	38(1)
C(25)	5931(1)	183(1)	7919(2)	36(1)
C(26)	5159(1)	191(1)	7919(2)	32(1)
C(27)	3527(1)	183(1)	8170(2)	31(1)
C(28)	2765(1)	246(1)	8209(2)	34(1)
C(29)	2523(1)	912(1)	8882(2)	32(1)
C(210)	2808(1)	2224(1)	10310(2)	34(1)
C(211)	3309(1)	2824(1)	11004(2)	40(1)
C(212)	4078(1)	2754(1)	11024(2)	36(1)
C(213)	6183(1)	1354(1)	9553(2)	33(1)
C(214)	5397(1)	1368(1)	9560(1)	27(1)
C(215)	5160(1)	1996(1)	10410(2)	28(1)
C(216)	4349(1)	2086(1)	10346(2)	27(1)
C(217)	3830(1)	1469(1)	9577(1)	25(1)
C(218)	4069(1)	782(1)	8810(1)	25(1)
C(219)	4874(1)	761(1)	8741(1)	26(1)
C(220)	3051(1)	1538(1)	9591(1)	28(1)

Table 15. Bond lengths [Å] and angles [deg] for **21**.

C(1)-O(1)	1.433(2)
C(1)-H(1A)	1.01(2)
C(1)-H(1B)	1.04(2)
C(1)-H(1C)	1.02(2)
O(1)-C(16)	1.3680(19)
C(11)-C(116)	1.386(2)
C(11)-C(12)	1.402(2)
C(11)-H(11)	1.008(18)
C(12)-C(13)	1.359(3)
C(12)-H(12)	0.984(19)
C(13)-C(120)	1.414(2)
C(13)-H(13)	1.02(2)
C(14)-C(15)	1.355(2)
C(14)-C(120)	1.411(2)
C(14)-H(14)	0.97(2)
C(15)-C(16)	1.409(2)
C(15)-H(15)	0.991(19)
C(16)-C(118)	1.405(2)
C(17)-C(119)	1.386(2)
C(17)-C(18)	1.408(2)
C(17)-H(17)	1.018(18)
C(18)-C(19)	1.359(2)
C(18)-H(18)	0.962(18)
C(19)-C(113)	1.412(2)
C(19)-H(19)	0.945(18)
C(110)-C(111)	1.368(2)
C(110)-C(113)	1.408(2)
C(110)-H(110)	0.97(2)
C(111)-C(112)	1.393(2)
C(111)-H(111)	0.99(2)
C(112)-C(115)	1.392(2)
C(112)-H(112)	0.989(17)
C(113)-C(114)	1.434(2)
C(114)-C(115)	1.422(2)
C(114)-C(119)	1.441(2)
C(115)-C(116)	1.468(2)
C(116)-C(117)	1.432(2)
C(117)-C(118)	1.432(2)
C(117)-C(120)	1.433(2)
C(118)-C(119)	1.487(2)
C(2)-O(2)	1.429(2)
C(2)-H(2A)	1.00(2)
C(2)-H(2B)	1.00(2)
C(2)-H(2C)	0.98(2)
O(2)-C(26)	1.3704(19)
C(21)-C(215)	1.382(2)
C(21)-C(22)	1.403(2)
C(21)-H(21)	0.989(19)
C(22)-C(23)	1.361(3)
C(22)-H(22)	0.99(2)
C(23)-C(213)	1.416(2)
C(23)-H(23)	0.978(18)
C(24)-C(25)	1.358(3)
C(24)-C(213)	1.410(2)
C(24)-H(24)	0.963(19)
C(25)-C(26)	1.407(2)
C(25)-H(25)	0.962(19)
C(26)-C(219)	1.396(2)
C(27)-C(218)	1.384(2)
C(27)-C(28)	1.403(2)
C(27)-H(27)	1.014(18)
C(28)-C(29)	1.359(2)
C(28)-H(28)	0.991(19)
C(29)-C(220)	1.418(2)

C(29)-H(29)	1.009(17)
C(210)-C(211)	1.360(2)
C(210)-C(220)	1.410(2)
C(210)-H(210)	1.012(19)
C(211)-C(212)	1.401(2)
C(211)-H(211)	1.02(2)
C(212)-C(216)	1.390(2)
C(212)-H(212)	0.968(19)
C(213)-C(214)	1.435(2)
C(214)-C(215)	1.428(2)
C(214)-C(219)	1.437(2)
C(215)-C(216)	1.471(2)
C(216)-C(217)	1.423(2)
C(217)-C(220)	1.428(2)
C(217)-C(218)	1.437(2)
C(218)-C(219)	1.486(2)
O(1)-C(1)-H(1A)	102.6(12)
O(1)-C(1)-H(1B)	110.6(11)
H(1A)-C(1)-H(1B)	112.9(16)
O(1)-C(1)-H(1C)	111.0(11)
H(1A)-C(1)-H(1C)	110.9(16)
H(1B)-C(1)-H(1C)	108.8(16)
C(16)-O(1)-C(1)	118.86(13)
C(116)-C(11)-C(12)	122.38(16)
C(116)-C(11)-H(11)	117.9(10)
C(12)-C(11)-H(11)	119.8(10)
C(13)-C(12)-C(11)	119.64(16)
C(13)-C(12)-H(12)	120.6(11)
C(11)-C(12)-H(12)	119.7(11)
C(12)-C(13)-C(120)	120.61(16)
C(12)-C(13)-H(13)	121.9(11)
C(120)-C(13)-H(13)	117.4(11)
C(15)-C(14)-C(120)	121.28(15)
C(15)-C(14)-H(14)	121.1(11)
C(120)-C(14)-H(14)	117.6(11)
C(14)-C(15)-C(16)	120.60(16)
C(14)-C(15)-H(15)	120.9(11)
C(16)-C(15)-H(15)	118.5(11)
O(1)-C(16)-C(118)	118.68(13)
O(1)-C(16)-C(15)	119.78(14)
C(118)-C(16)-C(15)	121.54(14)
C(119)-C(17)-C(18)	121.99(15)
C(119)-C(17)-H(17)	119.2(10)
C(18)-C(17)-H(17)	118.8(10)
C(19)-C(18)-C(17)	121.11(15)
C(19)-C(18)-H(18)	122.2(11)
C(17)-C(18)-H(18)	116.7(11)
C(18)-C(19)-C(113)	119.91(15)
C(18)-C(19)-H(19)	120.8(10)
C(113)-C(19)-H(19)	119.2(10)
C(111)-C(110)-C(113)	120.58(15)
C(111)-C(110)-H(110)	123.3(11)
C(113)-C(110)-H(110)	116.1(11)
C(110)-C(111)-C(112)	120.34(16)
C(110)-C(111)-H(111)	118.3(11)
C(112)-C(111)-H(111)	121.4(11)
C(115)-C(112)-C(111)	121.53(16)
C(115)-C(112)-H(112)	119.1(10)
C(111)-C(112)-H(112)	119.3(10)
C(110)-C(113)-C(19)	120.49(15)
C(110)-C(113)-C(114)	119.69(14)
C(19)-C(113)-C(114)	119.82(14)
C(115)-C(114)-C(113)	118.57(13)
C(115)-C(114)-C(119)	122.00(13)
C(113)-C(114)-C(119)	119.42(13)
C(112)-C(115)-C(114)	119.23(14)
C(112)-C(115)-C(116)	121.63(14)

C(114)-C(115)-C(116)	119.11(13)
C(11)-C(116)-C(117)	119.16(14)
C(11)-C(116)-C(115)	121.37(14)
C(117)-C(116)-C(115)	119.45(13)
C(118)-C(117)-C(116)	121.95(13)
C(118)-C(117)-C(120)	120.40(14)
C(116)-C(117)-C(120)	117.64(13)
C(16)-C(118)-C(117)	117.40(13)
C(16)-C(118)-C(119)	124.12(13)
C(117)-C(118)-C(119)	118.47(13)
C(17)-C(119)-C(114)	117.72(13)
C(17)-C(119)-C(118)	123.53(14)
C(114)-C(119)-C(118)	118.74(13)
C(14)-C(120)-C(13)	120.80(15)
C(14)-C(120)-C(117)	118.65(14)
C(13)-C(120)-C(117)	120.53(15)
O(2)-C(2)-H(2A)	110.2(12)
O(2)-C(2)-H(2B)	109.0(12)
H(2A)-C(2)-H(2B)	107.3(16)
O(2)-C(2)-H(2C)	104.7(13)
H(2A)-C(2)-H(2C)	109.6(18)
H(2B)-C(2)-H(2C)	116.0(18)
C(26)-O(2)-C(2)	119.78(14)
C(215)-C(21)-C(22)	122.18(16)
C(215)-C(21)-H(21)	119.4(11)
C(22)-C(21)-H(21)	118.4(11)
C(23)-C(22)-C(21)	119.69(16)
C(23)-C(22)-H(22)	120.1(11)
C(21)-C(22)-H(22)	120.2(11)
C(22)-C(23)-C(213)	120.66(15)
C(22)-C(23)-H(23)	121.5(11)
C(213)-C(23)-H(23)	117.8(11)
C(25)-C(24)-C(213)	120.80(15)
C(25)-C(24)-H(24)	120.3(11)
C(213)-C(24)-H(24)	118.9(11)
C(24)-C(25)-C(26)	120.89(16)
C(24)-C(25)-H(25)	123.1(11)
C(26)-C(25)-H(25)	115.9(11)
O(2)-C(26)-C(219)	118.06(13)
O(2)-C(26)-C(25)	120.07(14)
C(219)-C(26)-C(25)	121.86(15)
C(218)-C(27)-C(28)	122.43(15)
C(218)-C(27)-H(27)	120.9(10)
C(28)-C(27)-H(27)	116.7(10)
C(29)-C(28)-C(27)	120.96(15)
C(29)-C(28)-H(28)	120.7(11)
C(27)-C(28)-H(28)	118.3(11)
C(28)-C(29)-C(220)	119.67(14)
C(28)-C(29)-H(29)	120.9(10)
C(220)-C(29)-H(29)	119.4(10)
C(211)-C(210)-C(220)	120.79(15)
C(211)-C(210)-H(210)	121.5(11)
C(220)-C(210)-H(210)	117.7(11)
C(210)-C(211)-C(212)	119.77(15)
C(210)-C(211)-H(211)	120.9(11)
C(212)-C(211)-H(211)	119.3(11)
C(216)-C(212)-C(211)	121.76(15)
C(216)-C(212)-H(212)	119.8(11)
C(211)-C(212)-H(212)	118.5(11)
C(24)-C(213)-C(23)	121.05(15)
C(24)-C(213)-C(214)	118.79(15)
C(23)-C(213)-C(214)	120.15(15)
C(215)-C(214)-C(213)	117.80(14)
C(215)-C(214)-C(219)	121.81(13)
C(213)-C(214)-C(219)	120.39(14)
C(21)-C(215)-C(214)	119.36(14)
C(21)-C(215)-C(216)	121.44(14)
C(214)-C(215)-C(216)	119.18(13)

C(212)-C(216)-C(217)	119.31(14)
C(212)-C(216)-C(215)	121.59(14)
C(217)-C(216)-C(215)	119.10(13)
C(216)-C(217)-C(220)	118.15(13)
C(216)-C(217)-C(218)	122.10(13)
C(220)-C(217)-C(218)	119.75(13)
C(27)-C(218)-C(217)	117.39(13)
C(27)-C(218)-C(219)	124.07(13)
C(217)-C(218)-C(219)	118.53(13)
C(26)-C(219)-C(214)	117.23(13)
C(26)-C(219)-C(218)	124.17(14)
C(214)-C(219)-C(218)	118.59(13)
C(210)-C(220)-C(29)	120.15(14)
C(210)-C(220)-C(217)	120.15(14)
C(29)-C(220)-C(217)	119.69(13)

Symmetry transformations used to generate equivalent atoms:

Table 16. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for **21**.
 The anisotropic displacement factor exponent takes the form:
 $-2 \pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U11	U22	U33	U23	U13	U12
C(1)	39(1)	46(1)	39(1)	-11(1)	5(1)	-8(1)
O(1)	33(1)	44(1)	38(1)	-13(1)	4(1)	-1(1)
C(11)	31(1)	42(1)	32(1)	2(1)	9(1)	-3(1)
C(12)	29(1)	55(1)	44(1)	-2(1)	15(1)	1(1)
C(13)	35(1)	45(1)	44(1)	-1(1)	19(1)	5(1)
C(14)	42(1)	36(1)	43(1)	-10(1)	20(1)	1(1)
C(15)	42(1)	36(1)	37(1)	-11(1)	14(1)	-5(1)
C(16)	31(1)	31(1)	32(1)	-1(1)	10(1)	-2(1)
C(17)	32(1)	29(1)	33(1)	2(1)	8(1)	4(1)
C(18)	33(1)	33(1)	41(1)	4(1)	12(1)	8(1)
C(19)	42(1)	29(1)	35(1)	3(1)	15(1)	11(1)
C(110)	55(1)	27(1)	31(1)	-3(1)	12(1)	6(1)
C(111)	49(1)	33(1)	33(1)	-6(1)	3(1)	-2(1)
C(112)	39(1)	34(1)	33(1)	0(1)	4(1)	-2(1)
C(113)	42(1)	23(1)	28(1)	4(1)	10(1)	4(1)
C(114)	35(1)	20(1)	22(1)	5(1)	9(1)	1(1)
C(115)	34(1)	24(1)	26(1)	6(1)	7(1)	-1(1)
C(116)	31(1)	28(1)	26(1)	6(1)	9(1)	-2(1)
C(117)	29(1)	27(1)	26(1)	4(1)	11(1)	0(1)
C(118)	32(1)	22(1)	24(1)	4(1)	9(1)	0(1)
C(119)	31(1)	22(1)	26(1)	6(1)	9(1)	1(1)
C(120)	34(1)	34(1)	35(1)	2(1)	16(1)	2(1)
C(2)	61(1)	45(1)	48(1)	-13(1)	21(1)	10(1)
O(2)	44(1)	43(1)	44(1)	-17(1)	14(1)	4(1)
C(21)	32(1)	33(1)	36(1)	2(1)	2(1)	-4(1)
C(22)	31(1)	37(1)	44(1)	3(1)	0(1)	-4(1)
C(23)	25(1)	45(1)	45(1)	10(1)	4(1)	-1(1)
C(24)	28(1)	49(1)	40(1)	12(1)	12(1)	9(1)
C(25)	37(1)	42(1)	33(1)	6(1)	14(1)	12(1)
C(26)	36(1)	30(1)	28(1)	3(1)	9(1)	6(1)
C(27)	34(1)	27(1)	31(1)	-2(1)	8(1)	1(1)
C(28)	33(1)	31(1)	36(1)	-4(1)	5(1)	-5(1)
C(29)	24(1)	34(1)	36(1)	0(1)	6(1)	-1(1)
C(210)	29(1)	34(1)	41(1)	-2(1)	10(1)	4(1)
C(211)	38(1)	37(1)	45(1)	-11(1)	13(1)	4(1)
C(212)	35(1)	32(1)	39(1)	-10(1)	8(1)	-3(1)
C(213)	30(1)	37(1)	32(1)	11(1)	8(1)	4(1)
C(214)	26(1)	29(1)	25(1)	8(1)	5(1)	3(1)
C(215)	28(1)	27(1)	27(1)	5(1)	4(1)	0(1)
C(216)	29(1)	27(1)	25(1)	2(1)	5(1)	1(1)
C(217)	27(1)	23(1)	23(1)	4(1)	5(1)	0(1)
C(218)	28(1)	23(1)	23(1)	4(1)	5(1)	3(1)
C(219)	30(1)	26(1)	24(1)	6(1)	7(1)	4(1)
C(220)	29(1)	27(1)	28(1)	2(1)	8(1)	2(1)

Table 17. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for **21**.

	x	y	z	U(eq)
H(1A)	11657(12)	5615(13)	14610(20)	55(6)
H(1B)	11031(11)	6467(14)	14200(20)	55(6)
H(1C)	10927(11)	5712(13)	15330(20)	50(5)
H(11)	7227(10)	4011(12)	9355(18)	39(5)
H(12)	6608(11)	5110(13)	10363(19)	48(5)
H(13)	7320(11)	6020(14)	12150(20)	55(6)
H(14)	8522(11)	6446(13)	13542(19)	48(5)
H(15)	9854(10)	6318(12)	14295(19)	46(5)
H(17)	11065(10)	4528(12)	12039(18)	38(5)
H(18)	11619(11)	3564(12)	10793(18)	41(5)
H(19)	10886(9)	2638(11)	9124(17)	34(4)
H(110)	9685(10)	2090(13)	7920(19)	47(5)
H(111)	8343(11)	2101(13)	7400(20)	49(5)
H(112)	7718(10)	3079(11)	8609(16)	30(4)
H(2A)	5174(11)	-722(14)	5630(20)	56(6)
H(2B)	5347(12)	-1358(14)	6940(20)	55(6)
H(2C)	4488(13)	-1343(15)	5850(20)	68(7)
H(21)	5535(10)	2941(13)	11861(19)	46(5)
H(22)	6832(10)	2887(13)	11843(19)	48(5)
H(23)	7231(10)	1909(12)	10354(18)	40(5)
H(24)	6957(11)	728(12)	8715(19)	47(5)
H(25)	6080(10)	-256(12)	7358(18)	40(5)
H(27)	3668(9)	-330(12)	7646(17)	38(5)
H(28)	2406(11)	-204(13)	7724(19)	46(5)
H(29)	1973(10)	964(11)	8894(17)	36(4)
H(210)	2250(11)	2257(12)	10281(18)	46(5)
H(211)	3137(11)	3313(14)	11540(20)	57(6)
H(212)	4426(10)	3188(13)	11525(19)	45(5)

Table 18. Torsion angles [deg] for **21**.

C(116)-C(11)-C(12)-C(13)	-1.9(3)
C(11)-C(12)-C(13)-C(120)	0.8(3)
C(120)-C(14)-C(15)-C(16)	1.6(3)
C(1)-O(1)-C(16)-C(118)	178.84(15)
C(1)-O(1)-C(16)-C(15)	-0.5(2)
C(14)-C(15)-C(16)-O(1)	-179.75(16)
C(14)-C(15)-C(16)-C(118)	0.9(3)
C(119)-C(17)-C(18)-C(19)	-0.1(2)
C(17)-C(18)-C(19)-C(113)	1.0(2)
C(113)-C(110)-C(111)-C(112)	1.2(3)
C(110)-C(111)-C(112)-C(115)	-0.3(3)
C(111)-C(110)-C(113)-C(19)	-179.64(15)
C(111)-C(110)-C(113)-C(114)	-0.2(2)
C(18)-C(19)-C(113)-C(110)	178.98(15)
C(18)-C(19)-C(113)-C(114)	-0.4(2)
C(110)-C(113)-C(114)-C(115)	-1.6(2)
C(19)-C(113)-C(114)-C(115)	177.81(13)
C(110)-C(113)-C(114)-C(119)	179.63(13)
C(19)-C(113)-C(114)-C(119)	-1.0(2)
C(111)-C(112)-C(115)-C(114)	-1.6(2)
C(111)-C(112)-C(115)-C(116)	176.68(15)
C(113)-C(114)-C(115)-C(112)	2.5(2)
C(119)-C(114)-C(115)-C(112)	-178.79(13)
C(113)-C(114)-C(115)-C(116)	-175.83(13)
C(119)-C(114)-C(115)-C(116)	2.9(2)
C(12)-C(11)-C(116)-C(117)	1.0(2)
C(12)-C(11)-C(116)-C(115)	-177.42(15)
C(112)-C(115)-C(116)-C(11)	-4.0(2)
C(114)-C(115)-C(116)-C(11)	174.29(14)
C(112)-C(115)-C(116)-C(117)	177.58(14)
C(114)-C(115)-C(116)-C(117)	-4.2(2)
C(11)-C(116)-C(117)-C(118)	-177.91(14)
C(115)-C(116)-C(117)-C(118)	0.6(2)
C(11)-C(116)-C(117)-C(120)	0.9(2)
C(115)-C(116)-C(117)-C(120)	179.36(13)
O(1)-C(16)-C(118)-C(117)	176.92(13)
C(15)-C(16)-C(118)-C(117)	-3.7(2)
O(1)-C(16)-C(118)-C(119)	-4.4(2)
C(15)-C(16)-C(118)-C(119)	174.94(14)
C(116)-C(117)-C(118)-C(16)	-177.10(13)
C(120)-C(117)-C(118)-C(16)	4.1(2)
C(116)-C(117)-C(118)-C(119)	4.2(2)
C(120)-C(117)-C(118)-C(119)	-174.61(13)
C(18)-C(17)-C(119)-C(114)	-1.3(2)
C(18)-C(17)-C(119)-C(118)	179.99(14)
C(115)-C(114)-C(119)-C(17)	-176.93(13)
C(113)-C(114)-C(119)-C(17)	1.8(2)
C(115)-C(114)-C(119)-C(118)	1.8(2)
C(113)-C(114)-C(119)-C(118)	-179.44(12)
C(16)-C(118)-C(119)-C(17)	-5.3(2)
C(117)-C(118)-C(119)-C(17)	173.37(13)
C(16)-C(118)-C(119)-C(114)	176.02(13)
C(117)-C(118)-C(119)-C(114)	-5.32(19)
C(15)-C(14)-C(120)-C(13)	-179.80(17)
C(15)-C(14)-C(120)-C(117)	-1.1(3)
C(12)-C(13)-C(120)-C(14)	179.79(17)
C(12)-C(13)-C(120)-C(117)	1.2(3)
C(118)-C(117)-C(120)-C(14)	-1.8(2)
C(116)-C(117)-C(120)-C(14)	179.38(14)
C(118)-C(117)-C(120)-C(13)	176.85(14)
C(116)-C(117)-C(120)-C(13)	-2.0(2)
C(215)-C(21)-C(22)-C(23)	-0.7(3)
C(21)-C(22)-C(23)-C(213)	-2.0(3)
C(213)-C(24)-C(25)-C(26)	-0.4(2)

C(2)-O(2)-C(26)-C(219)	-174.29(16)
C(2)-O(2)-C(26)-C(25)	6.8(2)
C(24)-C(25)-C(26)-O(2)	177.96(15)
C(24)-C(25)-C(26)-C(219)	-0.9(2)
C(218)-C(27)-C(28)-C(29)	0.4(2)
C(27)-C(28)-C(29)-C(220)	-2.0(2)
C(220)-C(210)-C(211)-C(212)	-1.0(3)
C(210)-C(211)-C(212)-C(216)	0.3(3)
C(25)-C(24)-C(213)-C(23)	178.96(15)
C(25)-C(24)-C(213)-C(214)	0.3(2)
C(22)-C(23)-C(213)-C(24)	-177.31(16)
C(22)-C(23)-C(213)-C(214)	1.4(2)
C(24)-C(213)-C(214)-C(215)	-179.46(14)
C(23)-C(213)-C(214)-C(215)	1.8(2)
C(24)-C(213)-C(214)-C(219)	1.1(2)
C(23)-C(213)-C(214)-C(219)	-177.65(14)
C(22)-C(21)-C(215)-C(214)	4.0(2)
C(22)-C(21)-C(215)-C(216)	-174.71(15)
C(213)-C(214)-C(215)-C(21)	-4.4(2)
C(219)-C(214)-C(215)-C(21)	175.07(14)
C(213)-C(214)-C(215)-C(216)	174.31(13)
C(219)-C(214)-C(215)-C(216)	-6.2(2)
C(211)-C(212)-C(216)-C(217)	1.8(2)
C(211)-C(212)-C(216)-C(215)	-177.80(15)
C(21)-C(215)-C(216)-C(212)	6.6(2)
C(214)-C(215)-C(216)-C(212)	-172.11(14)
C(21)-C(215)-C(216)-C(217)	-173.07(14)
C(214)-C(215)-C(216)-C(217)	8.3(2)
C(212)-C(216)-C(217)-C(220)	-3.1(2)
C(215)-C(216)-C(217)-C(220)	176.51(13)
C(212)-C(216)-C(217)-C(218)	177.54(14)
C(215)-C(216)-C(217)-C(218)	-2.8(2)
C(28)-C(27)-C(218)-C(217)	2.4(2)
C(28)-C(27)-C(218)-C(219)	-177.18(14)
C(216)-C(217)-C(218)-C(27)	175.85(13)
C(220)-C(217)-C(218)-C(27)	-3.5(2)
C(216)-C(217)-C(218)-C(219)	-4.6(2)
C(220)-C(217)-C(218)-C(219)	176.09(12)
O(2)-C(26)-C(219)-C(214)	-176.73(13)
C(25)-C(26)-C(219)-C(214)	2.1(2)
O(2)-C(26)-C(219)-C(218)	2.8(2)
C(25)-C(26)-C(219)-C(218)	-178.35(14)
C(215)-C(214)-C(219)-C(26)	178.33(13)
C(213)-C(214)-C(219)-C(26)	-2.2(2)
C(215)-C(214)-C(219)-C(218)	-1.2(2)
C(213)-C(214)-C(219)-C(218)	178.25(13)
C(27)-C(218)-C(219)-C(26)	6.6(2)
C(217)-C(218)-C(219)-C(26)	-172.90(13)
C(27)-C(218)-C(219)-C(214)	-173.87(14)
C(217)-C(218)-C(219)-C(214)	6.60(19)
C(211)-C(210)-C(220)-C(29)	179.44(16)
C(211)-C(210)-C(220)-C(217)	-0.4(2)
C(28)-C(29)-C(220)-C(210)	-179.03(15)
C(28)-C(29)-C(220)-C(217)	0.8(2)
C(216)-C(217)-C(220)-C(210)	2.4(2)
C(218)-C(217)-C(220)-C(210)	-178.21(14)
C(216)-C(217)-C(220)-C(29)	-177.36(13)
C(218)-C(217)-C(220)-C(29)	2.0(2)

Table 19. Crystal data and structure refinement for (S)-**22**.

Identification code	(S)- 22
Empirical formula	C ₂₀ H ₁₃ Br O
Formula weight	349.21
Temperature	150(2) K
Wavelength	0.71070 Å
Crystal system, space group	Tetragonal, P 41
Unit cell dimensions	a = 8.74500(10) Å alpha = 90 deg. b = 8.74500(10) Å beta = 90 deg. c = 40.0620(6) Å gamma = 90 deg.
Volume	3063.74(7) Å ³
Z, Calculated density	8, 1.514 Mg/m ³
Absorption coefficient	2.682 mm ⁻¹
F(000)	1408
Crystal size	0.5 x 0.5 x 0.35 mm
Theta range for data collection	3.09 to 27.47 deg.
Limiting indices	-11 ≤ h ≤ 11, -6 ≤ k ≤ 11, -51 ≤ l ≤ 46
Reflections collected / unique	15309 / 6463 [R(int) = 0.0290]
Completeness to theta = 27.47	98.9 %
Absorption correction	Multiscans
Max. and min. transmission	0.518 and 0.447
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	6463 / 0 / 398
Goodness-of-fit on F ²	1.050
Final R indices [I > 2σ(I)]	R ₁ = 0.0303, wR ₂ = 0.0630
R indices (all data)	R ₁ = 0.0370, wR ₂ = 0.0657
Absolute structure parameter	-0.009(6)
Largest diff. peak and hole	0.285 and -0.466 e.Å ⁻³

Table 20. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (S)-**22**. U(eq) is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
Br(1)	423(1)	8347(1)	722	46(1)
O(1)	3116(2)	7739(2)	-91(1)	39(1)
C(11)	2279(3)	5957(3)	330(1)	30(1)
C(12)	2184(3)	6579(3)	14(1)	32(1)
C(13)	1111(4)	6061(3)	-220(1)	39(1)
C(14)	103(4)	4959(4)	-136(1)	42(1)
C(15)	-946(4)	3133(4)	284(1)	49(1)
C(16)	-915(5)	2537(4)	596(1)	56(1)
C(17)	168(5)	3057(4)	829(1)	55(1)
C(18)	1202(4)	4150(3)	745(1)	44(1)
C(19)	1205(3)	4813(3)	421(1)	34(1)
C(110)	99(4)	4303(3)	187(1)	37(1)
C(11')	3598(3)	6348(3)	552(1)	30(1)
C(12')	4949(4)	5647(4)	469(1)	53(1)
C(13')	6274(4)	5774(5)	654(1)	68(1)
C(14')	6242(4)	6598(5)	942(1)	55(1)
C(15')	4939(4)	8246(4)	1336(1)	51(1)
C(16')	3719(5)	9034(5)	1434(1)	62(1)
C(17')	2367(4)	9031(4)	1242(1)	48(1)
C(18')	2295(3)	8179(3)	959(1)	33(1)
C(19')	3539(3)	7288(3)	844(1)	28(1)
C(20')	4912(4)	7372(4)	1045(1)	38(1)
Br(2)	9407(1)	6016(1)	1581(1)	45(1)
O(2)	10297(2)	1713(2)	1899(1)	41(1)
C(21)	8054(3)	3298(3)	1967(1)	31(1)
C(22)	8854(3)	2163(3)	1809(1)	34(1)
C(23)	8230(4)	1387(4)	1530(1)	43(1)
C(24)	6823(4)	1779(4)	1413(1)	44(1)
C(25)	4463(4)	3349(5)	1453(1)	51(1)
C(26)	3645(4)	4428(5)	1609(1)	57(1)
C(27)	4251(4)	5206(4)	1891(1)	51(1)
C(28)	5671(3)	4851(4)	2004(1)	39(1)
C(29)	6567(3)	3696(3)	1849(1)	33(1)
C(210)	5948(3)	2941(4)	1568(1)	40(1)
C(21')	8675(3)	3992(3)	2280(1)	28(1)
C(22')	8446(4)	3147(3)	2565(1)	38(1)
C(23')	8926(4)	3631(4)	2881(1)	45(1)
C(24')	9634(4)	4997(4)	2912(1)	41(1)
C(25')	10661(4)	7354(4)	2671(1)	52(1)
C(26')	10906(5)	8303(4)	2410(1)	63(1)
C(27')	10459(4)	7858(4)	2093(1)	51(1)
C(28')	9780(3)	6471(3)	2038(1)	34(1)
C(29')	9430(3)	5442(3)	2304(1)	28(1)
C(30')	9908(3)	5930(3)	2629(1)	37(1)

Table 21. Bond lengths [Å] and angles [deg] for (S)-22.

Br(1)-C(18')	1.899(3)
O(1)-C(12)	1.368(3)
O(1)-H(1)	0.9752
C(11)-C(12)	1.383(4)
C(11)-C(19)	1.419(4)
C(11)-C(11')	1.494(4)
C(12)-C(13)	1.401(4)
C(13)-C(14)	1.348(5)
C(13)-H(13)	0.9300
C(14)-C(110)	1.417(5)
C(14)-H(14)	0.9300
C(15)-C(16)	1.357(5)
C(15)-C(110)	1.426(4)
C(15)-H(15)	0.9300
C(16)-C(17)	1.405(5)
C(16)-H(16)	0.9300
C(17)-C(18)	1.358(5)
C(17)-H(17)	0.9300
C(18)-C(19)	1.422(4)
C(18)-H(18)	0.9300
C(19)-C(110)	1.418(4)
C(11')-C(12')	1.372(4)
C(11')-C(19')	1.433(4)
C(12')-C(13')	1.381(5)
C(12')-H(12')	0.9300
C(13')-C(14')	1.358(6)
C(13')-H(13')	0.9300
C(14')-C(20')	1.408(5)
C(14')-H(14')	0.9300
C(15')-C(16')	1.329(6)
C(15')-C(20')	1.397(5)
C(15')-H(15')	0.9300
C(16')-C(17')	1.410(5)
C(16')-H(16')	0.9300
C(17')-C(18')	1.357(4)
C(17')-H(17')	0.9300
C(18')-C(19')	1.415(4)
C(19')-C(20')	1.445(4)
Br(2)-C(28')	1.901(3)
O(2)-C(22)	1.371(3)
O(2)-H(2)	0.9316
C(21)-C(22)	1.369(4)
C(21)-C(29)	1.426(4)
C(21)-C(21')	1.497(4)
C(22)-C(23)	1.415(4)
C(23)-C(24)	1.361(5)
C(23)-H(23)	0.9300
C(24)-C(210)	1.417(5)
C(24)-H(24)	0.9300
C(25)-C(26)	1.338(5)
C(25)-C(210)	1.422(4)
C(25)-H(25)	0.9300
C(26)-C(27)	1.423(6)
C(26)-H(26)	0.9300
C(27)-C(28)	1.358(4)
C(27)-H(27)	0.9300
C(28)-C(29)	1.421(4)
C(28)-H(28)	0.9300
C(29)-C(210)	1.414(4)
C(21')-C(22')	1.374(4)
C(21')-C(29')	1.433(4)
C(22')-C(23')	1.400(4)
C(22')-H(22')	0.9300
C(23')-C(24')	1.351(5)

C(23')-H(23')	0.9300
C(24')-C(30')	1.419(4)
C(24')-H(24')	0.9300
C(25')-C(26')	1.352(6)
C(25')-C(30')	1.418(4)
C(25')-H(25')	0.9300
C(26')-C(27')	1.384(6)
C(26')-H(26')	0.9300
C(27')-C(28')	1.369(4)
C(27')-H(27')	0.9300
C(28')-C(29')	1.430(4)
C(29')-C(30')	1.432(4)

C(12)-O(1)-H(1)	107.1
C(12)-C(11)-C(19)	118.2(3)
C(12)-C(11)-C(11')	120.0(3)
C(19)-C(11)-C(11')	121.4(2)
O(1)-C(12)-C(11)	122.6(3)
O(1)-C(12)-C(13)	115.7(3)
C(11)-C(12)-C(13)	121.7(3)
C(14)-C(13)-C(12)	120.2(3)
C(14)-C(13)-H(13)	119.9
C(12)-C(13)-H(13)	119.9
C(13)-C(14)-C(110)	121.2(3)
C(13)-C(14)-H(14)	119.4
C(110)-C(14)-H(14)	119.4
C(16)-C(15)-C(110)	120.9(3)
C(16)-C(15)-H(15)	119.6
C(110)-C(15)-H(15)	119.6
C(15)-C(16)-C(17)	120.1(3)
C(15)-C(16)-H(16)	119.9
C(17)-C(16)-H(16)	119.9
C(18)-C(17)-C(16)	120.8(3)
C(18)-C(17)-H(17)	119.6
C(16)-C(17)-H(17)	119.6
C(17)-C(18)-C(19)	121.0(3)
C(17)-C(18)-H(18)	119.5
C(19)-C(18)-H(18)	119.5
C(110)-C(19)-C(11)	120.3(3)
C(110)-C(19)-C(18)	118.3(3)
C(11)-C(19)-C(18)	121.5(3)
C(14)-C(110)-C(19)	118.4(3)
C(14)-C(110)-C(15)	122.7(3)
C(19)-C(110)-C(15)	118.9(3)
C(12')-C(11')-C(19')	119.1(3)
C(12')-C(11')-C(11)	114.7(3)
C(19')-C(11')-C(11)	126.1(2)
C(11')-C(12')-C(13')	123.8(3)
C(11')-C(12')-H(12')	118.1
C(13')-C(12')-H(12')	118.1
C(14')-C(13')-C(12')	118.8(3)
C(14')-C(13')-H(13')	120.6
C(12')-C(13')-H(13')	120.6
C(13')-C(14')-C(20')	121.3(3)
C(13')-C(14')-H(14')	119.4
C(20')-C(14')-H(14')	119.4
C(16')-C(15')-C(20')	121.1(3)
C(16')-C(15')-H(15')	119.5
C(20')-C(15')-H(15')	119.5
C(15')-C(16')-C(17')	120.8(3)
C(15')-C(16')-H(16')	119.6
C(17')-C(16')-H(16')	119.6
C(18')-C(17')-C(16')	119.7(3)
C(18')-C(17')-H(17')	120.2
C(16')-C(17')-H(17')	120.2
C(17')-C(18')-C(19')	122.5(3)
C(17')-C(18')-Br(1)	114.5(2)
C(19')-C(18')-Br(1)	122.9(2)

C(18')-C(19')-C(11')	127.5(3)
C(18')-C(19')-C(20')	115.5(3)
C(11')-C(19')-C(20')	117.0(3)
C(15')-C(20')-C(14')	119.6(3)
C(15')-C(20')-C(19')	120.4(3)
C(14')-C(20')-C(19')	120.0(3)
C(22)-O(2)-H(2)	111.0
C(22)-C(21)-C(29)	119.4(3)
C(22)-C(21)-C(21')	119.8(2)
C(29)-C(21)-C(21')	120.5(3)
C(21)-C(22)-O(2)	123.8(3)
C(21)-C(22)-C(23)	121.0(3)
O(2)-C(22)-C(23)	115.2(3)
C(24)-C(23)-C(22)	120.1(3)
C(24)-C(23)-H(23)	120.0
C(22)-C(23)-H(23)	120.0
C(23)-C(24)-C(210)	121.1(3)
C(23)-C(24)-H(24)	119.4
C(210)-C(24)-H(24)	119.4
C(26)-C(25)-C(210)	121.0(3)
C(26)-C(25)-H(25)	119.5
C(210)-C(25)-H(25)	119.5
C(25)-C(26)-C(27)	120.5(3)
C(25)-C(26)-H(26)	119.7
C(27)-C(26)-H(26)	119.7
C(28)-C(27)-C(26)	119.8(3)
C(28)-C(27)-H(27)	120.1
C(26)-C(27)-H(27)	120.1
C(27)-C(28)-C(29)	121.4(3)
C(27)-C(28)-H(28)	119.3
C(29)-C(28)-H(28)	119.3
C(210)-C(29)-C(28)	118.0(3)
C(210)-C(29)-C(21)	119.8(3)
C(28)-C(29)-C(21)	122.2(3)
C(29)-C(210)-C(24)	118.6(3)
C(29)-C(210)-C(25)	119.3(3)
C(24)-C(210)-C(25)	122.1(3)
C(22')-C(21')-C(29')	119.1(3)
C(22')-C(21')-C(21)	115.2(2)
C(29')-C(21')-C(21)	125.6(2)
C(21')-C(22')-C(23')	123.0(3)
C(21')-C(22')-H(22')	118.5
C(23')-C(22')-H(22')	118.5
C(24')-C(23')-C(22')	119.3(3)
C(24')-C(23')-H(23')	120.4
C(22')-C(23')-H(23')	120.4
C(23')-C(24')-C(30')	120.7(3)
C(23')-C(24')-H(24')	119.6
C(30')-C(24')-H(24')	119.6
C(26')-C(25')-C(30')	121.4(3)
C(26')-C(25')-H(25')	119.3
C(30')-C(25')-H(25')	119.3
C(25')-C(26')-C(27')	119.4(3)
C(25')-C(26')-H(26')	120.3
C(27')-C(26')-H(26')	120.3
C(28')-C(27')-C(26')	121.4(3)
C(28')-C(27')-H(27')	119.3
C(26')-C(27')-H(27')	119.3
C(27')-C(28')-C(29')	122.0(3)
C(27')-C(28')-Br(2)	114.6(2)
C(29')-C(28')-Br(2)	123.4(2)
C(28')-C(29')-C(30')	115.4(2)
C(28')-C(29')-C(21')	127.2(3)
C(30')-C(29')-C(21')	117.4(2)
C(25')-C(30')-C(24')	119.3(3)
C(25')-C(30')-C(29')	120.3(3)
C(24')-C(30')-C(29')	120.4(3)

Table 22. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (S)-**22**.
 The anisotropic displacement factor exponent takes the form:
 $-2 \pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U11	U22	U33	U23	U13	U12
Br(1)	35(1)	52(1)	51(1)	-11(1)	-5(1)	15(1)
O(1)	51(1)	37(1)	29(1)	4(1)	-6(1)	-5(1)
C(11)	36(2)	30(1)	25(2)	-5(1)	-3(1)	6(1)
C(12)	40(2)	30(1)	25(2)	-4(1)	-3(1)	4(1)
C(13)	54(2)	38(2)	24(2)	-3(1)	-10(1)	3(1)
C(14)	50(2)	41(2)	33(2)	-12(1)	-10(1)	-2(1)
C(15)	52(2)	35(2)	61(2)	-9(2)	1(2)	-4(1)
C(16)	63(2)	34(2)	70(3)	0(2)	17(2)	-7(2)
C(17)	78(3)	44(2)	43(2)	10(2)	9(2)	-2(2)
C(18)	57(2)	38(2)	37(2)	0(1)	-2(2)	0(1)
C(19)	46(2)	26(1)	29(2)	-6(1)	0(1)	5(1)
C(110)	44(2)	26(1)	41(2)	-5(1)	2(1)	3(1)
C(11')	35(2)	31(1)	24(1)	1(1)	-4(1)	7(1)
C(12')	50(2)	70(2)	38(2)	-8(2)	-3(2)	28(2)
C(13')	40(2)	94(3)	71(3)	-1(2)	-4(2)	32(2)
C(14')	29(2)	84(3)	50(2)	17(2)	-14(2)	6(2)
C(15')	58(2)	64(2)	32(2)	1(2)	-18(2)	-17(2)
C(16')	82(3)	69(2)	33(2)	-22(2)	-8(2)	-13(2)
C(17')	54(2)	50(2)	39(2)	-16(2)	7(2)	-1(2)
C(18')	34(2)	35(2)	30(2)	1(1)	1(1)	-3(1)
C(19')	25(1)	32(1)	25(1)	5(1)	-2(1)	-1(1)
C(20')	42(2)	45(2)	27(2)	8(1)	-8(1)	-10(1)
Br(2)	38(1)	59(1)	38(1)	21(1)	-5(1)	-10(1)
O(2)	32(1)	41(1)	51(1)	-11(1)	-9(1)	3(1)
C(21)	28(1)	31(1)	32(2)	7(1)	-2(1)	-8(1)
C(22)	31(1)	34(2)	38(2)	2(1)	-2(1)	-6(1)
C(23)	41(2)	44(2)	45(2)	-9(2)	-2(2)	-8(1)
C(24)	42(2)	57(2)	32(2)	-6(2)	-7(1)	-20(2)
C(25)	33(2)	76(2)	43(2)	18(2)	-11(2)	-13(2)
C(26)	26(2)	86(3)	59(2)	32(2)	-11(2)	-1(2)
C(27)	38(2)	62(2)	54(2)	26(2)	6(2)	7(2)
C(28)	30(2)	46(2)	41(2)	14(1)	3(1)	-2(1)
C(29)	27(1)	38(2)	34(2)	11(1)	2(1)	-6(1)
C(210)	30(1)	54(2)	37(2)	11(2)	-6(1)	-15(1)
C(21')	22(1)	28(1)	33(2)	2(1)	-2(1)	0(1)
C(22')	44(2)	32(2)	36(2)	10(1)	2(1)	-4(1)
C(23')	56(2)	48(2)	30(2)	7(1)	-3(2)	5(2)
C(24')	42(2)	50(2)	31(2)	-5(1)	-7(1)	12(1)
C(25')	50(2)	49(2)	57(2)	-23(2)	-2(2)	-8(2)
C(26')	70(3)	37(2)	83(3)	-13(2)	14(2)	-23(2)
C(27')	57(2)	36(2)	59(2)	9(2)	11(2)	-10(2)
C(28')	28(1)	34(2)	42(2)	7(1)	2(1)	0(1)
C(29')	23(1)	27(1)	33(2)	2(1)	0(1)	2(1)
C(30')	30(1)	38(2)	42(2)	-6(1)	2(1)	3(1)

Table 23. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (S)-**22**.

	x	y	z	U(eq)
H(13)	1093	6478	-433	47
H(14)	-602	4623	-294	50
H(15)	-1659	2774	130	59
H(16)	-1612	1782	656	67
H(17)	177	2648	1043	66
H(18)	1919	4469	902	53
H(12')	4974	5051	276	63
H(13')	7171	5304	584	82
H(14')	7117	6651	1073	66
H(15')	5826	8278	1464	62
H(16')	3757	9594	1631	74
H(17')	1529	9610	1309	57
H(23)	8781	609	1427	52
H(24)	6430	1275	1227	52
H(25)	4056	2857	1268	61
H(26)	2672	4672	1531	69
H(27)	3677	5956	1998	61
H(28)	6065	5374	2187	46
H(22')	7950	2210	2547	45
H(23')	8760	3019	3067	54
H(24')	9946	5329	3122	49
H(25')	10995	7640	2882	62
H(26')	11370	9248	2443	76
H(27')	10623	8515	1914	61
H(1)	3661	8116	104	85(14)
H(2)	10630	2242	2087	69(12)

Table 24. Torsion angles [deg] for (*S*)-**22**.

C(19)-C(11)-C(12)-O(1)	176.6(3)
C(11')-C(11)-C(12)-O(1)	-10.8(4)
C(19)-C(11)-C(12)-C(13)	-2.9(4)
C(11')-C(11)-C(12)-C(13)	169.6(3)
O(1)-C(12)-C(13)-C(14)	-177.6(3)
C(11)-C(12)-C(13)-C(14)	2.0(4)
C(12)-C(13)-C(14)-C(110)	0.2(5)
C(110)-C(15)-C(16)-C(17)	-0.8(5)
C(15)-C(16)-C(17)-C(18)	-0.5(6)
C(16)-C(17)-C(18)-C(19)	0.9(5)
C(12)-C(11)-C(19)-C(110)	1.8(4)
C(11')-C(11)-C(19)-C(110)	-170.7(2)
C(12)-C(11)-C(19)-C(18)	-178.2(3)
C(11')-C(11)-C(19)-C(18)	9.3(4)
C(17)-C(18)-C(19)-C(110)	-0.1(4)
C(17)-C(18)-C(19)-C(11)	179.9(3)
C(13)-C(14)-C(110)-C(19)	-1.2(4)
C(13)-C(14)-C(110)-C(15)	-179.8(3)
C(11)-C(19)-C(110)-C(14)	0.2(4)
C(18)-C(19)-C(110)-C(14)	-179.8(3)
C(11)-C(19)-C(110)-C(15)	178.9(3)
C(18)-C(19)-C(110)-C(15)	-1.1(4)
C(16)-C(15)-C(110)-C(14)	-179.9(3)
C(16)-C(15)-C(110)-C(19)	1.6(5)
C(12)-C(11)-C(11')-C(12')	-75.0(4)
C(19)-C(11)-C(11')-C(12')	97.3(3)
C(12)-C(11)-C(11')-C(19')	109.0(3)
C(19)-C(11)-C(11')-C(19')	-78.7(4)
C(19')-C(11')-C(12')-C(13')	0.9(6)
C(11)-C(11')-C(12')-C(13')	-175.5(4)
C(11')-C(12')-C(13')-C(14')	2.2(7)
C(12')-C(13')-C(14')-C(20')	-2.8(6)
C(20')-C(15')-C(16')-C(17')	-1.2(6)
C(15')-C(16')-C(17')-C(18')	1.9(6)
C(16')-C(17')-C(18')-C(19')	-0.5(5)
C(16')-C(17')-C(18')-Br(1)	-178.1(3)
C(17')-C(18')-C(19')-C(11')	180.0(3)
Br(1)-C(18')-C(19')-C(11')	-2.6(4)
C(17')-C(18')-C(19')-C(20')	-1.4(4)
Br(1)-C(18')-C(19')-C(20')	176.0(2)
C(12')-C(11')-C(19')-C(18')	175.5(3)
C(11)-C(11')-C(19')-C(18')	-8.6(4)
C(12')-C(11')-C(19')-C(20')	-3.0(4)
C(11)-C(11')-C(19')-C(20')	172.8(3)
C(16')-C(15')-C(20')-C(14')	177.6(4)
C(16')-C(15')-C(20')-C(19')	-0.9(5)
C(13')-C(14')-C(20')-C(15')	-178.0(4)
C(13')-C(14')-C(20')-C(19')	0.6(5)
C(18')-C(19')-C(20')-C(15')	2.2(4)
C(11')-C(19')-C(20')-C(15')	-179.1(3)
C(18')-C(19')-C(20')-C(14')	-176.4(3)
C(11')-C(19')-C(20')-C(14')	2.4(4)
C(29)-C(21)-C(22)-O(2)	179.0(3)
C(21')-C(21)-C(22)-O(2)	-7.3(4)
C(29)-C(21)-C(22)-C(23)	0.4(4)
C(21')-C(21)-C(22)-C(23)	174.0(3)
C(21)-C(22)-C(23)-C(24)	0.9(5)
O(2)-C(22)-C(23)-C(24)	-177.9(3)
C(22)-C(23)-C(24)-C(210)	-1.1(5)
C(210)-C(25)-C(26)-C(27)	0.6(5)
C(25)-C(26)-C(27)-C(28)	-0.1(5)
C(26)-C(27)-C(28)-C(29)	-0.8(5)
C(27)-C(28)-C(29)-C(210)	1.1(4)
C(27)-C(28)-C(29)-C(21)	-179.4(3)

C(22)-C(21)-C(29)-C(210)	-1.3(4)
C(21')-C(21)-C(29)-C(210)	-174.9(2)
C(22)-C(21)-C(29)-C(28)	179.2(3)
C(21')-C(21)-C(29)-C(28)	5.6(4)
C(28)-C(29)-C(210)-C(24)	-179.5(3)
C(21)-C(29)-C(210)-C(24)	1.1(4)
C(28)-C(29)-C(210)-C(25)	-0.5(4)
C(21)-C(29)-C(210)-C(25)	180.0(3)
C(23)-C(24)-C(210)-C(29)	0.2(5)
C(23)-C(24)-C(210)-C(25)	-178.8(3)
C(26)-C(25)-C(210)-C(29)	-0.3(5)
C(26)-C(25)-C(210)-C(24)	178.6(3)
C(22)-C(21)-C(21')-C(22')	-79.4(3)
C(29)-C(21)-C(21')-C(22')	94.2(3)
C(22)-C(21)-C(21')-C(29')	102.1(3)
C(29)-C(21)-C(21')-C(29')	-84.3(3)
C(29')-C(21')-C(22')-C(23')	-0.3(4)
C(21)-C(21')-C(22')-C(23')	-178.9(3)
C(21')-C(22')-C(23')-C(24')	0.7(5)
C(22')-C(23')-C(24')-C(30')	-0.7(5)
C(30')-C(25')-C(26')-C(27')	-2.2(6)
C(25')-C(26')-C(27')-C(28')	-0.3(6)
C(26')-C(27')-C(28')-C(29')	3.0(5)
C(26')-C(27')-C(28')-Br(2)	-175.1(3)
C(27')-C(28')-C(29')-C(30')	-3.0(4)
Br(2)-C(28')-C(29')-C(30')	175.0(2)
C(27')-C(28')-C(29')-C(21')	177.5(3)
Br(2)-C(28')-C(29')-C(21')	-4.5(4)
C(22')-C(21')-C(29')-C(28')	179.4(3)
C(21)-C(21')-C(29')-C(28')	-2.1(4)
C(22')-C(21')-C(29')-C(30')	-0.1(4)
C(21)-C(21')-C(29')-C(30')	178.4(2)
C(26')-C(25')-C(30')-C(24')	-178.0(3)
C(26')-C(25')-C(30')-C(29')	2.1(5)
C(23')-C(24')-C(30')-C(25')	-179.7(3)
C(23')-C(24')-C(30')-C(29')	0.3(4)
C(28')-C(29')-C(30')-C(25')	0.5(4)
C(21')-C(29')-C(30')-C(25')	-180.0(3)
C(28')-C(29')-C(30')-C(24')	-179.5(3)
C(21')-C(29')-C(30')-C(24')	0.1(4)

Table 25. Hydrogen bonds for (*S*)-**22** [Å and deg.].

D-H...A	d(D-H)	d(H...A)	d(D...A)	<(DHA)
O(2)-H(2)...O(1)#1	0.93	2.07	2.936(3)	154.6

Symmetry transformations used to generate equivalent atoms:

#1 -y+2,x,z+1/4

Table 26. Crystal data and structure refinement for (±)-**24**.

Identification code	(±)- 24	
Empirical formula	C ₃₃ H ₂₃ N O	
Formula weight	449.52	
Temperature	100(2) K	
Wavelength	0.71073 Å	
Crystal system, space group	Monoclinic, P 2 ₁ /c	
Unit cell dimensions	a = 11.1055(1) Å alpha = 90 deg. b = 11.6712(1) Å beta = 102.6753(3) deg. c = 18.0627(1) Å gamma = 90 deg.	
Volume	2284.13(3) Å ³	
Z, Calculated density	4, 1.307 Mg/m ³	
Absorption coefficient	0.078 mm ⁻¹	
F(000)	944	
Crystal size	0.53 x 0.5 x 0.37 mm	
Theta range for data collection	2.09 to 50 deg.	
Limiting indices	-16 ≤ h ≤ 23, -26 ≤ k ≤ 26, -41 ≤ l ≤ 38	
Reflections collected / unique	358895 / 23242 [R(int) = 0.0355]	
Completeness to theta = 44	100 %	
Absorption correction	Semi-empirical from equivalents	
Max. and min. transmission	1.01 and 0.954	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	23242 / 0 / 408	
Goodness-of-fit on F ²	1.043	
Final R indices [I > 2σ(I)]	R ₁ = 0.0421, wR ₂ = 0.1247	
R indices (all data)	R ₁ = 0.0547, wR ₂ = 0.1317	
Largest diff. peak and hole	0.686 and -0.236 e.Å ⁻³	

Table 27. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (+)-**24**. U(eq) is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	U(eq)
C(1)	3365(1)	1312(1)	571(1)	13(1)
C(2)	3654(1)	1389(1)	-136(1)	15(1)
C(3)	3250(1)	2314(1)	-632(1)	16(1)
C(4)	2535(1)	3155(1)	-417(1)	16(1)
C(5)	1515(1)	4033(1)	513(1)	18(1)
C(6)	1257(1)	4056(1)	1222(1)	20(1)
C(7)	1692(1)	3171(1)	1744(1)	17(1)
C(8)	2363(1)	2254(1)	1560(1)	13(1)
C(9)	2659(1)	2206(1)	822(1)	12(1)
C(10)	2227(1)	3126(1)	305(1)	14(1)
C(11)	3768(1)	255(1)	1023(1)	14(1)
C(12)	4851(1)	240(1)	1573(1)	16(1)
C(13)	5240(1)	-756(1)	2008(1)	21(1)
C(14)	4531(1)	-1728(1)	1892(1)	22(1)
C(15)	2656(1)	-2755(1)	1203(1)	26(1)
C(16)	1577(1)	-2764(1)	656(1)	28(1)
C(17)	1217(1)	-1786(1)	199(1)	24(1)
C(18)	1930(1)	-809(1)	309(1)	18(1)
C(19)	3041(1)	-764(1)	878(1)	15(1)
C(20)	3417(1)	-1762(1)	1327(1)	19(1)
C(21)	2267(1)	788(1)	2457(1)	12(1)
C(22)	2939(1)	59(1)	3091(1)	13(1)
C(23)	4193(1)	263(1)	3405(1)	17(1)
C(24)	4825(1)	-395(1)	4007(1)	22(1)
C(25)	4221(1)	-1274(1)	4302(1)	24(1)
C(26)	2982(1)	-1495(1)	3990(1)	23(1)
C(27)	2340(1)	-828(1)	3390(1)	17(1)
C(28)	902(1)	614(1)	2208(1)	13(1)
C(29)	484(1)	-325(1)	1742(1)	16(1)
C(30)	-776(1)	-522(1)	1486(1)	19(1)
C(31)	-1628(1)	211(1)	1699(1)	21(1)
C(32)	-1219(1)	1132(1)	2181(1)	21(1)
C(33)	45(1)	1331(1)	2440(1)	18(1)
N(1)	2902(1)	1476(1)	2136(1)	13(1)
O(1)	5600(1)	1179(1)	1745(1)	20(1)

Table 28. Bond lengths [Å] and angles [deg] for (±)-**24**.

C(1)-C(2)	1.3866(5)
C(1)-C(9)	1.4375(4)
C(1)-C(11)	1.4926(4)
C(2)-C(3)	1.4116(5)
C(2)-H(2)	1.000(10)
C(3)-C(4)	1.3711(5)
C(3)-H(3)	0.981(9)
C(4)-C(10)	1.4197(5)
C(4)-H(4)	1.000(9)
C(5)-C(6)	1.3720(6)
C(5)-C(10)	1.4204(5)
C(5)-H(5)	1.006(9)
C(6)-C(7)	1.4106(5)
C(6)-H(6)	0.987(10)
C(7)-C(8)	1.3860(5)
C(7)-H(7)	1.011(10)
C(8)-N(1)	1.4104(4)
C(8)-C(9)	1.4432(4)
C(9)-C(10)	1.4337(4)
C(11)-C(12)	1.3813(5)
C(11)-C(19)	1.4294(5)
C(12)-O(1)	1.3692(5)
C(12)-C(13)	1.4171(5)
C(13)-C(14)	1.3699(7)
C(13)-H(13)	1.002(10)
C(14)-C(20)	1.4215(7)
C(14)-H(14)	0.983(10)
C(15)-C(16)	1.3751(9)
C(15)-C(20)	1.4227(7)
C(15)-H(15)	1.021(11)
C(16)-C(17)	1.4148(7)
C(16)-H(16)	1.004(11)
C(17)-C(18)	1.3777(6)
C(17)-H(17)	1.032(11)
C(18)-C(19)	1.4225(6)
C(18)-H(18)	0.996(10)
C(19)-C(20)	1.4285(5)
C(21)-N(1)	1.2883(4)
C(21)-C(22)	1.4887(4)
C(21)-C(28)	1.4969(5)
C(22)-C(27)	1.4007(5)
C(22)-C(23)	1.4039(5)
C(23)-C(24)	1.3885(5)
C(23)-H(23)	0.949(10)
C(24)-C(25)	1.3942(7)
C(24)-H(24)	1.020(11)
C(25)-C(26)	1.3919(7)
C(25)-H(25)	0.978(11)
C(26)-C(27)	1.3971(5)
C(26)-H(26)	0.959(11)
C(27)-H(27)	0.969(9)
C(28)-C(29)	1.3982(5)
C(28)-C(33)	1.3987(5)
C(29)-C(30)	1.3927(5)
C(29)-H(29)	0.983(10)
C(30)-C(31)	1.3916(6)
C(30)-H(30)	0.983(9)
C(31)-C(32)	1.3944(7)
C(31)-H(31)	0.981(10)
C(32)-C(33)	1.3980(6)
C(32)-H(32)	0.971(10)
C(33)-H(33)	0.976(9)
O(1)-H(1)	0.936(13)

C(2)-C(1)-C(9)	119.71(3)
C(2)-C(1)-C(11)	117.09(3)
C(9)-C(1)-C(11)	123.15(3)
C(1)-C(2)-C(3)	121.94(3)
C(1)-C(2)-H(2)	118.2(6)
C(3)-C(2)-H(2)	119.7(6)
C(4)-C(3)-C(2)	119.36(3)
C(4)-C(3)-H(3)	120.7(6)
C(2)-C(3)-H(3)	119.9(6)
C(3)-C(4)-C(10)	120.99(3)
C(3)-C(4)-H(4)	120.3(5)
C(10)-C(4)-H(4)	118.7(5)
C(6)-C(5)-C(10)	120.25(3)
C(6)-C(5)-H(5)	120.3(5)
C(10)-C(5)-H(5)	119.4(5)
C(5)-C(6)-C(7)	119.89(3)
C(5)-C(6)-H(6)	122.2(6)
C(7)-C(6)-H(6)	117.9(6)
C(8)-C(7)-C(6)	121.95(3)
C(8)-C(7)-H(7)	117.8(6)
C(6)-C(7)-H(7)	120.1(6)
C(7)-C(8)-N(1)	118.98(3)
C(7)-C(8)-C(9)	119.60(3)
N(1)-C(8)-C(9)	120.73(3)
C(10)-C(9)-C(1)	117.78(3)
C(10)-C(9)-C(8)	117.50(3)
C(1)-C(9)-C(8)	124.72(3)
C(4)-C(10)-C(5)	119.04(3)
C(4)-C(10)-C(9)	120.15(3)
C(5)-C(10)-C(9)	120.79(3)
C(12)-C(11)-C(19)	119.30(3)
C(12)-C(11)-C(1)	120.85(3)
C(19)-C(11)-C(1)	119.84(3)
O(1)-C(12)-C(11)	122.89(3)
O(1)-C(12)-C(13)	115.79(4)
C(11)-C(12)-C(13)	121.30(4)
C(14)-C(13)-C(12)	120.03(4)
C(14)-C(13)-H(13)	121.6(6)
C(12)-C(13)-H(13)	118.3(6)
C(13)-C(14)-C(20)	120.87(3)
C(13)-C(14)-H(14)	119.8(6)
C(20)-C(14)-H(14)	119.3(6)
C(16)-C(15)-C(20)	120.89(4)
C(16)-C(15)-H(15)	119.3(6)
C(20)-C(15)-H(15)	119.9(6)
C(15)-C(16)-C(17)	120.19(4)
C(15)-C(16)-H(16)	117.5(6)
C(17)-C(16)-H(16)	122.3(6)
C(18)-C(17)-C(16)	120.24(5)
C(18)-C(17)-H(17)	119.2(6)
C(16)-C(17)-H(17)	120.6(6)
C(17)-C(18)-C(19)	121.01(4)
C(17)-C(18)-H(18)	121.0(6)
C(19)-C(18)-H(18)	118.0(6)
C(18)-C(19)-C(20)	118.60(4)
C(18)-C(19)-C(11)	121.93(3)
C(20)-C(19)-C(11)	119.45(4)
C(14)-C(20)-C(15)	121.96(4)
C(14)-C(20)-C(19)	118.99(4)
C(15)-C(20)-C(19)	119.04(4)
N(1)-C(21)-C(22)	118.10(3)
N(1)-C(21)-C(28)	124.60(3)
C(22)-C(21)-C(28)	117.20(3)
C(27)-C(22)-C(23)	118.85(3)
C(27)-C(22)-C(21)	121.18(3)
C(23)-C(22)-C(21)	119.96(3)
C(24)-C(23)-C(22)	120.58(4)
C(24)-C(23)-H(23)	120.3(6)

C(22)-C(23)-H(23)	119.0(6)
C(23)-C(24)-C(25)	120.21(4)
C(23)-C(24)-H(24)	118.5(6)
C(25)-C(24)-H(24)	121.2(6)
C(26)-C(25)-C(24)	119.84(4)
C(26)-C(25)-H(25)	120.2(6)
C(24)-C(25)-H(25)	120.0(6)
C(25)-C(26)-C(27)	120.11(4)
C(25)-C(26)-H(26)	120.4(7)
C(27)-C(26)-H(26)	119.5(7)
C(26)-C(27)-C(22)	120.40(4)
C(26)-C(27)-H(27)	117.8(5)
C(22)-C(27)-H(27)	121.8(5)
C(29)-C(28)-C(33)	119.39(3)
C(29)-C(28)-C(21)	117.89(3)
C(33)-C(28)-C(21)	122.69(3)
C(30)-C(29)-C(28)	120.43(3)
C(30)-C(29)-H(29)	121.2(6)
C(28)-C(29)-H(29)	118.3(6)
C(31)-C(30)-C(29)	120.07(4)
C(31)-C(30)-H(30)	121.2(6)
C(29)-C(30)-H(30)	118.7(6)
C(30)-C(31)-C(32)	119.88(4)
C(30)-C(31)-H(31)	120.5(6)
C(32)-C(31)-H(31)	119.6(6)
C(31)-C(32)-C(33)	120.17(4)
C(31)-C(32)-H(32)	120.6(6)
C(33)-C(32)-H(32)	119.2(6)
C(32)-C(33)-C(28)	119.99(4)
C(32)-C(33)-H(33)	120.1(6)
C(28)-C(33)-H(33)	119.9(6)
C(21)-N(1)-C(8)	123.20(3)
C(12)-O(1)-H(1)	109.2(8)

Table 29. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for (±)-**24**.
 The anisotropic displacement factor exponent takes the form:
 $-2 \pi^2 [h^2 a^{*2} U_{11} + \dots + 2 h k a^* b^* U_{12}]$

	U11	U22	U33	U23	U13	U12
C(1)	14(1)	11(1)	13(1)	1(1)	3(1)	1(1)
C(2)	17(1)	15(1)	14(1)	0(1)	5(1)	1(1)
C(3)	20(1)	17(1)	13(1)	2(1)	5(1)	0(1)
C(4)	20(1)	14(1)	14(1)	3(1)	4(1)	0(1)
C(5)	22(1)	12(1)	20(1)	3(1)	6(1)	4(1)
C(6)	25(1)	14(1)	23(1)	1(1)	9(1)	6(1)
C(7)	22(1)	14(1)	18(1)	0(1)	8(1)	3(1)
C(8)	15(1)	11(1)	13(1)	1(1)	4(1)	1(1)
C(9)	13(1)	10(1)	13(1)	1(1)	3(1)	0(1)
C(10)	16(1)	11(1)	15(1)	2(1)	3(1)	1(1)
C(11)	16(1)	12(1)	14(1)	1(1)	4(1)	3(1)
C(12)	15(1)	18(1)	16(1)	1(1)	4(1)	5(1)
C(13)	22(1)	23(1)	18(1)	4(1)	6(1)	11(1)
C(14)	30(1)	18(1)	20(1)	6(1)	11(1)	12(1)
C(15)	41(1)	12(1)	29(1)	2(1)	17(1)	2(1)
C(16)	42(1)	14(1)	31(1)	-4(1)	16(1)	-7(1)
C(17)	33(1)	18(1)	22(1)	-5(1)	9(1)	-8(1)
C(18)	25(1)	15(1)	16(1)	-1(1)	5(1)	-3(1)
C(19)	21(1)	11(1)	15(1)	0(1)	7(1)	2(1)
C(20)	29(1)	12(1)	20(1)	3(1)	12(1)	5(1)
C(21)	13(1)	12(1)	11(1)	0(1)	3(1)	1(1)
C(22)	15(1)	13(1)	11(1)	0(1)	3(1)	1(1)
C(23)	15(1)	18(1)	16(1)	0(1)	1(1)	2(1)
C(24)	20(1)	23(1)	19(1)	0(1)	-3(1)	5(1)
C(25)	32(1)	21(1)	17(1)	4(1)	-2(1)	6(1)
C(26)	31(1)	18(1)	17(1)	5(1)	3(1)	1(1)
C(27)	21(1)	16(1)	15(1)	3(1)	3(1)	-1(1)
C(28)	12(1)	14(1)	13(1)	1(1)	3(1)	1(1)
C(29)	14(1)	18(1)	16(1)	-2(1)	3(1)	-1(1)
C(30)	15(1)	23(1)	18(1)	0(1)	2(1)	-3(1)
C(31)	13(1)	28(1)	21(1)	4(1)	3(1)	0(1)
C(32)	15(1)	24(1)	25(1)	3(1)	8(1)	4(1)
C(33)	16(1)	18(1)	21(1)	0(1)	7(1)	2(1)
N(1)	14(1)	13(1)	12(1)	1(1)	3(1)	0(1)
O(1)	15(1)	23(1)	22(1)	0(1)	1(1)	2(1)

Table 30. Hydrogen coordinates ($\times 10^4$) and isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for $(\pm)$ -**24**.

	x	y	z	U(eq)
H(2)	4121(9)	744(8)	-305(6)	29(2)
H(3)	3473(9)	2345(8)	-1128(5)	26(2)
H(4)	2235(8)	3811(7)	-765(5)	22(2)
H(5)	1236(8)	4677(8)	145(5)	26(2)
H(6)	771(9)	4678(9)	1385(6)	31(2)
H(7)	1564(9)	3218(8)	2280(6)	29(2)
H(13)	6020(10)	-718(8)	2409(6)	31(2)
H(14)	4782(10)	-2405(9)	2212(6)	37(3)
H(15)	2911(10)	-3473(9)	1522(6)	36(3)
H(16)	1066(10)	-3482(10)	602(6)	37(3)
H(17)	422(10)	-1796(9)	-223(6)	37(3)
H(18)	1690(10)	-117(9)	-12(6)	35(2)
H(23)	4587(9)	893(8)	3226(6)	28(2)
H(24)	5724(10)	-199(9)	4238(6)	38(3)
H(25)	4663(10)	-1721(9)	4735(6)	36(3)
H(26)	2556(11)	-2091(10)	4194(6)	38(3)
H(27)	1478(9)	-1005(8)	3188(5)	25(2)
H(29)	1099(9)	-850(8)	1614(6)	30(2)
H(30)	-1045(9)	-1198(8)	1168(5)	25(2)
H(31)	-2516(9)	71(9)	1527(6)	33(2)
H(32)	-1805(10)	1639(9)	2343(6)	34(2)
H(33)	331(9)	1967(8)	2785(5)	28(2)
H(1)	5305(13)	1767(11)	1400(8)	55(3)