

## University of Groningen

### The study of behavioral dysfunctions

van der Staay, Franz Josef

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2000

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

van der Staay, F. J. (2000). *The study of behavioral dysfunctions: an evaluation of selected animal models*. Groningen: s.n.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## References

### A

- Aaltonen, M., Riekkinen, P., Sirviö, J. & Riekkinen, P., Jr. (1991). Effects of THA on passive avoidance and spatial performance in quisqualic acid nucleus basalis-lesioned rats. *Pharmacology Biochemistry & Behavior*, **39**, 563-567.
- Abe, K., Horiuchi, M. & Yoshimura, K. (1997). Potentiation by DSP-4 of EEG slowing and memory impairment in basal forebrain-lesioned rats. *European Journal of Pharmacology*, **321**, 149-155.
- Abeliovich, A., Paylor, R., Chen, C., Kim, J.J., Wehner, J.M. & Tonegawa, S. (1993). PKC $\gamma$  mutant mice exhibit mild deficits in spatial and contextual learning. *Cell*, **75**, 1263-1271.
- Abrous, D.N., Montaron, M.F., Petry, K.G., Rougon, G., Darnaudéry, M., Le Moal, M. & Mayo, W. (1997). Decrease in highly polysialylated neuronal cell adhesion molecules and in spatial learning during ageing are not correlated. *Brain Research*, **744**, 285-292.
- Adams, R.D., Victor, M. & Ropper, A.H. (1997). *Principles of neurology* (6th ed.). New York: McGraw-Hill.
- Aggleton, J. P., Blindt, H. S. & Candy, J. M. (1989). Working memory in aged rats. *Behavioral Neuroscience*, **103**, 975-983.
- Aho, K., Harmsen, P., Hatano, S., Marquardsen, J., Smirnov, V.E. & Strasser, T. (1980). Cerebrovascular disease in the community: results of a WHO collaborative study. *Bulletin of the World Health Organisation*, **58**, 113-130.
- Aitken, D.H. & Meaney, M.J. (1989). Temporally graded, age-related impairments in spatial memory in the rat. *Neurobiology of Aging*, **10**, 273-276.
- Albert, M.S. & Moss, M.B. (1992). The assessment of memory disorders in patients with Alzheimer's disease. In: Squire, L.R. & Butters, N. (Eds.), *Neuropsychology of memory* (2nd ed.). New York: The Guilford Press, pp. 211-219.
- Alexis, N.E., Dietrich, W.D., Green, E.J., Prado, R. & Watson, B.D. (1995). Nonocclusive common carotid artery thrombosis in the rat results in reversible sensorimotor and cognitive behavioral deficits. *Stroke*, **26**, 2338-2346.
- Algeri, S., Biagini, L., Manfredi, A. & Pitsikas, N. (1991). Age-related ability of rats kept on a life-long hypocaloric diet in a spatial memory test. Longitudinal observations. *Neurobiology of Aging*, **12**, 277-282.
- Allain, H., Bentué-Ferrer, D., Belliard, S. & Derouesné, C. (1997). Pharmacology of Alzheimer's disease. In: Ellis, G.P. & Luscombe, D.K. (Eds.), *Progress in Medicinal Chemistry*, **34**, 1-67.
- Altman, H.J., Gershon, S. & Normile, H.J. (1991). Dementia: the role of behavioral models. In: Willner, P. (Ed.). *Behavioural models in psychopharmacology: theoretical, industrial and clinical perspectives*. Cambridge: Cambridge University Press, pp. 437-450.
- Altman, P.L. & Katz, D.D. (Eds.), (1979). *Inbred and genetically defined strains of laboratory animals, Part I: mouse and rat*. Bethesda: Federation of American Societies for Experimental Biology.
- American Psychiatric Association (1994). *DSM IV: diagnostic and statistical manual of mental disorders IV* (4th ed.). Washington D.C.: APA Press.
- Andersen, C.S., Andersen, A.B. & Finger, S. (1991). Neurological correlates of unilateral and bilateral "strokes" of the middle cerebral artery in the rat. *Physiology & Behavior*, **50**, 263-269.
- Anderson, A. (1986). Japan faces the old old problem. *Nature*, **321**, 553.
- Andrews, J.S. (1996). Possible confounding influence of strain, age and gender on cognitive performance in rats. *Cognitive Brain Research*, **3**, 251-267.
- Anisman, H., Zaharia, M.D., Meaney, M.J. & Merali, Z. (1998). Do early-life events permanently alter behavioral and hormonal responses to stressors? *International Journal of Developmental Neuroscience*, **16**(3/4), 149-164.
- Arai, H., Ichimiya, Y., Kosaka, K., Moroji, T. & Iizuka, R. (1992). Neurotransmitter changes in early- and late-onset Alzheimer-type dementia. *Progress in Psychopharmacology & Biological Psychiatry*, **16**, 883-890.
- Arendash, G.W., Sanberg, P.R. & Sengstock, G.J. (1995). Nicotine enhances the learning and memory of aged rats. *Pharmacology Biochemistry and Behavior*, **52**, 517-523.
- Arendt, T., Bigl, V. & Arendt, A. (1984). Neurone loss in the nucleus basalis of Meynert in Creutzfeldt-Jakob disease. *Acta Neuropathologica*, **65**, 85-88.

- Arendt, T., Bigl, V., Arendt, A. & Tennstedt, A. (1983). Loss of neurons in the nucleus basalis of Meynert in Alzheimer's disease, paralysis agitans and Korsakoff's disease. *Acta Neuropathologica (Berlin)*, **61**, 101-108.
- Arnold, M. (1997). Gesundheit und Krankheit im Alter. Versuch einer Grenzziehung. In: Schütz, R.-M., Ries, W. & Tews, H.P. (Eds.), *Altern in Gesundheit und Krankheit*. Melsungen: Bibliomed - Medizinische Verlagsgesellschaft, pp. 41-50.
- Auer, R.N., Jensen, M.L. & Whishaw, I.Q. (1989). Neurobehavioral deficit due to ischemic brain damage limited to half of the CA1 sector of the hippocampus. *Journal of Neuroscience*, **9**, 1641-1647.

## B

- Baddeley, A.D. & Hitch, G.J. (1974). Working memory. In: Bower, G.A. (Ed.). *The psychology of learning and motivation*. Vol. 8. New York: Academic Press, pp. 47-89.
- Baddeley, A.D. & Lieberman, K. (1980). Spatial working memory. In: Nickerson, R. (Red.). *Attention and performance VIII*. Hillsdale, New Jersey: Erlbaum, pp. 521-539.
- Balaban, E., Alper, J.S. & Kasamon, Y.L. (1996). Mean genes and the biology of aggression: a critical review of recent animal and human research. *Journal of Neurogenetics*, **11**, 1-43.
- Bär, P.R. (1996). Apoptosis - The cell's silent exit. *Life Sciences*, **59**, 369-378.
- Bardgett, M.E., Newcomer, J.H. & Taylor, G.T. (1996). The effects of chronic corticosterone on memory performance in the platform maze task. *Physiology & Behavior*, **59**, 1111-1115.
- Barnard, N.D. & Kaufman, S.R. (1997). Animal research is wasteful and misleading. *Scientific American*, **276**(2), 64-66.
- Barnes, C.A. (1979). Memory deficits associated with senescence: a neurophysiological and behavioral study in the rat. *Journal of Comparative and Physiological Psychology*, **93**, 74-104.
- Barnes, C.A. (1988a). Aging and the physiology of spatial memory. *Neurobiology of Aging*, **9**, 563-568.
- Barnes, C.A. (1988b). Spatial learning and memory processes: the search for their neurobiological mechanisms in the rat. *Trends in Neurosciences*, **11**(4), 163-169.
- Barnes, C.A. (1990). Animal models of age-related cognitive decline. In: Boller, F. & Grafman, J. (Eds.), *Handbook of Neuropsychology*. Vol. 4, Amsterdam: Elsevier, pp. 169-196.
- Barnes, C.A., Eppich, C. & Rao, G. (1989). Selective improvement of aged rat short-term spatial memory by 3,4-diaminopyridine. *Neurobiology of Aging*, **10**, 337-341.
- Barnes, C.A., Green, E.J., Baldwin, J. & Johnson, W.E. (1987). Behavioural and neurophysiological examples of functional sparing in senescent rat. *Canadian Journal of Psychology*, **41**, 131-140.
- Barnes, C.A., Markowska, A.L., Ingram, D.K., Kametani, H., Spangler, E.L., Lemken, V.J. & Olton, D.S. (1990). Acetyl-L-carnitine 2: effects on learning and memory performance of aged rats in simple and complex mazes. *Neurobiology of Aging*, **11**, 499-506.
- Barnes, C.A. & McNaughton, B.L. (1985). An age comparison of the rates of acquisition and forgetting of spatial information in relation to long-term enhancement of hippocampal synapses. *Behavioral Neuroscience*, **99**, 1040-1048.
- Barnes, C.A., Nadel, L. & Honig, W.K. (1980). Spatial memory deficit in senescent rats. *Canadian Journal of Psychology/Review of Canadian Psychology*, **34**, 29-39.
- Barone, F.C., Feuerstein, G.Z. & White, R.F. (1997). Brain cooling during transient focal ischemia provides complete neuroprotection. *Neuroscience and Biobehavioral Reviews*, **21**, 31-44.
- Barone, F.C., Knudsen, D.J., Nelson, A.H., Feuerstein, G.Z. & Willette, R.N. (1993). Mouse strain differences in susceptibility to cerebral ischemia are related to cerebral vascular anatomy. *Journal of Cerebral Blood Flow and Metabolism*, **13**, 683-692.
- Barone, F.C., Price, W.J., White, R.F., Willette, R.N. & Feuerstein, G.Z. (1992). Genetic hypertension and increased susceptibility to cerebral ischemia. *Neuroscience and Biobehavioral Reviews*, **16**, 219-233.
- Barth, T.M. & Schallert, T. (1987). Somatosensorimotor function of the superior colliculus, somatosensory cortex, and lateral hypothalamus in the rat. *Experimental Neurology*, **95**, 661-678.
- Baskerville, K.A., Chang, H.T. & Herron, P. (1993). Topography of cholinergic afferents from the nucleus basalis of Meynert to representational areas of sensorimotor cortices in the rat. *The Journal of Comparative Neurology*, **335**, 552-562.
- Bath, P.M.W. (1997). The medical management of stroke. *International Journal of Clinical Practice*, **51**(8), 504-510.
- Baxter, M.G. & Gallagher, M. (1996). Neurobiological substrates of behavioral decline: models and data analytic strategies for individual differences in aging. *Neurobiology of Aging*, **17**, 491-495.
- Beatty, W.W., Bierley, R.A. & Boyd, J.G. (1985). Preservation of accurate spatial memory in aged rats. *Neurobiology of Aging*, **6**, 219-225.
- Bechtoldt, H.P. (1959). Construct validity: a critique. *American Psychologist*, **14**, 619-629.

- Bederson, J.B., Pitts, L.H., Tsuji, M., Nishimura, M.C., Davis, R.L. & Bartkowski, H. (1986). Rat middle cerebral artery occlusion: evaluation of the model and development of a neurological examination. *Stroke*, **17**, 472-476.
- Belayev, L., Alonso, O.F., Busto, R., Zhao, W. & Ginsberg, M.D. (1996). Middle cerebral artery occlusion in the rat by intraluminal suture. *Stroke*, **27**, 1616-1623.
- Beldhuis, H.J., Everts, H.G., van der Zee, E.A., Luiten, P.G. & Bohus, B. (1992a). Amygdala kindling-induced seizures selectively impair spatial memory: 1. behavioral characteristics and effects on hippocampal neuronal protein kinase C isoforms. *Hippocampus*, **2**, 397-409.
- Beldhuis, H.J., Everts, H.G., van der Zee, E.A., Luiten, P.G. & Bohus, B. (1992b). Amygdala kindling-induced seizures selectively impair spatial memory: 2. effects on hippocampal neuronal and glial muscarinic acetylcholine receptor. *Hippocampus*, **2**, 411-420.
- Benavides, J., Capdeville, C., Dauphin, F., Dubois, A., Duverger, D., Fage, D., Gotti, B., MacKenzie, E. & Scatton, B. (1990). The quantification of brain lesions with an  $\omega_3$  site ligand: a critical analysis of animal models of cerebral ischaemia and neurodegeneration. *Brain Research*, **522**, 275-289.
- Berger-Sweeney, J., Heckers, S., Mesulam, M.-M., Wiley, R.G., Lappi, D.A. & Sharma, M. (1994). Differential effects on spatial navigation of immunotoxin-induced cholinergic lesions of the medial septal area and nucleus basalis magnocellularis. *The Journal of Neuroscience*, **14**, 4507-4519.
- Bickford, P.C., Adams, C.E., Boyson, S.J., Curella, P., Gerhardt, G.A., Heron, C., Ivy, G.O., Lin, A.M.L.Y., Murphy, M.P., Poth, K., Wallace, D.R., Young, D.A., Zahniser, N.R. & Rose, G.M. (1997). Long-term treatment of male F344 rats with deprenyl: assessment of effects on longevity, behavior, and brain function. *Neurobiology of Aging*, **18**, 309-318.
- Bickford, P., Heron, C., Young, D.A., Gerhardt, G.A. & de la Garza, R. (1992). Impaired acquisition of novel locomotor tasks in aged and norepinephrine-depleted F344 rats. *Neurobiology of Aging*, **13**, 475-481.
- Bierer, L.M., Haroutunian, V., Gabriel, S., Knott, P.J., Carlin, L.S., Purohit, D.P., Perl, D.P., Schmeidler, J., Kanof, P. & Davis, K.L. (1995). Neurochemical correlates of dementia severity in Alzheimer's disease: relative importance of the cholinergic deficits. *Journal of Neurochemistry*, **64**, 749-760.
- Bierley, R.A., Rixen, G.J., Tröster, A.I. & Beatty, W.W. (1986). Preserved spatial memory of rats survives 10 months without training. *Behavioral and Neural Biology*, **45**, 223-229.
- Biller, J., Love, B.B., Marsh, E.E., Jones, M.P., Knepper, L.E., Jiang, D., Adams, H.P., Jr. & Gordon, D.L. (1990). Spontaneous improvement after acute ischemic stroke. *Stroke*, **21**, 1008-1012.
- Birren, J.E. (1962). Age differences in learning a two-choice water maze by rats. *Journal of Gerontology*, **17**, 207-213.
- Block, F. & Schwarz, M. (1996). Dextrometorphan reduces functional deficits and neuronal damage after global ischemia in rats. *Brain Research*, **741**, 153-159.
- Blokland, A. (1996). Acetylcholine - A neurotransmitter for learning and memory. *Brain Research Reviews*, **21**, 285-300.
- Blokland, A., Hinz, V. & Schmidt, B.H. (1995). Effects of metrifonate and tacrine in the spatial Morris task and modified Irwin test: evaluation of the efficacy / safety profile in rats. *Drug Development Research*, **26**, 166-177.
- Blokland, A., Honig, W. & Raaijmakers, W. (1994). Age-related changes in spatial discrimination learning performance in Lewis rats. *Psychobiology*, **22**, 149-155.
- Blokland, A. & Raaijmakers, W. (1993a). Age-related changes in correlation between behavioral and biochemical parameters in Lewis rats. *Behavioral and Neural Biology*, **60**, 52-61.
- Blokland, A. & Raaijmakers, W. (1993b). Food motivation in rats of different ages. *Psychobiology*, **21**, 228-232.
- Bolles, R.C. (1975). *Learning theory*. New York: Holt, Rinehart and Winston.
- Borchelt, D.R., Ratovitski, T., van Lare, J., Lee, M.K., Gonzales, V., Jenkins, N.A., Copeland, N.G., Price, D.L. & Sisodia, S.S. (1997). Accelerated amyloid deposition in the brains of transgenic mice coexpressing mutant presenilin 1 and amyloid precursor proteins. *Neuron*, **19**, 939-945.
- Borlongan, C.V., Cahill, D.W. & Sanberg, P.R. (1995). Locomotor and passive avoidance deficits following occlusion of the middle cerebral artery. *Physiology & Behavior*, **58**, 909-917.
- Botting, J.H. & Morrison, A.R. (1997). Animal research is vital to medicine. *Scientific American*, **276**(2), 67-69.
- Botwinick, J., Brinley, J.F. & Robbin, J.S. (1962). Learning a position discrimination and position reversals by Sprague-Dawley rats of different ages. *Journal of Gerontology*, **17**, 315-319.
- Botwinick, J., Brinley, J.F. & Robbin, J.S. (1963). Learning and reversing a four-choice multiple Y-maze by rats of three ages. *Journal of Gerontology*, **18**, 287-290.
- Brandeis, R., Dahir, S., Sapir, M., Levy, A. & Fisher, A. (1990). Reversal of age-related cognitive impairments by an M1 cholinergic agonist,

- AF102B. *Pharmacology Biochemistry & Behavior*, **36**, 89-95.
- Brandeis, R., Sapir, M., Kapon, Y., Borelli, G., Cadel, S. & Valsecchi, B. (1991). Improvement of cognitive function by MAO-B inhibitor L-Deprenyl in aged rats. *Pharmacology Biochemistry & Behavior*, **39**, 297-304.
- Brandon, E.P., Idzerda, R.L. & McKnight, G.S. (1995a). Targeting the mouse genome: a compendium of knockouts (part I). *Current Biology*, **5**, 625-634.
- Brandon, E.P., Idzerda, R.L. & McKnight, G.S. (1995b). Targeting the mouse genome: a compendium of knockouts (part II). *Current Biology*, **5**, 758-765.
- Brandon, E.P., Idzerda, R.L. & McKnight, G.S. (1995c). Targeting the mouse genome: a compendium of knockouts (part III). *Current Biology*, **5**, 873-881.
- Breuer, Z. & Mayevsky, A. (1992). Brain vasculature and mitochondrial responses to ischemia in gerbils. II. Strain differences and statistical evaluation. *Brain Research*, **598**, 251-256.
- Brito, G.N.O. & Brito, L.S.O. (1990). Septo-hippocampal system and the prelimbic sector of frontal cortex: a neuropsychological battery analysis in the rat. *Behavioural Brain Research*, **36**, 127-146.
- Britt, D.W. (1997). *A conceptual introduction to modeling: qualitative and quantitative perspectives*. Mahwah, N.J.: Lawrence Erlbaum Associates.
- Brody, J.A. (1985). Prospects for an ageing population. *Nature*, **315**, 463-466.
- Bronson, R.T. (1990). Rate of occurrence of lesions in 20 inbred and hybrid genotypes of rats and mice sacrificed at 6 month intervals during the first years of life. In: Harrison, D.E. (Ed.), *Genetic effects on aging II*. Caldwell, New Jersey: The Telford Press, Inc., pp. 279-358.
- Bruce, P.R. & Herman, J.F. (1986). Adult age differences in spatial memory: effects of distinctiveness and repeated experience. *Journal of Gerontology*, **41**, 774-777.
- Buck, K.J., Metten, P., Belknap, J.K. & Crabbe, J.C. (1997). Quantitative trait loci involved in genetic predisposition to acute alcohol withdrawal in mice. *The Journal of Neuroscience*, **17**, 3946-3955.
- Bunsey, M. & Eichenbaum, H. (1996). Conservation of hippocampal memory function in rats and humans. *Nature*, **379**, 255-257.
- Burek, J.D. (1978). *Pathology of aging rats*. West Palm Beach: CRC Press, Inc.
- Butcher, L.L. & Woolf, N.J. (1986). Cholinergic systems in the brain and spinal cord: anatomic organization and overview of functions. In: Fisher, A., Hanin, I. & Lachman, C. (Eds.), *Alzheimer's and Parkinson's diseases: strategies for research and development. Advances in Behavioral Biology*, **29**, 5-16. New York: Plenum Press, pp. 5-16.
- Butler, R.N. (1997). Population aging and health. *British Medical Journal*, **315**, 1082-1084.
- ## C
- Candy, J.M., Perry, R.H., Perry, E.K., Irving, D., Blessed, G., Fairbairn, A.F. & Tomlinson, B.E. (1983). Pathological changes in the nucleus of Meynert in Alzheimer's and Parkinson's diseases. *Journal of the Neurological Sciences*, **54**, 277-289.
- Campbell, B.A., Krauter, E.E. & Wallace, J.E. (1980). Animal models of aging: sensory-motor and cognitive function in the aged rat. In: Stein, D.G. (Ed.). *The psychobiology of aging: problems and perspectives*. Amsterdam: Elsevier, pp. 201-226.
- Campbell, D.T. & Fiske, D.W. (1955). Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin*, **56**(2), 81-105.
- Campbell, I.L. & Gold, L.H. (1996). Transgenic modeling of neuropsychiatric disorders. *Molecular Psychiatry*, **1**, 105-120.
- Caplan, L.R. (Ed.), (1995). *Brain ischemia. Basic concepts and clinical relevance*. London: Springer Verlag.
- Caprioli, A., Ghirardi, O., Giuliani, A., Ramacci, M.T. & Angelucci, L. (1991). Spatial learning and memory in the radial maze: a longitudinal study in rats from 4 to 25 months of age. *Neurobiology of Aging*, **12**, 605-607.
- Caprioli, A., Markowska, A.L. & Olton, D.S. (1995). Acetyl-L-carnitine: chronic treatment improves spatial acquisition in a new environment in aged rats. *Journal of Gerontology*, **50A**, B232-B236.
- Carli, M., Robbins, T.W., Evenden, J.L. & Everitt, B.J. (1983). Effects of lesions to ascending noradrenergic neurones on performance of a 5-choice serial reaction task in rats; implications for theories of dorsal noradrenergic bundle function based on selective attention and arousal. *Behavioural Brain Research*, **9**, 361-380.
- Casamenti, F., DiPatre, P.L., Milan, F., Petrelli, L. & Pepeu, G. (1989). Effects of nerve growth factor and GM1 ganglioside on the number and size of cholinergic neurons in rats with unilateral lesion of the nucleus basalis. *Neuroscience Letters*, **103**, 87-91.
- Chen, Y., Constantini, S., Trembovler, V., Weinstock, M. & Shohami, E. (1996). An experimental model of closed head injury in mice: pathophysiology, histopathology, and cognitive deficits. *Journal of Neurotrauma*, **13**, 557-568.

- Chiamulera, C., Terron, A., Reggiani, A. & Cristofori, P. (1993). Quantitative and qualitative analysis of the progressive cerebral damage after middle cerebral artery occlusion in mice. *Brain Research*, **606**, 251-258.
- Chiba, A.A., Bucci, D.J., Holland, P.C. & Gallagher, M. (1995). Basal forebrain cholinergic lesions disrupt increments but not decrements in conditioned stimulus processing. *The Journal of Neuroscience*, **15**(11), 7315-7322.
- Choi, D.W. (1996). Ischemia-induced neuronal apoptosis. *Current Opinion in Neurobiology*, **6**, 667-672.
- Clough, G. (1991). Suggested guidelines for the housing and husbandry of rodents for aging research. *Neurobiology of Aging*, **12**, 653-658.
- Coates, M.E. (1991). Nutritional considerations in the production of rodents for aging studies. *Neurobiology of Aging*, **12**, 679-682.
- Cockroft, K.M., Meistrell, M., III, Zimmerman, G.A., Risucci, D., Bloom, O., Cerami, A. & Tracey, K.J. (1996). Cerebroprotective effects of aminoguanidine in a rodent model of stroke. *Stroke*, **27**, 1393-1398.
- Cohn, J., MacPhail, R.C. & Paule, M.G. (1996). Repeated acquisition and the assessment of centrally acting compounds. *Cognitive Brain Research*, **3**, 183-191.
- Collier, T.J. & Coleman, P.D. (1991). Divergence of biological and chronological aging: evidence from rodent studies. *Neurobiology of Aging*, **12**, 685-693.
- Collerton, D. (1986). Cholinergic function and intellectual decline in Alzheimer's disease. *Neuroscience*, **19**, 1-28.
- Connor, D.J., Langdon, D.J., Langlais, P.J. & Thal, L.J. (1993). Effects of NBm lesions of T-maze performance and thalamic biochemistry. *Neurobiology of Aging*, **14**, 535-537.
- Cook, L., Nickolson, V.J., Steinfelds, G.F., Rohrbach, K.W. & DeNoble, V.J. (1990). Cognition enhancement by the acetylcholine releaser DuP 996. *Drug Development Research*, **19**, 301-314.
- Corbett, D., Nurse, S. & Colbourne, F. (1997). Hypothermic neuroprotection. A global ischemia study using 18- to 20-month-old gerbils. *Stroke*, **28**, 2238-2243.
- Cosette, P., Umbriaco, D., Zamar, N., Hamel, E. & Descarries, L. (1993). Recovery of choline acetyltransferase activity without sprouting of the residual acetylcholine innervation in adult rat cerebral cortex after lesion of the nucleus basalis. *Brain Research*, **630**, 195-206.
- Coyle, J.T., Price, D.L. & DeLong, M.R. (1983). Alzheimer's disease: a disorder of cortical cholinergic innervation. *Science*, **219**, 1184-1190.
- Coyle, P. (1975). Arterial patterns of the rat rhinencephalon and related structures. *Experimental Neurology*, **49**, 671-690.
- Coyle, P. & Jokelainen, P.T. (1982). Dorsal cerebral collaterals of the rat. *The Anatomical Record*, **203**, 397-404.
- Coyle, P., Odenheimer, D.J. & Sing, C.F. (1984). Cerebral infarction after middle cerebral artery occlusion in progenies of spontaneously stroke-prone and normal rats. *Stroke*, **15**, 711-716.
- Crannell, C.W. (1942). The choice point behavior of rats in a multiple path elimination problem. *The Journal of Psychology*, **13**, 201-222.
- Crawley, J.N., Belknap, J.K., Collins, A., Crabbe, J.C., Frankel, W., Henderson, N., Hitzemann, R.J., Maxson, S.C., Miner, L.L., Silva, A.J., Wehner, J.M., Wynshaw-Boris, A. & Paylor, R. (1997). Behavioral phenotypes of inbred mouse strains: implications and recommendations for molecular studies. *Psychopharmacology*, **132**, 107-124.
- Crespi, F. & Pietra, C. (1997). Middle cerebral artery occlusion alters neurotransmitter activities in ipsilateral and contralateral brain regions: an *ex vivo* voltammetric study. *Neuroscience Letters*, **230**, 22-80.
- Cronbach, L.J. & Meehl, P.E. (1955). Construct validity in psychological tests. *Psychological Bulletin*, **52**(4), 281-302.
- Crumrine, C., Thomas, A.L. & Morgan, P.F. (1994). Attenuation of p53 expression protects against focal ischemic damage in transgenic mice. *Journal of Cerebral Blood Flow and Metabolism*, **14**, 887-891.
- Crusio, W.E. (1993). Bi- and multivariate analyses of diallel crosses: a tool for the genetic dissection of neurobehavioral phenotypes. *Behavior Genetics*, **23**, 59-67.
- Crusio, W.E. & Schmitt, A. (1998). A multivariate quantitative-genetic analysis of behavioral development in mice. *Developmental Psychobiology*, **32**, 339-351.
- Cummings, J.L. & Kaufer, D. (1996). Neuropsychiatric aspects of Alzheimer's disease: the cholinergic hypothesis revisited. *Neurology*, **47**, 876-883.

## D

- Daniel, W.W. (1978). *Applied nonparametric statistics*. Boston: Houghton Mifflin Company.
- Davies, P. (1985). A critical review of the role of the cholinergic system in human memory and cognition. In: Olton, D.S., Gamzu, E. & Corkin, S. (Eds.), *Memory dysfunctions: an integration of animal and human research from preclinical and clinical perspectives*. *Annals of the New York Academy of Sciences*, **444**, 212-217.

- Davis, H. (1996). Underestimating the rat's intelligence. *Cognitive Brain Research*, **3**, 291-298.
- Davis, H.P., Idowu, A. & Gibson, G.E. (1983). Improvement of 8-arm maze performance in aged Fischer 344 rats with 3,4-Diaminopyridine. *Experimental Aging Research*, **9**, 211-214.
- Davison, A.N. (1987). Pathophysiology of ageing brain. *Gerontology*, **33**, 129-135.
- Dawson, G.R., Heyes, C.M. & Iversen, S.D. (1992). Pharmacological mechanisms and animal models of cognition. *Behavioural Pharmacology*, **3**, 285-297.
- Dean, R.L., III., Scozzafava, J., Goas, J.A., Regan, B., Beer, B. & Bartus, R.T. (1981). Age-related differences in behavior across the life span of the C57BL/6J mouse. *Experimental Aging Research*, **7**, 427-451.
- Decker, M.W. (1987). The effects of aging on hippocampal and cortical projections of the forebrain cholinergic system. *Brain Research Reviews*, **12**, 423-438.
- Decker, M.W. (1995). Animal models of cognitive function. *Critical Reviews in Neurobiology*, **9**(4), 321-343.
- Decker, M.W., Pelley-Mounter, M.A. & Gallagher, M. (1988). Effects of training on a spatial memory task on high affinity choline uptake in hippocampus and cortex in young adult and aged rats. *The Journal of Neuroscience*, **8**, 90-99.
- Deerberg, F. (1991). Age-associated versus husbandry-related pathology of aging rats. *Neurobiology of Aging*, **12**, 659-662.
- Deitrich, R.A. (1993). Selective breeding for initial sensitivity to ethanol. *Behavior Genetics*, **23**, 153-162.
- Dekker, A.J.A.M., Connor, D.J. & Thal, L.J. (1991). The role of cholinergic projections from the nucleus basalis in memory. *Neuroscience & Biobehavioral Reviews*, **15**, 299-317.
- de Koning-Verest, I.F., Knook, D.L. & Wolthuis, O.L. (1980). Behavioral and biochemical correlates of aging in rats. In: Stein, D.G. (Ed.), *The psychobiology of aging: problems and perspectives* (pp. 177-199). New York: Elsevier North Holland, Inc.
- del Zoppo, G.J., Wagner, S. & Tagaya, M. (1997). Trends and future developments in the pharmacological treatment of acute ischaemic stroke. *Drugs*, **54**(1), 9-38.
- Denenberg, V.H., Sherman, G.F., Schrott, L.M., Rosen, G.D. & Galaburda, A.M. (1991). Spatial learning, discrimination learning, paw preference and neocortical ectopias in two autoimmune strains of mice. *Brain Research*, **562**, 98-104.
- Denenberg, V.H., Talgo, N.W., Waters, N.S. & Kenner, G.H. (1990). A computer-aided procedure for measuring Morris maze performance. *Physiology & Behavior*, **47**, 1027-1029.
- De Ryck, M., Van Dellen, J., Borgers, M., Wauquier, A. & Janssen, P.A.J. (1989). Photochemical stroke model: flunarizine prevents sensorimotor deficits after neocortical infarcts in rats. *Stroke*, **20**, 1383-1390.
- Deutsch, J.A. (1993). Spatial learning in mutant mice. *Science*, **262**, 760-763.
- De Vry, J., Glaser, T., Schuurman, T., Schreiber, R. & Traber, J. (1991). 5-HT<sub>1A</sub>-receptors in anxiety. In: Briley, M. & File, S.E. (Eds.), *New concepts in anxiety*. London: MacMillan Press, pp. 95-129.
- Didriksen, M. & Christensen, A.V. (1993). Differences in performance in three strains of rats in a 5-choice serial reaction time task. *Pharmacology & Toxicology*, **72**, 66-68.
- DiMattia, B.D. & Kesner, R.P. (1988). Spatial cognitive maps: differential role of parietal cortex and hippocampal formation. *Behavioral Neuroscience*, **102**, 471-480.
- Dixon, C.E., Clifton, G.L., Lighthall, J.W., Yaghamai, A.A. & Hayes, R.L. (1991). A controlled cortical impact model of traumatic brain injury in the rat. *Journal of Neuroscience Methods*, **39**, 253-262.
- Dixon, C.E., Liu, S.-J., Jenkins, L.W., Bhattacharjee, M., Whitson, J.S., Yang, K. & Hayes, R.L. (1995). Time course of increased vulnerability of cholinergic neurotransmission following traumatic brain injury in the rat. *Behavioural Brain Research*, **70**, 125-131.
- Dixon, C.E., Markgraf, C.G., Angileri, F., Pike, B.R., Wolfson, B., Newcomb, J.K., Bismar, M.M., Blanco, A.J., Clifton, G.L. & Hayes, R.L. (1998). Protective effects of moderate hypothermia on behavioral deficits but not necrotic cavitation following cortical impact injury in the rat. *Journal of Neurotrauma*, **15**, 95-103.
- D'Mello, G.D. & Steckler, T. (1996). Animal models in cognitive behavioural pharmacology: an overview. *Cognitive Brain Research*, **3**, 345-352.
- Dokla, C.P.J. & Thal, L.J. (1989). Nucleus basalis magnocellularis lesions facilitate two-way active avoidance. *Physiology & Behavior*, **46**, 763-765.
- Dolan, P. (1998). Valuing health-related quality of life. Issues and controversies. *Pharmacoeconomics*, **15**, 119-127.
- Dornan, W.A., McCampbell, A.R., Tinkler, G.P., Hickman, L.J., Bannon, A.W., Decker, M.W. & Gunther, K.L. (1996). Comparison of site-specific injections into the basal forebrain on water maze and radial arm maze performance in the male rat after immunolesioning with 192 IgG saporin. *Behavioural Brain Research*, **82**, 93-101.
- Dorner, H., Otte, P. & Platt, D. (1996). Training influence on age-dependent change in the gait of rats. *Gerontology*, **42**, 7-13.

- Doty, B.A. (1966). Age differences in avoidance conditioning as a function of distribution of trials and task difficulty. *The Journal of Genetic Psychology*, **109**, 249-254.
- Duff, K. (1997). Alzheimer transgenic mouse models come to age. *Trends in Neurosciences*, **20**(7), 279-280.
- Dunnett, S.B. (1985). Comparative effects of cholinergic drugs and lesions of nucleus basalis or fimbria-fornix on delayed matching in rats. *Psychopharmacology*, **87**, 357-363.
- Dunnett, S.B., Badman, F., Rogers, D.C., Evenden, J.L. & Iverson, S.D. (1988). Cholinergic grafts in the neocortex or hippocampus of aged rats: reduction of delay-dependent deficits in the delayed non-matching to position task. *Experimental Neurology*, **102**(1), 57-64.
- Dunnett, S.B. & Barth, T.M. (1991). Animal models of Alzheimer's disease and dementia (with an emphasis on cortical cholinergic systems). In: Willner, P. (Ed.), *Behavioural models in psychopharmacology: theoretical, industrial and clinical perspectives*. Cambridge: Cambridge University Press, pp. 359-418.
- Dunnett, S.B., Everitt, B.J. & Robbins, T.W. (1991). The basal forebrain-cortical cholinergic system: interpreting the functional consequences of excitotoxic lesions. *Trends in Neurosciences*, **14**(11), 494-501.
- Dunnett, S.B., Rogers, D.C. & Jones, G.H. (1989). Effects of nucleus basalis magnocellularis lesions in rats on delayed matching and non-matching to position tasks: disruption of conditional discrimination learning but not of short-term memory. *European Journal of Neuroscience*, **1**, 395-406.
- Dusek, J.A. & Eichenbaum, H. (1997). The hippocampus and memory for orderly stimulus relations. *Proceedings of the National Academy of Sciences, USA*, **94**, 7109-7114.
- Duverger, D., Lecoffre, C. & MacKenzie, E.T. (1985). Histological quantification of cerebral infarction following middle cerebral artery occlusion in various rat strains. *Journal of Cerebral Blood Flow and Metabolism*, **5**, (Supplement 1), S415-S416.
- Duverger, D. & MacKenzie, E.T. (1988). The quantification of cerebral infarction following focal ischemia in the rat: influence of strain, arterial pressure, blood glucose concentration, and age. *Journal of Cerebral Blood Flow and Metabolism*, **8**, 449-461.
- E**
- Edwardson, J., Perry, R., Candy, J., Oakley, A. & Perry, E. (1986). Structural and chemical aspects of cortical pathology in Alzheimer's disease. In: Fisher, A., Hanin, I. & Lachman, C. (Eds.), *Alzheimer's and Parkinson's diseases: strategies for research and development. Advances in Behavioral Biology*, **29**, 43-51. New York: Plenum Press.
- Eijkenboom, M. & van der Staay, F.J. (1999). Spatial learning deficits in rats after injection of vincristine into the dorsal hippocampus. *Neuroscience*, **91**, 1299-1313.
- Eklof, B. & Siesjö, B. (1972). The effect of bilateral carotid artery ligation upon the blood flow and energy state of the rat brain. *Acta Physiologica Scandinavica*, **86**, 155-165.
- Elias, P.K. & Elias, M.F. (1976). Effects of age on learning ability: contributions from the animal literature. *Experimental Aging Research*, **2**, 165-186.
- Ellenbroek, B. & Cools, A.R. (1988). The paw test: an animal model for neuroleptic drugs which fulfils the criteria for pharmacological isomorphism. *Life Sciences*, **42**, 1205-1213.
- Ellenbroek, B.A. & Cools, A.R. (1990). Animal models with construct validity for schizophrenia. *Behavioural Pharmacology*, **1**, 469-490.
- Ellenbroek, B.A., Peeters, B.W., Honig, W.M. & Cools, A.R. (1987). The paw test: a behavioral paradigm for differentiating between classical and atypical neuroleptic drugs. *Psychopharmacology*, **93**, 343-348.
- Era, P., Jokela, J. & Heikkinen, E. (1986). Reaction and movement times in men of different ages: a population study. *Perceptual and Motor Skills*, **63**, 111-130.
- Errington, M.L., Bliss, T.V.P., Morris, R.J., Laroche, S. & Davis, S. (1997). Long-term potentiation in awake mutant mice. *Nature*, **387**, 666-667.
- Evans, G.W., Brennan, P.L., Skorpanich, M.A. & Held, D. (1984). Cognitive mapping and elderly adults: verbal and location memory for urban landmarks. *Journal of Gerontology*, **39**, 452-457.
- Everitt, B.J., Robbins, T.W., Evenden, J.L., Marston, H.M., Jones, G.H. & Sirkiä, T.E. (1987). The effects of excitotoxic lesions of the substantia innominata, ventral and dorsal globus pallidus on the acquisition and retention of a conditional visual discrimination: implications for cholinergic hypotheses of learning and memory. *Neuroscience*, **22**, 441-469.
- F**
- Falconer, D.S. & Mackay, T.F.C. (1996). *Introduction to quantitative genetics* (4th ed.). Longman.
- Fantie, B.D. & Kolb, B. (1990). An examination of prefrontal lesion size and the effects of cortical grafts on performance of the Morris water task by rats. *Psychobiology*, **18**, 74-80.



- Farooqui, A.A., Liss, L. & Horrocks, L.A. (1988). Neurochemical aspects of Alzheimer's disease: involvement of membrane phospholipids. *Metabolic Brain Disease*, **3**, 19-35.
- Ferguson, G.A. (1971). *Statistical analysis in psychology & education* (3rd ed.). Tokyo: McGraw-Hill Kogakusha, Ltd.
- Fernández-Teruel, A., Escorihuela, R.M., Driscoll, P., Tobeña, A. & Bättig, K. (1994). Evaluating activity and emotional reactivity in a hexagonal tunnel maze: correlational and factorial analysis from a study with Roman/Verh rat lines. *Behavior Genetics*, **24**, 419-425.
- Festing, M.F.W. (Ed.). (1980). *International index of laboratory animals* (4th ed.). Medical Research Council, Laboratory animals centre, United Kingdom.
- Festing, M.F.W. (1991). Genetic quality control of laboratory animals used in aging studies. *Neurobiology of Aging*, **12**, 673-677.
- Festing, M.F.W. (1993). Genetic variation in outbred rats and mice and its implications for toxicological screening. *Journal of Experimental Animal Science*, **35**, 210-220.
- Festing, M.F.W. (1999). Warning: the use of heterogeneous mice may seriously damage your research. *Neurobiology of Aging*, **20**, 237-244.
- Fibiger, H. (1991). Cholinergic mechanisms in learning, memory and dementia: a review of recent evidence. *Trends in Neurosciences*, **14**, 220-223.
- File, S.E. & Fluck, E. (1994). Handling alters habituation and response to stimulus change in the holeboard. *Pharmacology Biochemistry and Behavior*, **49**, 449-453.
- Finch, C. (1991). New models for new perspectives in the biology of senescence. *Neurobiology of Aging*, **12**, 625-634.
- Finch, C.E. & Tanzi, R.E. (1997). Genetics of aging. *Science*, **278**, 407-411.
- Fischer, G. (1974). *Einführung in die Theorie psychologischer Tests*. Bern: Verlag Hans Huber.
- Fischer, W., Björklund, A., Chen, K. & Gage, F.H. (1991). NGF improves spatial memory in aged rodents as a function of age. *The Journal of Neuroscience*, **11**, 1889-1906.
- Fischer, W., Gage, F.H. & Björklund, A. (1989). Degenerative changes in forebrain cholinergic nuclei correlate with cognitive impairments in aged rats. *European Journal of Neuroscience*, **1**, 34-45.
- Flicker, C., Bartus, R.T., Crook, T.H. & Ferris, S.H. (1984). Effects of aging and dementia upon recent visuospatial memory. *Neurobiology of Aging*, **5**, 275-283.
- Flicker, C., Dean, R.L., Watkins, D.L., Fisher, S.K. & Bartus, R.T. (1983). Behavioral and neurochemical effects following neurotoxic lesions of a major cholinergic input to the cerebral cortex in the rat. *Pharmacology Biochemistry & Behavior*, **18**, 973-981.
- Flicker, C., Ferris, S.H., Crook, T., Bartus, R.T. & Reisberg, B. (1985). Cognitive function in normal aging and early dementia. In: Traber, J. & Gispen, W.H. (Eds.), *Senile dementia of the Alzheimer Type*. Berlin: Springer Verlag, pp. 2-17.
- Flint, J. & Corley, R. (1996). Do animal models have a place in the genetic analysis of quantitative human behavioural traits? *Journal of Molecular Medicine*, **74**, 515-521.
- Flood, D.G. & Coleman, P.D. (1988). Neuron numbers and sizes in aging brain: comparisons of human, monkey, and rodent data. *Neurobiology of Aging*, **9**, 453-463.
- Fonnum, F. (1975). A rapid radiochemical method for the determination of choline acetyl transferase. *Journal of Neurochemistry*, **24**, 407-409.
- Fong, T.G., Neff, N.H. & Hadjiconstantinou, M. (1997). GM1 ganglioside improves spatial learning and memory in aged rats. *Behavioural Brain Research*, **85**, 203-211.
- Forster, M.J., Dubey, A., Dawson, K.M., Stutts, W.A., Lal, H. & Sohal, R.S. (1996). Age-related loss of cognitive function and motor skills in mice are associated with oxidative protein damage in the brain. *Proceedings of the National Academy of Sciences, USA*, **93**, 4765-4769.
- Foster, M.J. & Lal, H. (1991). Neurobehavioral biomarkers of aging: influence of genotype and dietary restriction. *Biomedical and Environmental Sciences*, **4**, 144-165.
- Fox, G.B., Fan, L., Levasseur, R.A. & Faden, A.I. (1998). Sustained sensory/motor and cognitive deficits with neuronal apoptosis following controlled cortical impact brain injury in the mouse. *Journal of Neurotrauma*, **15**, 599-614.
- Francis, D.D., Zaharia, M.D., Shanks, N. & Anisman, H. (1995). Stress-induced disturbances in Morris water-maze performance: interstrain variability. *Physiology & Behavior*, **58**, 57-65.
- Franssen, E.H., Reisberg, B., Kluger, A., Sinaiko, E. & Boja, C. (1991). Cognition-independent neurologic symptoms in normal aging and probable Alzheimer's disease. *Archives of Neurology*, **48**, 148-154.
- Freund, R.J. & Littell, R.C. (1985). *SAS for linear models*. Cary, N.C.: SAS Institute Inc.
- Frick, K.M., Baxter, M.G., Markowska, A.L., Olton, D.S. & Price, D.L. (1995). Age-related spatial reference and working memory deficits assessed in the water maze. *Neurobiology of Aging*, **16**, 149-160.
- Fujita, O., Annen, Y. & Kitaoka, A. (1994). Tsukuba high- and low emotional strains of rats (*rattus norvegicus*): An overview. *Behavior Genetics*, **24**, 389-415.

## G

- Gage, F.H., Chen, K.S., Buzsaki, G. & Armstrong, D. (1988). Experimental approaches to age-related cognitive impairments. *Neurobiology of Aging*, **9**, 645-655.
- Gage, F.H., Dunnett, S.B. & Björklund, A. (1984). Spatial learning and motor deficits in aged rats. *Neurobiology of Aging*, **5**, 43-48.
- Gage, F.H., Dunnett, S.B. & Björklund, A. (1989). Age-related impairments in spatial memory are independent of those in sensorimotor skills. *Neurobiology of Aging*, **10**, 347-352.
- Gage, F.H., Dunnett, S.B., Stenevi, U. & Björklund, A. (1983). Aged rats: recovery of motor impairments by intrastriatal nigral grafts. *Science*, **221**, 966-969.
- Gallagher, M. (1993). Issues in the development of models for cognitive aging across primate and nonprimate species. *Neurobiology of Aging*, **14**, 631-633.
- Gallagher, M. & Burwell, R.D. (1989). Relationship of age-related decline across several behavioral domains. *Neurobiology of Aging*, **10**, 691-708.
- Gallagher, M., Burwell, R. & Burchinal, M. (1993). Severity of spatial learning impairment in aging: development of a learning index for performance in the Morris water maze. *Behavioral Neuroscience*, **107**, 618-626.
- Gallagher, M. & Pellemounter, M.A. (1988). Spatial learning deficits in old rats: a model for memory decline in the aged. *Neurobiology of Aging*, **9**, 549-556.
- Gamzu, E. (1985). Animal behavioral models in the discovery of compounds to treat memory dysfunction. In: Olton, D.S., Gamzu, E. & Corkin, S. (Eds.), *Memory dysfunctions: an integration of animal and human research from preclinical and clinical perspectives*. *Annals of the New York Academy of Sciences*, **444**, 370-393.
- Gamzu, E.R., Hoover, T.M., Gracon, S.I. & Ninteman, M.V. (1989). Recent developments in 2-pyrrolidinone-containing nootropics. *Drug Development Research*, **18**, 177-189.
- Garattini, S. (1997). Alternatives to animal experiments: expectations and limitations. In: van Zutphen, L.F.M. & Balls, M. (Eds.), *Animal alternatives, welfare and ethics*. Amsterdam: Elsevier, pp. 55-66.
- Garcia, J.H. (1995). Mechanisms of cell death in ischemia. In: Caplan, L.R. (Ed.), *Brain ischemia. Basic concepts and clinical relevance*. London: Springer Verlag, pp. 7-18.
- Garcia, J.H., Liu, K.-F., Ye, Z.-R. & Gutierrez, J.A. (1997). Incomplete infarct and delayed neuronal death after transient middle cerebral artery occlusion in rats. *Stroke*, **28**, 2303-2310.
- Garcia, J.H., Wagner, S., Liu, K.-F. & Hu, X.-j. (1995). Neurological deficit and extent of neuronal necrosis attributable to middle cerebral artery occlusion in rats. Statistical validation. *Stroke*, **26**, 627-635.
- Gartshore, G., Dawson, D., Patterson, J. & Macrae, I.M. (1995). Topographic profile of reperfusion into MCA territory following endothelin-1-induced transient focal cerebral ischaemia. *Neuroscience Letters*, **202**, 209-213.
- Gerlai, R. (1998). A new continuous alternation task in T-maze detects hippocampal dysfunction in mice. A strain comparison and lesion study. *Behavioural Brain Research*, **95**, 91-101.
- Gershenfeld, H.K. & Paul, S.M. (1997). Mapping quantitative trait loci for fear-like behaviors in mice. *Genomics*, **46**, 1-8.
- Gershenfeld, H.K. & Paul, S.M. (1998). Towards a genetics of anxious temperament: from mice to men. *Acta Psychiatrica Scandinavica*, **98** (Suppl. 393), 56-65.
- Giannakopoulos, P., Hof, P.R., Michel, J.-P., Guimon, J. & Bouras, C. (1997). Cerebral cortex pathology in aging and Alzheimer's disease: a quantitative survey of large hospital-based geriatric and psychiatric cohorts. *Brain Research Reviews*, **25**, 217-245.
- Gibbon, J., Church, R.M. & Meck, W.H. (1984). Scalar timing in memory. In: Gibbon, J. & Allan, L. (Eds.), *Timing and time perception*. *Annals of the New York Academy of Sciences*, **423**, 52-77.
- Gingrich, J.R. & Roder, J. (1998). Inducible gene expression in the nervous system of transgenic mice. *Annual Review of Neuroscience*, **21**, 377-405.
- Ginsberg, M.D. & Pulsinelli, W.A. (1994). The ischemic penumbra, injury thresholds, and the therapeutic window for acute stroke. *Annals of Neurology*, **36**, 553-554.
- Gispén, W.H., Schuurman, T. & Traber, J. (1988). Nimodipine and neural plasticity in the peripheral nervous system of adult and aged rats. In: Morad, M., Nayler, W.G., Kazda, S. & Schramm, M. (Eds.), *Structure, function & implications*. Berlin: Springer-Verlag.
- Givens, B. & Olton, D.S. (1994). Local modulation of basal forebrain: effects on working and reference memory. *The Journal of Neuroscience*, **14**, 3578-3587.
- Gleiser, C.A. & Shain, S.A. (1986). The aging AXC/SSh rat: assessment of longevity and prevalence of neoplastic and nonneoplastic diseases in necropsied rats. *Journal of Gerontology*, **41**, 590-598.
- Gold, L.H. (1996). Integration of molecular biological techniques and behavioural pharmacology. *Behavioural Pharmacology*, **7**, 589-615.

- Goldman, H., Berman, R.F., Gershon, S., Murphy, S., Morehead, M. & Altman, H.J. (1991). Cerebrovascular permeability and cognition in the aging rat. *Neurobiology of Aging*, **13**, 57-62.
- Goldstein, L.B. (1989). Amphetamine-facilitated functional recovery after stroke. In M.D. Ginsberg & W.D. Dietrich (Eds.), *Cerebrovascular Diseases* (pp. 303-308). Raven Press: New York.
- Goodrick, C.L. (1968). Learning, retention, and extinction of a complex maze habit for mature-young and senescent Wistar albino rats. *Journal of Gerontology*, **23**, 298-304.
- Goodrick, C.L. (1972). Learning by mature-young and aged Wistar albino rats as a function of test complexity. *Journal of Gerontology*, **27**, 353-357.
- Goodrick, C.L. (1975). Behavioral rigidity as a mechanism for facilitation of problem solving for aged rats. *Journal of Gerontology*, **30**, 181-184.
- Gorelick, P.B. (1995). Epidemiology and trials. In: Caplan, L.R. (Ed.). *Brain ischemia. Basic concepts and clinical relevance*. London: Springer Verlag, pp. 343-353.
- Gottfries, C.-G., Adolfsson, R., Aquilonius, S.-M., Carlsson, A., Eckernas, S.-D., Nordberg, A., Orelund, L., Svennerholm, L., Wiberg, D & Winblad, B. (1983). Biochemical changes in dementia disorders of Alzheimer type (AD/SDAT). *Neurobiology of Aging*, **4**, 261-271.
- Gotti, B., Benavides, J., MacKenzie, E.T. & Scatton, B. (1990). The pharmacotherapy of focal cortical ischaemia in the mouse. *Brain Research*, **522**, 290-307.
- Gower, A.J. & Lamberty, Y. (1993). The aged mouse as a model of cognitive decline with special emphasis on studies in NMRI mice. *Behavioural Brain Research*, **57**, 163-173.
- Gozlan, H., Daval, G., Verge, D., Spampinato, U., Fattaccini, C.M., Gallissot, M.C., el Mestikawy, S. & Hamon, M. (1990). Aging associated changes in serotonergic and dopaminergic pre- and postsynaptic neurochemical markers in the rat brain. *Neurobiology of Aging*, **11**, 437-449.
- Grant, S.G.N., O'Dell, T.J., Karl, K.A., Stein, P.L., Soriano, P., Kandel, E.R. (1992). Impaired long-term potentiation, spatial learning, and hippocampal development in *fyn* mutant mice. *Science*, **258**, 1903-1910.
- Grauer, E. & Kapon, Y. (1993). Wistar-Kyoto rats in the Morris water maze: impaired working memory and hyper-reactivity to stress. *Behavioural Brain Research*, **59**, 147-151.
- Green, E.J., Dietrich, W.D., van Dijk, F., Busto, R., Markgraf, C.G., McCabe, P.M., Ginsberg, M.D. & Schneiderman, N. (1992). Protective effects of brain hypothermia on behavior and histopathology following global cerebral ischemia in rats. *Brain Research*, **580**, 197-204.
- Greenberg, B.D., Savage, M.J., Howland, D.S., Ali, S.M., Siedlak, S.L., Perry, G., Siam, R. & Scott, R.W. (1996). APP transgenesis: approaches toward the development of animal models for Alzheimer disease neuropathology. *Neurobiology of Aging*, **17**, 153-171.
- Grigoryan, G.A., Mitchell, S.N., Hodges, H., Sinden, J.D. & Gray, J.A. (1994a). Are the cognitive-enhancing effects of nicotine in the rat with lesions to the forebrain cholinergic projection system mediated by an interaction with the noradrenergic system? *Pharmacology Biochemistry and Behavior*, **49**, 511-521.
- Grigoryan, G.A., Peters, S., Gray, J.A. & Hodges, H. (1994b). Interactions between the effects of propranolol and nicotine on radial maze performance of rats with lesions of the forebrain cholinergic projection system. *Behavioural Pharmacology*, **5**, 265-280.
- Groó, D., Pálosi, E. & Szporny, L. (1989). Cognitive enhancers prevent the hypoxia-induced disruption of conditioned avoidance response. *Drug Development Research*, **18**, 19-28.
- Guldin, W.O. & Markowitsch, H.J. (1981). No detectable remote lesions following massive intrastriatal injections of ibotenic acid. *Brain Research*, **225**, 446-451.
- Guldin, W.O. & Markowitsch, H.J. (1982). Epidural kainate, but not ibotenate, produces lesions in local and distal regions of the brain. A comparison of the intra-cerebral actions of kainic and ibotenic acid. *Journal of Neuroscience Methods*, **5**, 83-93.
- Gutnikov, S.A., Barnes, J.C. & Rawlins, J.N.P. (1994). Working memory tasks in five-choice operant chambers: use of relative and absolute spatial memory. *Behavioral Neuroscience*, **108**, 899-910.
- Gyger, M., Kolly, D. & Guigoz, Y. (1992). Aging, modulation of food intake and spatial memory: a longitudinal study. *Archives of Gerontology and Geriatrics*, Suppl. **3**, 185-196.

## H

- Hagan, J.J., Alpert, J.E., Morris, R.G.M. & Iversen, S.D. (1983). The effects of central catecholamine depletions on spatial learning in rats. *Behavioural Brain Research*, **9**, 83-105.
- Hagan, J.J. & Morris, R.G.M. (1988). The cholinergic hypothesis of memory: a review of animal experiments. In: Iversen, L.L., Iversen, S.D. & Snyder, S.H. (Eds.), *Handbook of Psychopharmacology*, **20**, New York: Plenum Press, pp. 237-323.
- Haines, D.E., Harkey, H.L. & Al-Mefty, O. (1993). The "subdural" space: a new look at an outdated concept. *Neurosurgery*, **32**, 111-120.

- Hamm, R.J., Dixon, C.E., Gbadebo, D.M., Singha, A.K., Jenkins, L.W., Lyeth, B.G. & Hayes, R.L. (1992). Cognitive deficits following traumatic brain injury produced by controlled cortical impact. *Journal of Neurotrauma*, **9**, 11-20.
- Hamm, R.J., Temple, M.D., Pike, B.R., O'Dell, D.M., Buck, D.L. & Lyeth, B.G. (1996). Working memory deficits following traumatic brain injury in the rat. *Journal of Neurotrauma*, **13**(6), 317-323.
- Hara, H., Kogure, K., Kato, H., Ozaki, A. & Sukamoto, T. (1991). Amelioration of brain damage after focal ischemia in the rat by a novel inhibitor of lipid peroxidation. *European Journal of Pharmacology*, **197**, 75-82.
- Hazzard, D.G. (1991). Relevance of the rodent model to human aging studies. *Neurobiology of Aging*, **12**, 645-649.
- Hazzard, D.G., Bronson, R.T., McClearn, G.E. & Strong, R. (1992). Selection of an appropriate animal model to study aging processes with special emphasis on the use of rat strains. *Journal of Gerontology*, **47**, B63-B64.
- Heinitz, M. (1997). *Schicksal Alzheimer. Ursachen - Symptome - Behandlungsmöglichkeiten*. Heidelberg: Karl F. Haug Verlag.
- Heston, L.L. & White, J.A. (1991). *The vanishing mind*. New York: W.H. Freeman and Company.
- Higgins, L.S. & Cordell, B. (1995). Genetically engineered animal models of human neurodegenerative diseases. *Neurodegeneration*, **4**, 117-129.
- Himori, N., Watanabe, H., Akaike, N., Kurasawa, M., Itoh, J. & Tanaka, Y. (1990). Cerebral ischemia model with conscious mice. *Journal of Pharmacological and Toxicological Methods*, **23**, 311-327.
- Hirakawa, M., Tamura, A., Nagashima, H., Nakayama, H. & Sano, K. (1994). Disturbance of retention of memory after focal cerebral ischemia in rats. *Stroke*, **25**, 2471-2475.
- Hodges, H. (1996). Maze procedures: the radial-arm and water maze compared. *Cognitive Brain Research*, **3**, 167-181.
- Hodges, H., Sowinski, P., Sinden, J.D., Netto, C.A. & Fletcher, A. (1995). The selective 5-HT<sub>3</sub> receptor antagonist, WAY100289, enhances spatial memory in rats with ibotenate lesions of the forebrain cholinergic projection system. *Psychopharmacology*, **117**, 318-332.
- Hodges, H., Sowinski, P., Turner, J.J. & Fletcher, A. (1996). Comparison of the effects of the 5-HT<sub>3</sub> receptor antagonists WAY-100579 and ondansetron on spatial learning in the water maze in rats with excitotoxic lesions of the forebrain cholinergic projection system. *Psychopharmacology*, **125**, 146-161.
- Holden, C. (1996). New populations of old add to poor nations' burdens. *Science*, **273**, 46-48.
- Holley, L.A., Miller, J.A., Chmielewsky, P.A., Dudchenko, P. & Sarter, M.A. (1993). Interactions between the effects of basal forebrain lesions and chronic treatment with MDL 26,479 on learning and markers of cholinergic transmission. *Brain Research*, **610**, 181-193.
- Holley, L.A., Wiley, R.G., Lappi, D.A. & Sarter, M. (1994). Cortical cholinergic deafferentiation following the intracortical infusion of 192 IgG-saporin: a quantitative histochemical study. *Brain Research*, **663**, 277-286.
- Holmes, I.S. & Hastings, I.M. (1995). Behavioural changes as a correlated response to selection. *Genetical Research*, **66**, 27-33.
- Hölscher, C. (1999). Stress impairs performance in spatial water maze learning tasks. *Behavioural Brain Research*, **100**, 225-235.
- Honig, W.K. (1978). Studies on working memory in the pigeon. In: Hulse, S.H., Fowler, H. & Honig, W.K. (Eds.), *Cognitive processes in animal behavior*. Hillsdale, N.J.: Laurence Erlbaum, pp. 211-248.
- Huang, Y.-Y., Kandel, E.R., Varshavsky, L., Brandon, E.P., Qi, M., Idzerda, R.L., McKnight, G.S. & Bourtchouladze, R. (1995). A genetic test of the effects of mutations in PKA on mossy fiber LTP and its relation to spatial and contextual learning. *Cell*, **83**, 1211-1222.
- Huguet, F. & Tarrade, T. (1992).  $\alpha_2$ -Adrenoceptor changes during cerebral ageing. The effect of ginkgo biloba extract. *Journal of Pharmacy and Pharmacology*, **44**, 24-27.
- Huidobro, A., Blanco, P., Villalba, M., Gómez-Puertas, P., Villa, A., Pereira, R., Bogóñez, E., Martínez-Serrano, A., Aparicio, J.J. & Sastrústegui, J. (1993). Age-related changes in calcium homeostatic mechanisms in synaptosomes in relation with working memory deficiency. *Neurobiology of Aging*, **14**, 479-486.
- Hunter, J.A., Green, R.A. & Cross, A.J. (1995). Animal models of acute ischaemic stroke: can they predict clinically successful neuroprotective drugs? *Trends in Pharmacological Sciences*, **16**, 123-128.

## I

- Ingram, D.K. (1983). Toward the behavioral assessment of biological aging in the laboratory mouse: concepts, terminology, and objectives. *Experimental Aging Research*, **9**, 225-238.
- Ingram, D.K. (1985). Analysis of age-related impairments in learning and memory in rodent models. In: Olton, D.S., Gamzu, E. & Corkin, S. (Eds.), *Memory dysfunctions: an integration of animal and human research from preclinical and clinical perspectives*. *Annals of the New York Academy of Sciences*, **444**, 312-331.

- Ingram, D.K. (1988). Complex maze learning in rodents as a model of age-related memory impairment. *Neurobiology of Aging*, **9**, 475-485.
- Ingram, D.K. (1996). Brain-behavior linkages in aged rodent models: strategies for examining individual differences. *Neurobiology of Aging*, **17**, 497-499.
- Ingram, D.K., London, E.D. & Goodrick, C.L. (1981) Age and neurochemical correlates of radial maze performance in rats. *Neurobiology of Aging*, **2**, 41-47.
- Ingram, D.K. & Reynolds, M.A. (1986). Assessing the predictive validity of psychomotor tests as measures of biological age in mice. *Experimental Aging Research*, **12**, 155-162.
- Ingram, D.K., Spangler, E.L., Iijima, S., Ikari, H., Kuo, H., Greig, N.H. & London, E.D. (1994). Rodent models of memory dysfunction in Alzheimer's disease and normal aging: moving beyond the cholinergic hypothesis. *Life Sciences*, **55**, 2037-2049.
- Irwin, S. (1968). Comprehensive observational assessment: Ia. a systematic, quantitative procedure for assessing the behavioral and physiologic state of the mouse. *Psychopharmacologia (Berl.)*, **13**, 222-257.
- Isaacson, R.L., Douglas, R.J., Lubar, J.F. & Schmaltz, L.W. (1971). *A primer of physiological psychology*. New York: Harper & Row.
- Itoh, A., Nitta, A., Hirose, M., Hasegawa, T. & Nabeshima, T. (1997). Effects of metrifonate on impairment of learning and dysfunction of cholinergic neuronal system in basal forebrain-lesioned rats. *Behavioural Brain Research*, **83**, 165-167.
- Iversen, S.D. (1997). Behavioural evaluation of cholinergic drugs. *Life Science*, **60**, 1145-1152.
- ## J
- Jacobs, R.W. & Butcher, L.L. (1986). Histopathology of the basal forebrain and its targets in Alzheimer dementia. In: Fisher, A., Hanin, I. & Lachman, C. (Eds.), *Alzheimer's and Parkinson's diseases: strategies for research and development*. *Advances in Behavioral Biology*, **29**, 17-23. New York: Plenum Press.
- Jaen, J.C. & Davis, R.E. (1993). Cholinergic therapies for Alzheimer's disease: acetylcholinesterase inhibitors of current clinical interest. *Current Opinion in Investigational Drugs*, **2**, 363-377.
- Jarrard, L.E. (1993). On the role of the hippocampus in learning and memory in the rat. *Behavioral and Neural Biology*, **60**, 9-26.
- Jarrard, L.E. (1995). What does the hippocampus really do? *Behavioural Brain Research*, **71**, 1-10.
- Jones, D.N.C., Barnes, J.C., Kirby, D.L. & Higgins, G.A. (1995). Age-associated impairments in a test of attention: evidence for involvement of cholinergic systems. *The Journal of Neuroscience*, **15**, 7282-7292.
- Jones, D.N.C. & Higgins, G.A. (1995). Effect of scopolamine on visual attention in rats. *Psychopharmacology*, **120**, 142-149.
- Jørgensen, H.S., Nakayama, H., Raaschou, H.O. & Olsen, T.S. (1995). Intracerebral hemorrhage versus infarction: stroke severity, risk factors, and prognosis. *Annals of Neurology*, **38**, 45-50.
- Jucker, M. & Ingram, D.K. (1997). Murine models of brain aging and age-related neurodegenerative diseases. *Behavioural Brain Research*, **85**, 1-25.
- Jürgens, M. & Dinse, H.R. (1997). *Differential effects of the Ca<sup>2+</sup>-influxblocker nimodipine on receptive field properties and response latencies of somatosensory cortical neurons in aged rats*. Ruhr-Universität Bochum, IR-INI 97-10 (ISSN 0943-2752).
- ## K
- Kadar, T., Silbermann, M., Brandeis, R. & Levy, A. (1990). Age-related changes in the rat hippocampus: correlation with working memory deficiency. *Brain Research*, **512**, 113-120.
- Kametani, H., Bresnahan, E.L., Chachich, M.E., Spangler, E.L. & Ingram, D.K. (1989). Comparison of retention performance between young rats with fimbria-fornix lesions and aged rats in a 14-unit T-maze. *Behavioural Brain Research*, **35**, 253-263.
- Kaplan, A. (1973). *The conduct of inquiry. Methodology for behavioral science*. Aylesbury, Buck: International Textbook Company, Ltd.
- Kaplan, R.M. & Saccuzzo, D.P. (1997). *Psychological testing. Principles, applications, and issues* (4th ed.). Pacific Grove: Brooks/Cole Publishing Company.
- Katsuta, K., Nakanishi, H., Shirakawa, K., Yoshida, K., Takagi, K. & Tamura, A. (1995). The neuroprotective effect of the novel noncompetitive NMDA antagonist, FR115427 in focal cerebral ischemia in rats. *Journal of Cerebral Blood Flow and Metabolism*, **15**, 345-348.
- Katzman, R. (1986). Alzheimer's disease. *The New England Journal of Medicine*, **314**, 964-973.
- Kelsey, J.E. & Vargas, H. (1993). Medial septal lesions disrupt spatial, but not nonspatial, working memory in rats. *Behavioral Neuroscience*, **107**, 563-574.
- Kerbusch, S., van der Staay, F.J. & Hendriks, N. (1981). A searching procedure for transformations and models in a classical Mendelian cross breeding study. *Behavior Genetics*, **11**, 239-254.

- Kerbusch, J.M.L. (1974). *Genetic analysis of exploratory behaviour, simple learning behaviour and cerebral AChE and ChE activities in mice by means of the diallel method*. Doctoral dissertation, University of Nijmegen, the Netherlands.
- Kesner, R.P., Adelstein, T. & Crutcher, K.A. (1987). Rats with nucleus basalis magnocellularis lesions mimic mnemonic symptomatology observed in patients with dementia of the Alzheimer's type. *Behavioral Neuroscience*, **101**, 451-456.
- Kesner, R.P., DiMattia, B.V. & Crutcher, K.A. (1987). Evidence for neocortical involvement in reference memory. *Behavioral and Neural Biology*, **47**, 40-53.
- Kinoshita, H., Kameyama, T., Hasegawa, T. & Nabeshima, T. (1992). Effects of vinconate, a novel vinca alkaloid, on spatial learning deficits induced by the basal forebrain lesion in rats. *Pharmacology Biochemistry and Behavior*, **42**, 19-23.
- Kirasic, K.C. (1991). Spatial cognition and behavior in young and elderly adults: implications for learning new environments. *Psychology and Aging*, **6**, 10-18.
- Kirasic, K.C., Allen, G.L., Dobson, S.H. & Binder, K.S. (1996). Aging, cognitive resources, and declarative learning. *Psychology and Aging*, **11**, 658-670.
- Kirino, T. (1982) Delayed neuronal death in the gerbil hippocampus following ischemia. *Brain Research*, **239**, 57-69.
- Kisker, G.W. (1972). *The disorganized personality* (2nd ed.). Tokyo: McGraw-Hill Kogakusha, Ltd.
- Kiyota, Y., Miyamoto, M. & Nagaoka, A. (1990). Relationship between brain damage and memory impairment in rats exposed to transient forebrain ischemia. *Brain Research*, **538**, 295-302.
- Klapdor, K., Blokland, A., Horváth, E. & van der Staay, F.J. (1997a). Bilateral subdural hematoma in the rat: effects on performance in a visual discrimination task. *Neuroscience Research Communications*, **20**(2), 79-84.
- Klapdor, K., Dulfer, B.G., Hammann, A. & van der Staay, F.J. (1997b). A low-cost method to analyse footprint patterns. *Journal of Neuroscience Methods*, **75**, 49-54.
- Klapdor, K. & van der Staay, F.J. (1996). The Morris water escape task in mice: strain differences and effects of intra-maze contrast and brightness. *Physiology & Behavior*, **60**, 1247-1254.
- Klapdor, K. & van der Staay, F.J. (1998). Repeated acquisition of a spatial navigation task in mice: effects of spacing of trials and of unilateral middle cerebral artery occlusion. *Physiology and Behavior*, **63**(5), 903-909.
- Klapdor-Dulfer, K. (1996). *On the assessment of functional deficits in rodent models of cerebrovascular disorders*. Doctoral dissertation, University of Utrecht, Netherlands, ISBN 90-393-1157-9.
- Kluger, A., Gianutsos, J.G., Golomb, J., Ferris, S.H., George, A.E., Franssen, E. & Reisberg, B. (1997). Patterns of motor impairment in normal aging, mild cognitive decline, and early Alzheimer's disease. *Journal of Gerontology*, **52B**, P28-P39.
- Köhler, W. (1990). Preventieprogramma's en het probleem van vervangende ziekten. *NRC-Handelsblad*, Supplement 'Wetenschap & onderwijs', december 13, pp. 1-2.
- Kolb, B. (1974). Some tests of response habituation in rats with discrete lesions to the orbital or medial frontal cortex. *Canadian Journal of Psychology / Review of Canadian Psychology*, **28**, 260-267.
- Kolb, B., Sutherland, R.J. & Whishaw, I.Q. (1983). A comparison of the contributions of the frontal and parietal association cortex to spatial localization in rats. *Behavioral Neuroscience*, **97**, 13-27.
- Kolb, B. & Tomie, J.-A. (1988). Recovery from early cortical damage in rats. IV. Effects of hemidecortication at 1, 5 or 10 days of age on cerebral anatomy and behavior. *Behavioural Brain Research*, **28**, 259-274.
- Kolb, B. & Walkey, J. (1987). Behavioural and anatomical studies of the posterior parietal cortex in the rat. *Behavioural Brain Research*, **23**, 127-145.
- Kordower, J.H. & Gash, D.M. (1986). Animals and experimentation: an evaluation of animal models of Alzheimer's and Parkinson's disease. *Integrative Psychiatry*, **4**, 64-80.
- Kordower, J.H. & Gash, D.M. (1988). Animal models of age- and disease-related cognitive decline: perspectives on the models and therapeutic strategies. *Neurobiology of Aging*, **9**, 685-689.
- Kovacs, D.M., Fausett, H.J., Page, K.J., Kim, T.-W., Moir, R.D., Merriam, D.E., Hollister, R.D., Hallmark, O.G., Mancini, R., Felsenstein, K.M., Hyman, B.T., Tanzi, R.E. & Wasco, W. (1996). Alzheimer-associated presenilins 1 and 2: neuronal expression in brain and localization in intracellular membranes in mammalian cells. *Nature Medicine*, **2**, 224-229.
- Kudo, Y., Shiosaka, S., Matsuda, M. & Tohyama, M. (1989). An attempt to cause the selective loss of the cholinergic neurons in the basal forebrain of the rat: a new animal model of Alzheimer's disease. *Neuroscience Letters*, **102**, 125-130.
- Kumon, Y., Sakaki, S., Watanabe, H., Nakano, K., Ohta, S., Matsuda, S., Yoshimura, H. & Sakanaka, M. (1996). Ciliary neurotrophic factor attenuates spatial cognition impairment, cortical infarction and thalamic degeneration in spontaneously hypertensive rats with focal cerebral ischemia. *Neuroscience Letters*, **206**, 141-144.

Kuroiwa, T., Bonnekoh, P. & Hossmann, K.-A. (1991). Locomotor hyperactivity and hippocampal CA1 injury after transient forebrain ischemia of gerbils. *Neuroscience Letters*, **122**, 141-144.

## L

Lachman, S.J. & Brown, C.R. (1957). Behavior in a free choice multiple path elimination problem. *The Journal of Psychology*, **43**, 27-40.

Lalonde, R. & Joyal, C.C. (1991). Effects of ketamine and l-glutamic acid diethyl ester on concept learning in rats. *Pharmacology Biochemistry & Behavior*, **39**, 829-833.

Lamberts, S.W.J., van den Beld, A.W. & van der Lely, A.-J. (1997). The endocrinology of aging. *Science*, **278**, 419-424.

Lamberty, Y. & Gower, A.J. (1991a). Cholinergic modulation of spatial learning in a Morris-type water maze. *Archives Internationales de Pharmacodynamie et Thérapie* **309**, 5-19.

Lamberty, Y. & Gower, A.J. (1991b). Simplifying environmental cues in a Morris-type water maze improves place learning in old NMRI mice. *Behavioral and Neural Biology*, **56**, 89-100.

Lander, E.S. & Botstein, D. (1989). Mapping Mendelian factors underlying quantitative traits using RFLP linkage maps. *Genetics*, **121**, 185-199.

Lehr, U. (1997). Gesundheit und Lebensqualität im Alter. In: Schütz, R.-M., Ries, W. & Tews, H.P. (Eds.), *Altern in Gesundheit und Krankheit*. Melsungen: Bibliomed - Medizinische Verlagsgesellschaft, pp. 51-64.

Leonard, J.A. (1959). 5 choice serial reaction apparatus. *Medical Research Council, Applied Psychology Research Unit Report*, No. 326/59.

Levin, E.D., Kaplan, S. & Boardman, A. (1997). Acute nicotine interactions with nicotinic and muscarinic antagonists: working and reference memory effects in the 16-arm radial maze. *Behavioural Pharmacology*, **8**, 236-242.

Levin, E.D. & Torry, D. (1996). Acute and chronic nicotine effects on working memory in aged rats. *Psychopharmacology*, **123**, 88-97.

Liang, S.-P., Kanthan, R., Shuaib, A. & Wishart, T. (1997). Effects of clomethiazole on radial-arm maze performance following global forebrain ischemia in gerbils. *Brain Research*, **751**, 189-195.

Lieberman, H.R. & Abou-Nader, T.M. (1986). Possible dietary strategies to reduce cognitive deficits in old age. In: Swaab, D.F., Fliers, E., Mirmiran, M., van Gool, W.A. & van Haaren, F. (Eds.), *Progress in brain research*, **70**, 461-471.

Lienert, G.A. (1961). *Testaufbau und Testanalyse*. Weinheim: Verlag Julius Beltz.

Light, L.L. & Zelinski, E.M. (1983). Memory for spatial information in young and old adults. *Developmental Psychology*, **19**, 901-906.

Liljequist, R., Haapalinna, A., Åhlander, M., Li, Y.H. & Männistö, P.T. (1997). Catechol O-methyltransferase inhibitor tolcapone has minor influence on performance in experimental memory models in rats. *Behavioural Brain Research*, **82**, 195-202.

Lindner, M.D. & Gribkoff, V.K. (1991). Relationship between performance in the Morris water task, visual acuity, and thermoregulatory function in aged F-344 rats. *Behavioural Brain Research*, **45**, 45-55.

Lindner, M.D., Plone, M.A., Schallert, T. & Emerich, D.F. (1997). Blind rats are not profoundly impaired in the reference memory Morris water maze and cannot be clearly discriminated from rats with cognitive deficits in the cued platform task. *Cognitive Brain Research*, **5**, 329-333.

Lindner, M.D. & Schallert, T. (1988). Aging and atropine effects on spatial navigation in the Morris water task. *Behavioral Neuroscience*, **102**, 621-634.

Lipp, H.-P. & Wolfer, D.P. (1998). Genetically modified mice and cognition. *Current Opinion in Neurobiology*, **8**, 272-280.

Liu, L., Gauthier, L. & Gauthier, S. (1991). Spatial disorientation in persons with early senile dementia of the Alzheimer type. *The American Journal of Occupational Therapy*, **45**(1), 67-74.

Lohman, A.H.M. & Peters, K.A. (1976). A new stereotaxic instrument. *Brain Research*, **102**, 197-200.

Loring, J.F., Paszty, C., Rose, A., McIntosh, T.K., Murai, H., Pierce, J.E.S., Schramm, S.R., Wymore, K., Lee, V.M.-Y., Trojanovsky, J.Q. & Peterson, K.R. (1996). Rational design of an animal model for Alzheimer's disease: introduction of multiple human genomic transgenes to reproduce AD pathology in a rodent. *Neurobiology of Aging*, **17**, 173-182.

Lowry, O.N., Rosebrough, N.J., Farr, A.L. & Randall, R.J. (1951). Protein measurement with the Folin phenol reagent. *Journal of Biological Chemistry*, **193**, 165-175.

Luine, V., Bowling, D. & Hearn, M. (1990). Spatial memory deficits in aged rats: contributions of monoaminergic systems. *Brain Research*, **537**, 271-278.

Luiten, P.G.M., Douma, B.R.K., van der Zee, E.A. & Nyakas, C. (1995). Neuroprotection against NMDA induced cell death in rat nucleus basalis by Ca<sup>2+</sup> antagonist nimodipine, influence of aging and developmental drug treatment. *Neurodegeneration*, **4**, 307-314.

Luiten, P.G.M., Stuijver, B., de Jong, G.I., Nyakas, C. & De Keyser, J.H.A. (1997). Calcium

homeostasis, nimodipine, and stroke. In: ter Horst, G.J. & Korf, J. (Eds.), *Clinical pharmacology of cerebral ischemia*. Totowa, N.J.: Humana Press, pp. 67-99.

Lyden, P.D., Jackson-Friedman, C. & Lonzo-Dokter, L. (1997). Medical therapy for intracerebral hematoma with the  $\gamma$ -aminobutyric acid-A agonist muscimol. *Stroke*, **28**, 387-391.

Lyden, P.D., Lonzo, L.M., Nunez, S.Y., Dockstader, T., Mathieu-Costello, O. & Zivin, J.A. (1997). Effect of ischemic cerebral volume changes on behavior. *Behavioural Brain Research*, **87**, 59-67.

## M

Mabry, T.R., McCarty, R., Gold, P.E. & Foster, T.C. (1996). Age and stress history effects on spatial performance in a swim task in Fischer-344 rats. *Neurobiology of Learning and Memory*, **55**, 1-10.

Macphail, E.M. (1996). Cognitive function in mammals: the evolutionary perspective. *Cognitive Brain Research*, **3**, 279-290.

Mahadik, S.P. & Wakade, C.G. (1992). Cortical focal stroke model to evaluate neuroprotective action of drugs. *Drug Development Research*, **27**, 307-327.

Maître, L. & Pepeu, G. (1989). New drugs in memory and learning. *Pharmacopsychiatry*, **22**, S51.

Mancuso, A., Numura, T. & Weinstein, P.R. (1997). Prediction of delayed ischemic injury with diffusion-weighted MRI following temporary middle cerebral artery occlusion in rats. *Brain Research*, **760**, 42-51.

Mann, D.M.A. (1997). Molecular biology's impact on our understanding of aging. *British Medical Journal*, **315**, 1078-1081.

Männistö, P.T., Kutepova, O., Leinonen, K., Lang, A., Soosaar, A., Suomela, A. & Borisenko, S.A. (1993). Amiridine (NIK-247) and cerebrocrast in the alleviation of cholinergic lesion-induced learning deficit in male rats. *Drug Development Research*, **30**, 219-228.

Marczynski, T.J., Artwohl, J. & Marczyńska, B. (1994). Chronic administration of flumazenil increases life span and protects rats from age-related loss of cognitive functions: a benzodiazepine/GABAergic hypothesis of brain aging. *Neurobiology of Aging*, **15**, 69-84.

Margaill, I., Parmentier, S., Callebert, J., Allix, M., Boulu, R.G. & Plotkine, M. (1996). Short therapeutic window for MK-801 in transient focal cerebral ischemia in normotensive rats. *Journal of Cerebral Blood Flow and Metabolism*, **16**, 107-113.

Markel, E., Felszeghy, K., Luiten, P.G.M. & Nyakas, C. (1995). Beneficial effect of chronic nimodipine treatment on behavioral dysfunctions of aged rats

exposed to perinatal ethanol treatment. *Archives of Gerontology and Geriatrics*, **21**, 75-88.

Markgraf, C.G., Green, E.J., Hurwitz, B.E., Morikawa, E., Dietrich, W.D., McCabe, P.M., Ginsberg, M.D. & Schneiderman, N. (1992). Sensorimotor and cognitive consequences of middle cerebral artery occlusion in rats. *Brain Research*, **575**, 238-246.

Markgraf, C.G., Green, E.J., Watson, B., McCabe, P.M., Schneiderman, N., Dietrich, W.D. & Ginsberg, M.D. (1994). Recovery of sensorimotor function after distal middle cerebral artery photothrombotic occlusion in rats. *Stroke*, **25**, 153-159.

Markgraf, C.G., Johnson, M.P., Braun, D.L. & Bickers, M.V. (1997). Behavioral recovery patterns in rats receiving the NMDA receptor antagonist MDL 100,453 immediately post-stroke. *Pharmacology Biochemistry and Behavior*, **56**, 391-397.

Markou, A. & Koob, G.F. (1991). Construct validity of a self-stimulation threshold paradigm: effects of reward and performance manipulations. *Physiology & Behavior*, **51**, 111-119.

Markowska, A.J., Ingram, D.K., Barnes, C.A., Spangler, E.L., Lemken, V.J., Kametani, H., Yee, W. & Olton, D.S. (1990). Acetyl-L-carnitine 1: effects on mortality, pathology and sensory-motor performance in aging rats. *Neurobiology of Aging*, **11**, 491-498.

Markowska, A.L., Stone, W.S., Ingram, D.K., Reynolds, J., Gold, P.E., Conti, L.H., Pontecorvo, M.J., Wenk, G.L. & Olton, D.S. (1989). Individual differences in aging: behavioral and neurobiological correlates. *Neurobiology of Aging*, **10**, 31-43.

Marshall, J.F. (1982). Sensorimotor disturbances in the aging rodent. *Journal of Gerontology*, **37**, 548-554.

Marshall, J.F. & Berríos, N. (1979). Movement disorders of aged rats: reversal by dopamine receptor stimulation. *Science*, **206**, 477-479.

Marston, H.M., Faber, E.S.L., Crawford, J.H., Butcher, S.P. & Sharkey, J. (1995). Behavioural assessment of endothelin-1 induced middle cerebral artery occlusion in the rat. *NeuroReport*, **6**, 1067-1071.

Martín, G.M. & Mian, I.S. (1997). New mice for old questions. *Nature*, **390**, 18-19.

Martin, L.G. (1991). Population aging policies in east Asia and the United States. *Science*, **251**, 527-531.

Marx, J. (1992). Major setback for Alzheimer's models. *Science*, **255**, 1200-1202.

Marx, J. (1996). Searching for drugs that combat Alzheimer's. *Science*, **273**, 50-53.

Masoro, E.J. (1980). Mortality and growth characteristics of rat strains commonly used in



- aging research. *Experimental Aging Research*, **6**, 219-233.
- Masoro, E.J. (1991). Use of rodents as models for the study of "normal aging": conceptual and practical issues. *Neurobiology of Aging*, **12**, 639-643.
- Matsumoto, K., Sakaki, T., Kohmura, E., Hayakawa, T. & Yamada, K. (1996). Amelioration of ischemic brain damage by preischemic administration of propentofylline (HWA285) in a rat focal ischemia. *Brain Research*, **723**, 228-230.
- Maurer, R. & Séguinot, V. (1995). What is modelling for? A critical review of the models of path integration. *Journal of Theoretical Biology*, **175**, 457-475.
- Mayevsky, A. (1990). Level of ischemia and brain function in the Mongolian gerbil in vivo. *Brain Research*, **524**, 1-9.
- McAuley, M.A. (1995). Rodent models of focal ischemia. *Cerebrovascular and Brain Metabolism Reviews*, **7**, 153-180.
- McBean, D.E., Winters, V., Wilson, A.D., Oswald, C.B., Alps, B.J. & Armstrong, J.M. (1995). Neuroprotective efficacy of lifarizine (RS-87476) in a simplified rat survival model of 2 vessel occlusion. *British Journal of Pharmacology*, **116**, 3093-3098.
- McClearn, G.E. & DeFries, J.C. (1973). *Introduction to behavioral genetics*. San Francisco: W.H. Freeman and Company.
- McClearn, G.E. & Hofer, S.M. (1999). Genes as gerontological variables: uniform genotypes. *Neurobiology of Aging*, **20**, 95-104.
- McEntee, W.J. & Crook, T.H. (1991). Serotonin, memory, and the aging brain. *Psychopharmacology*, **103**, 143-149.
- McGeer, E.G., McGeer, P.L. (1975). Age changes in the human for some enzymes associated with metabolism of catecholamines, GABA, and acetylcholine. In: Ordy, J.M. & Brizzee, K.R. (Eds.), *Neurobiology of aging. Advances in Behavioral Biology*, **16**, 287-305. New York: Plenum Press.
- McGeer, P.L. & McGeer, E.G. (1978). Aging and neurotransmitter systems. In: Finch, C.E., Potter, D.E. & Kenny, A.D. (Eds.), *Parkinson's disease II. Advances in experimental medicine and biology*, **113**, 41-47. New York: Plenum Press.
- McKinney, W.T. (1984). Animal models of depression: an overview. *Psychiatric Developments*, **2**, 77-96.
- McKinney, W.T. & Bunney, W.E. (1969). Animal model of depression: I. review of evidence: implications for research. *Archives of General Psychiatry*, **21**, 240-248.
- Meaney, M.J., Aitken, D.H., Bhatnagar, S. & Sapolsky, R.M. (1991). Postnatal handling attenuates certain neuroendocrine, anatomical, and cognitive dysfunctions associated with aging in female rats. *Neurobiology of Aging*, **12**, 31-38.
- Means, L.W. & Kennard, K.J.P. (1991). Working memory and the aged rat: deficient two-choice win-stay water-escape acquisition and retention. *Physiology & Behavior*, **49**, 301-307.
- Meck, W.H. (1983). Selective adjustment of the speed of internal clock and memory processes. *Journal of Experimental Psychology: Animal Behavior Processes*, **9**, 171-201.
- Meck, W.H. (1996). Neuropharmacology of timing and time perception. *Cognitive Brain Research*, **3**, 227-242.
- Meck, W.H. & Church, R.M. (1987). Nutrients that modify the speed of internal clock and memory storage processes. *Behavioral Neuroscience*, **101**, 465-475.
- Meier, G.W. (1964). Differences in maze performances as a function of age and strain of housemice. *Journal of Comparative and Physiological Psychology*, **58**, 418-422.
- Memezawa, H. (1993). *Focal ischemia in the rat. Factors modulating ischemic damage*. Doctoral dissertation, University of Lund, Sweden.
- Merlini, L. & Pinza, M. (1989). Trends in searching for new cognition enhancing drugs. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, **13**, S61-S75.
- Merlo Pich, E., Grimaldi, R., Zini, I., Frasoldati, A., Marrama, P. & Agnati, L.F. (1993). Involvement of  $\alpha_2$ -receptors in the analgesia induced by transient forebrain ischaemia in rats. *Pharmacology Biochemistry and Behavior*, **45**, 607-614.
- Mervis, R. (1981). Cytomorphological alterations in the aging animal brain with emphasis on Golgi studies. In: Johnson, J.E., Jr. (Ed.), *Aging and cell structure*, Vol. 1, New York: Plenum Press Corporation, pp. 143-186.
- Meudell, P.R. (1983). The development and dissolution of memory. In: Mayes, A. (Ed.), *Memory in animals and humans. Some Comparisons and their theoretical implications*. Wokingham: van Nostrand Reinhold, pp 83-132.
- Meyer, R.C. & Coover, G.D. (1996). Double dissociation of passive avoidance and milk maze performance deficits with discrete lesions of substantia innominata or globus pallidus of rats. *Behavioural Brain Research*, **72**, 157-180.
- M'Harzi, M., Palacios, A., Monmaur, P., Willig, F., Houcine, O. & Delacour, J. (1987). Effects of selective lesions of fimbria-fornix on learning set in the rat. *Physiology & Behavior*, **40**, 181-188.
- Michel, M.E. & Klein, A.W. (1978). Performance differences in a complex maze between young and aged rats. *Age*, **1**, 13-16.
- Miller, G.L. (1959). Protein determination for large numbers of samples. *Analytical Chemistry*, **31**, 964.

- Miller, J.D., Bullock, R., Graham, D.I., Chen, M.H. & Teasdale, G.M. (1990). Ischemic brain damage in a model of acute subdural hematoma. *Neurosurgery*, **27**, 433-439.
- Miyamoto, M., Kiyota, Y., Yamazaki, N., Nagaoka, A., Matsuo, T., Nagawa, Y. & Takeda, T. (1986). Age-related changes in learning and memory in the senescence-accelerated mouse (SAM). *Physiology & Behavior*, **38**, 399-406.
- Moghaddam, M. & Bures, J. (1996). Contribution of egocentric spatial memory to place navigation of rats in the Morris water maze. *Behavioural Brain Research*, **78**, 121-129.
- Mohs, R. C. (1988). Memory impairment in amnesia and dementia: implications for the use of animal models. *Neurobiology of Aging*, **9**, 465-468.
- Molnar, F.J. & Dalziel, W.B. (1997). The pharmacoeconomics of dementia therapy. *Drugs & Aging*, **19**(3), 219-233.
- Monk, T.H. & Fort, A. (1983). 'Cosina': a cosine curve fitting program suitable for small computers. *International Journal of Chronobiology*, **8**, 193-223.
- Moore, H., Dudchenko, P., Bruno, J.P. & Sarter, M. (1992). Toward modeling age-related changes of attention abilities in rats: simple and choice reaction time tasks and vigilance. *Neurobiology of Aging*, **13**, 759-772.
- Moore, T.E., Richards, B. & Hood, J. (1984). Aging and the coding of spatial information. *Journal of Gerontology*, **39**, 210-212.
- Moran, T.H., Kubos, K.L., Sanberg, P.R. & Robinson, R.G. (1984). Marked behavioral and biochemical sensitivity to lesion size in the posterior cortex of the rat. *Life Sciences*, **35**, 1337-1342.
- Morris, R.G. & Kopelman, M.D. (1986). The memory deficits in Alzheimer-type dementia: a review. *The Quarterly Journal of Experimental Psychology*, **38A**, 575-602.
- Morris, R.G.M. (1984). Development of a water-maze procedure for studying spatial learning in the rat. *Journal of Neuroscience Methods*, **11**, 47-60.
- Morrison, J.H. & Hof, P.R. (1997). Life and death of neurons in the aging brain. *Science*, **278**, 412-419.
- Mos, J. & Hollander, C.F. (1987). Analysis of survival data on aging rat cohorts: pitfalls and some practical considerations. *Mechanisms of Ageing and Development*, **38**, 89-105.
- Moser, V. (1990). Approaches for assessing the validity of the functional observational battery. *Neurotoxicology and Teratology*, **12**, 483-488.
- Muir, J.L., Everitt, B.J. & Robbins, T.W. (1996). The cerebral cortex of the rat and visual attentional function: dissociable effects of mediofrontal, cingulate, anterior dorsolateral, and parietal cortex lesions on a five-choice serial reaction time task. *Cerebral Cortex*, **6**, 470-481.
- Mundy, W.R., Barone, S. & Tilson, H.A. (1990). Neurotoxic lesions of the nucleus basalis induced by colchicine: effects on spatial navigation in the water maze. *Brain Research*, **512**, 221-228.
- Munn, N.L. (1950). *Handbook of psychological research on the rat*. Boston: Houghton Mifflin Company.
- Murray, C.L. & Fibiger, H.C. (1985). Learning and memory deficits after lesions of the nucleus basalis magnocellularis: reversal by physostigmine. *Neuroscience*, **14**, 1025-1032.
- Mutschler, E., Derendorf, H., Schäfer-Korting, M., Elrod, K. & Estes, K.S. (1995). *Drug action: basic principles and therapeutic aspects*. Boca Raton: CRC Press.

## N

- Nagahara, A.H. & McGaugh, J.L. (1992). Muscimol infused into the medial septal area impairs long-term memory but not short-term memory in inhibitory avoidance, water maze place learning and rewarded alternation tasks. *Brain Research*, **591**, 54-61.
- Nakamura, S., Tani, Y., Maezono, Y., Ishihara, T. & Ohno, T. (1992). Learning deficits after unilateral AF64A lesions in the rat basal forebrain: role of cholinergic and noncholinergic systems. *Pharmacology, Biochemistry and Behavior*, **42**, 119-130.
- Naritomi, H. (1991). Experimental basis of multi-infarct dementia: memory impairments in rodent models of ischemia. *Alzheimer disease and associated disorders*, **5**(2), 103-111.
- Nelson, A., Lebessi, A., Sowinski, P. & Hodges, H. (1997). Comparison of effects of global cerebral ischemia on spatial learning in the standard and radial water maze: relationship of hippocampal damage to performance. *Behavioural Brain Research*, **85**, 93-115.
- Netto, C.A., Hodges, H., Sinden, J.D., le Peillet, E., Kershaw, T., Sowinski, P., Meldrum, B.S. & Gray, J.A. (1993). Effects of fetal hippocampal field grafts on ischaemic-induced deficits in spatial navigation in the water maze. *Neuroscience*, **54**(1), 69-92.
- Niuro, M., Simon, R.P., Kadota, K. & Asakura, T. (1996). Proximal branching patterns of middle cerebral artery (MCA) in rats and their influence on the infarct size produced by MCA occlusion. *Journal of Neuroscience Methods*, **64**, 19-23.
- Nilsson, O.G. & Gage, F.H. (1993). Anticholinergic sensitivity in the aging rat septohippocampal system as assessed in a spatial memory task. *Neurobiology of Aging*, **14**, 487-497.
- Nitsch, R.M. (1996). From acetylcholine to amyloid: neurotransmitters and the pathology of

- Alzheimer's disease. *Neurodegeneration*, **5**, 477-482.
- Nordborg, C. & Johansson, B.B. (1980). Morphometric study on cerebral vessels in spontaneously hypertensive rats. *Stroke*, **11**, 266-270.
- Nosten-Bertrand, M., Errington, M.L., Murphy, K.P.S.J., Tokugawa, Y., Barboni, E., Kozlova, E., Michalovich, D., Morris R.G.M., Silver, J., Stewart, C.L., Bliss, T.V.P. & Morris R.J. (1996). Normal spatial learning despite regional inhibition of LTP in mice lacking Thy-1. *Nature*, **379**, 826-829.
- Nunn, J. & Hodges, H. (1994). Cognitive deficits induced by global cerebral ischaemia: relationship to brain damage and reversal by transplants. *Behavioural Brain Research*, **65**, 1-31.
- ## O
- Oades, R.D. (1981a). Impairments of search behaviour in rats after haloperidol treatment, hippocampal or neocortical damage suggest a mesocorticolimbic role in cognition. *Biological Psychology*, **12**, 77-85.
- Oades, R.D. (1981b). Dopaminergic agonistic and antagonistic drugs in the ventral tegmentum of rats inhibit and facilitate changes of food-search behaviour. *Neuroscience Letters*, **27**, 75-80.
- Oades, R.D. (1982). Search strategies on a hole-board are impaired in rats with ventral tegmental damage: animal model for tests of thought disorder. *Biological Psychiatry*, **17**, 243-258.
- Oades, R.D. & Isaacson, R.L. (1978). The development of food search behavior by rats: the effects of hippocampal damage and haloperidol. *Behavioral Biology*, **24**, 327-337.
- Obana, W.G., Pitts, L.H. & Nishimura, M.C. (1988). Effects of opiate antagonists on middle cerebral artery occlusion infarct in the rat. *Journal of Neurosurgery*, **69**, 98-103.
- O'Connell, A., Earley, B. & Leonard, B.E. (1994). Phencyclidine prevents spatial navigation and passive avoidance deficits in ibotenate lesioned rats. *Neuropharmacology*, **33**, 1095-1101.
- Ofri, D., Fan, L.-Q., Simon, E.J. & Hiller, J.M. (1992). Lesioning of the nucleus basalis of Meynert has differential effects on mu, delta and kappa opioid receptor binding in rat brain: a quantitative autoradiographic study. *Brain Research*, **581**, 252-260.
- Ogasawara, T., Itoh, Y., Tamura, M., Ukai, Y., Yoshikuni, Y. & Kimura, K. (1996). NS-3, a TRH-analog, reverses memory disruption by stimulating cholinergic and noradrenergic systems. *Pharmacology Biochemistry and Behavior*, **53**, 391-399.
- Ohara, T., Tanaka, K.-I., Fukaya, N., Demura, N., Imura, A. & Seno, N. (1997). SDZ ENA 713 facilitates central cholinergic function and ameliorates spatial memory impairment in rats. *Behavioural Brain Research*, **83**, 229-233.
- Ohlsson, A.-L. & Johansson, B.B. (1995). Environment influences functional outcome of cerebral infarction in rats. *Stroke*, **26**, 644-649.
- Okada, M., Tamura, A., Urae, A., Nakagomi, T., Kirino, T., Mine, K. & Fujiwara, M. (1995a). Long-term spatial cognitive impairment following middle cerebral artery occlusion in rats. A behavioral study. *Journal of Cerebral Blood Flow and Metabolism*, **15**, 505-512.
- Okada, M., Nakanishi, H., Tamura, A., Urae, A., Mine, K., Yamamoto, K. & Fujiwara, M. (1995b). Long-term spatial cognitive impairment after middle cerebral artery occlusion in rats: no involvement of the hippocampus. *Journal of Cerebral Blood Flow and Metabolism*, **15**, 1012-1021.
- Okaichi, H. & Oshima, Y. (1990). Choice behavior of hippocampectomized rats in the radial arm maze. *Psychobiology*, **18**, 416-421.
- Okamoto, K., Yamori, X. & Nagaoka, A. (1974). Establishment of the stroke prone spontaneously hypertensive rat (SHR). *Circulation Research*, **34-35** (Suppl. 1), I143-I153.
- Oliff, H.S., Coyle, P. & Weber, E. (1997). Rat strain and vendor differences in collateral anastomoses. *Journal of Cerebral Blood Flow and Metabolism*, **17**, 571-576.
- Oliff, H.S., Weber, E., Eilon, G. & Marek, P. (1995a). The role of strain/vendor differences on the outcome of focal ischemia induced by intraluminal middle cerebral artery occlusion in the rat. *Brain Research*, **675**, 20-26.
- Oliff, H.S., Weber, E., Miyazaki, B. & Marek, P. (1995b). Infarct volume varies with rat strain and vendor in focal cerebral ischemia induced by transcranial middle cerebral artery occlusion. *Brain Research*, **699**, 329-331.
- Oliverio, A., Cabib, S. & Puglisi-Allegra, S. (1992). Nonhuman behavioral models in the genetics of disturbed behavior. *Journal of Psychiatric Research*, **26**, 367-382.
- Olshansky, S.J., Carnes, B.A. & Cassel, C.K. (1993). The aging of the human species. *Scientific American*, **268**(4), 18-24.
- Olton, D.S., Becker, J.T. & Handelmann, G.E. (1979). Hippocampus, space, and memory. *The Behavioral and Brain Sciences*, **2**, 313-365.
- Olton, D.S., Becker, J.T. & Handelmann, G.E. (1980). Hippocampal function: working memory or cognitive mapping? *Physiological Psychology*, **8**, 239-246.
- Olton, D.S. & Papas, B.C. (1979). Spatial memory and hippocampal function. *Neuropsychologia*, **17**, 669-682.

- Olton, D.S. & Samuelson, R.J. (1976) Remembrance of places passed: spatial memory in rats, *Journal of Experimental Psychology: Animal Behavior Processes*, **2**, 97-116.
- Olton, D.S. & Schlosberg, P. (1978). Food-searching strategies in young rats: win-shift predominates over win stay. *Journal of Comparative and Physiological Psychology*, **92**, 609-616.
- Olton, D.S. & Wenk, G.L. (1987). Dementia: animal models of the cognitive impairments produced by degeneration of the basal forebrain cholinergic system. In: Meltzer, H.Y. (Ed.), *Psychopharmacology: the third generation of progress*. New York: Raven Press, pp. 941-953.
- Ordy, J.M. (1975). Principles of mammalian aging. In: Ordy, J.M. & Brizzee, K.R. (Eds.), *Advances in behavioral biology. Neurobiology of aging*, **16**, 1-22, New York: Plenum Press, pp. 1-23.
- Ordy, J.M., Brizzee, K.R., Kaack, B. & Hansche, J. (1978). Age differences in short-term memory and cell loss in the cortex of the rat. *Gerontology*, **24**, 276-285.
- Ossenkopp, K.-P. & Mazmanian, D.S. (1985). The principle of aggregation in psychobiological correlational research: an example from the open-field test. *Animal Learning & Behavior*, **13**, 339-344.
- Overstreet, D.H. (1992). Genetic animal models of endogenous depression. In: Driscoll, P. (Ed.), *Genetically defined models of neurobehavioral dysfunctions*. Boston: Birkhäuser, pp. 253-275.
- Overstreet, D.H., Russell, R.W., Crocker, A.D. & Schiller, G.D. (1984). Selective breeding for differences in cholinergic function: pre- and postsynaptic mechanisms involved in sensitivity to the anticholinesterase, DFP. *Brain Research*, **294**, 327-332.
- ## P
- Parent, A. & Hazrati, L.-N. (1995a). Functional anatomy of the basal ganglia. I. The cortico-basal ganglia-thalamo-cortical loop. *Brain Research Reviews*, **20**, 91-127.
- Parent, A. & Hazrati, L.-N. (1995b). Functional anatomy of the basal ganglia. II. The place of subthalamic nucleus and external pallidum in basal ganglia circuitry. *Brain Research Reviews*, **20**, 128-154.
- Park, C.K. & Hall, E.D. (1994). Dose-response analysis of the effect of 21-aminosteroid tirilazad mesylate (U-74006F) upon neurological outcome and ischemic brain damage in permanent focal cerebral ischemia. *Brain Research*, **645**, 157-163.
- Paxinos, G. & Watson, C. (1986). *The rat brain in stereotaxic coordinates* (2nd ed.). San Diego: Academic Press.
- Paylor, R. & Crawley, J.N. (1997). Inbred strain differences in prepulse inhibition of the mouse startle response. *Psychopharmacology*, **132**, 169-180.
- Paylor, R. & Rudy, J.W. (1990). Cholinergic receptor blockade can impair the rat's performance on both the place learning and cued version of the Morris water task: the role of age and pool brightness. *Behavioural Brain Research*, **36**, 79-90.
- Pearlson, G.D., Kubos, K.L. & Robinson, R.G. (1984). Effect of anterior-posterior lesion location on the asymmetrical behavioral and biochemical response to cortical suction ablations in the rat. *Brain Research*, **293**, 241-250.
- Pelleymounter, M.A., Smith, M.Y. & Gallagher, M. (1987). Spatial learning impairments in aged rats trained with a salient configuration of stimuli. *Psychobiology*, **15**, 248-254.
- Perlmutter, M., Metzger, R., Nezworski, T. & Miller, K. (1981). Spatial and temporal memory in 20 to 60 year olds. *Journal of Gerontology*, **36**, 59-65.
- Perry, E.K. (1980). The cholinergic system in old age and Alzheimer's disease. *Age and Ageing*, **9**, 1-8.
- Perry, E.K., Tomlinson, B.E., Blessed, G., Bergmann, K., Gibson, P.H. & Perry, R.H. (1978). Correlation of cholinergic abnormalities with senile plaques and mental test scores in senile dementia. *British Medical Journal*, **2**, 1457-1459.
- Persson, L., Hårdemark, H.-G., Bolander, H.G., Hillered, L. & Olsson, Y. (1989). Neurologic and neuropathologic outcome after middle cerebral artery occlusion in rats. *Stroke*, **20**, 641-645.
- Petermel, A., Hughey, D., Wenk, G. & Olton, D. (1988). Basal forebrain and memory: neurotoxic lesions impair serial reversals of a spatial discrimination. *Psychobiology*, **16**, 54-58.
- Petrie, B.F. (1995). Learning set spatial navigation performance in three mouse strains. *Psychological Reports*, **77**, 1339-1342.
- Phelan, J. P. & Austad, S. N. (1994). Selecting animal models of human aging: inbred strains often exhibit less biological uniformity than F<sub>1</sub> hybrids. *Journal of Gerontology*, **49**, B1-B11.
- Picciotto, M.R. & Wickman, K. (1998). Using knockout and transgenic mice to study neurophysiology and behavior. *Physiological Reviews*, **78**, 1131-1163.
- Pierce, J.E.S., Smith, D.H., Eison, M.S. & McIntosh, T.K. (1993). The nootropic compound BMY-21502 improves spatial learning ability in brain injured rats. *Brain Research*, **624**, 199-208.
- Pitsikas, N. & Algeri, S. (1992). Deterioration of spatial and nonspatial reference and working memory in aged rats: protective effect of life-long calorie restriction. *Neurobiology of Aging*, **13**, 369-373.

- Pitsikas, N., Biagini, L. & Algeri, S. (1991). Previous experience facilitates preservation of spatial memory in the senescent rat. *Physiology & Behavior*, **49**, 823-825.
- Pitsikas, N., Brambilla, A. & Borsini, F. (1993). DAU 6215, a novel 5-HT<sub>3</sub> receptor antagonist, improves performance in the aged rat in the Morris water maze task. *Neurobiology of Aging*, **14**, 561-564.
- Plomin, R., DeFries, J.C. & McClearn, G.E. (1980). *Behavioral genetics*. San Francisco: W.H. Freeman and Company.
- Plotkin, D.A. & Jarvik, L.F. (1986). Cholinergic dysfunction in Alzheimer disease: cause or effect? In: van Ree, J.M., & Matthysse, S. (Eds.), *Progress in Brain Research*, **65**, 91-103.
- Porsolt, R.D. McArthur, R.A. & Lenègre, A. (1993). Psychotropic drug screening. In: van Haaren, F. (Ed.), *Methods in behavioral pharmacology*. Amsterdam: Elsevier, pp. 23-51.
- Porsolt, R.D., Roux, S & Lenègre, A. (1991). Preclinical evaluation of potential cognitive enhancers. In: Langer, S.Z. Mendlewicz, J. & Racagni, G. (Eds.), *Treatment of age-related cognitive dysfunction: pharmacological and clinical evaluation*. Basel: Karger.
- Poschel (1988). New pharmacological perspectives on nootropic drugs. In: Iversen, L.L. & Iversen, S.D. (Eds.), *Handbook of Psychopharmacology*, Vol. 20, New York: Plenum Press, pp. 437-469.
- Price, D.L., Tanzi, R.E., Borchelt, D.R. & Sisodia, S.S. (1998). Alzheimer's disease: genetic studies and transgenic models. *Annual Review of Genetics*, **32**, 461-493.
- Procter, A.W. (1996). Neurochemical correlates of dementia. *Neurodegeneration*, **5**, 403-407.
- Pulsinelli, W.A. & Brierley, J.B. (1979). A new method of bilateral hemispheric ischemia in the unanesthetized rat. *Stroke*, **10**, 267-272.
- Puumala, T., Sirviö, J., Ruotsalainen, S. & Riekkinen, P., Sr. (1996). Effects of St-587 and Prazosin on water maze and passive avoidance performance of scopolamine-treated rats. *Pharmacology Biochemistry & Behavior*, **55**, 107-115.
- Puurunen, K., Sirviö, J., Koistinaho, J., Miettinen, R., Haapalinna, A., Riekkinen, P. Sr. & Sivenius, J. (1997). Studies on the influence of enriched-environment housing combined with systemic administration of  $\alpha_2$ -adrenergic antagonist on spatial learning and hyperactivity after global ischemia in rats. *Stroke*, **28**, 623-631.

## Q

- Quirion, R., Wilson, A., Rowe, W., Aubert, I., Richard, J., Doods, H., Parent, A., White, N. & Meaney, M.J. (1995). Facilitation of acetylcholine release

and cognitive performance by an M<sub>2</sub>-muscarinic receptor agonist in aged memory-impaired rats. *The Journal of Neuroscience*, **15**, 1455-1462.

## R

- Raaijmakers, W.G.M. (1978). *Brain cholinesterase activity*. doctoral dissertation, University of Nijmegen, The Netherlands.
- Raaijmakers, W.G.M., Blokland, A. & van der Staay, F.J. (1993). Spatial discrimination learning in rats as an animal model of cognitive ageing. *Behavioural Processes*, **30**, 165-174.
- Raaijmakers, W.G.M., van der Staay, F.J., Drinkenburg, W.H.I.M. & Blokland, A. (1990). Age differences and effects of lesions in the nucleus basalis magnocellularis on a seven-choice task in a radial alley maze. In: van Bezooijen, C.F.A., Ravid, R. & Verhofstad, A.A.J. (Eds.), *From gene to man*. Rijswijk: Stichting Gerontologie en Geriatrie (ISBN 90-9003996-1), pp. 159-163.
- Raleigh, V.S. (1997). The demographic timebomb. *British Medical Journal*, **315**, 442-443.
- Rapp, P.R. & Gallagher, M. (1996). Preserved neuron number in the hippocampus of aged rats with spatial learning deficits. *Proceedings of the National Academy of Sciences of the United States of America*, **93**, 9926-9930.
- Rapp, P.R., Rosenberg, R.A. & Gallagher, M. (1987). An evaluation of spatial information processing in aged rats. *Behavioral Neuroscience*, **101**, 3-12.
- Rashidy-Pour, A., Motamedi, F. & Motahed-Larijani, Z. (1996). Effects of reversible inactivations of the medial septal area on reference and working memory versions of the Morris water maze. *Brain Research*, **709**, 131-140.
- Rasmussen, T., Schliemann, T., Sørensen, J.C., Zimmer, J. & West, M.J. (1996). Memory impaired aged rats: no loss of principal hippocampal and subicular neurons. *Neurobiology of Aging*, **17**, 143-147.
- Read, S.J., Hirano, T., Davis, S.M. & Donnan, G.A. (1999). Limiting neurological damage after stroke. A Review of pharmacological treatment options. *Drugs & Aging*, **14**(1), 11-39.
- Ren, J. & Finklestein, S.P. (1997). Time window of infarct reduction by intravenous basic fibroblast growth factor in focal cerebral ischemia. *European Journal of Pharmacology*, **327**, 11-16.
- Reuter, W. (1997). Risikofaktoren des Schlaganfalls im Alter. In: Schütz, R.-M., Ries, W. & Tews, H.P. (Eds.), *Altern in Gesundheit und Krankheit*. Melsungen: Bibliomed - Medizinische Verlagsgesellschaft, pp. 147-153.
- Ricklefs, R.E. & Finch, C.E. (1995). *Aging: a natural history*. New York: W.H. Freeman and Company.

- Riekkinen, P., Jr., Riekkinen, M. & Sirviö, J. (1992). Effects of tetrahydroaminoacridine on spatial navigation and nucleus-basalis- and frontal-cortex-lesioned rats. *Pharmacology Biochemistry and Behavior*, **41**, 637-641.
- Riekkinen, P., Jr., Schmidt, B. & Riekkinen, M. (1997). Behavioral characterization of metrifonate-improved acquisition of spatial information in medial septum-lesioned rats. *European Journal of Pharmacology*, **323**, 11-19.
- Riekkinen, P., Jr., Schmidt, B.H. & van der Staay, F.J. (1998). Animal models in the development of symptomatic and preventive drug therapies for Alzheimer's disease. *Annals of Medicine*, **30**, 566-576.
- Rikke, B.A. & Johnson, T.E. (1998). Towards the cloning of genes underlying murine QTLs. *Mammalian Genome*, **9**, 963-968.
- Robbins, T.W. (1998). Homology in behavioural pharmacology: an approach to animal models of human cognition. *Behavioural Pharmacology*, **9**, 509-519.
- Robbins, T.W., Everitt, B.J., Marston, H.M., Wilkinson, J., Jones, G.H. & Page, K.J. (1989). Comparative effects of ibotenic acid- and quisqualic acid-induced lesions of the substantia innominata on attentional function in the rat: further implications for the role of the cholinergic neurons of the nucleus basalis in cognitive processes. *Behavioural Brain Research*, **35**, 221-240.
- Robbins, T.W., McAlonan, G., Muir, J.L. & Everitt, B.J. (1997). Cognitive enhancers in theory and practice: studies of the cholinergic hypothesis of cognitive deficits in Alzheimer's disease. *Behavioural Brain Research*, **83**, 15-23.
- Roberts, A.C. (1996). Comparison of cognitive function in human and non-human primates. *Cognitive Brain Research*, **3**, 319-327.
- Roberts, S. (1981). Isolation of an internal clock. *Journal of Experimental Psychology: Animal Behavior Processes*, **7** (3), 242-268.
- Robinson, J.K., Wenk, G.L., Wiley, R.G., Lappi, D.A. & Crawley, J.N. (1996). <sup>192</sup>IgG-saporin immunotoxin and ibotenic acid lesions of nucleus basalis and the medial septum produce comparable deficits on delayed nonmatching to position in rats. *Psychobiology*, **24** (3), 179-186.
- Robinson, R.G. (1979). Differential behavioral and biochemical effects of right and left hemispheric cerebral infarction in the rat. *Science*, **205**, 707-710.
- Robinson, R.G. (1981). A model for the study of stroke using the rat. Surgical Ligation of the middle cerebral artery in the rat. *American Journal of Pathology*, **104**, 103-105.
- Robinson, R.G. & Coyle, J.T. (1980). The differential effect of right versus left hemispheric cerebral infarction on catecholamines and behavior in the rat. *Brain Research*, **188**, 63-78.
- Roderick, T.H. (1960). Selection for cholinesterase activity in the cerebral cortex of the rat. *Genetics*, **45**, 1123-1140.
- Rodin, J. (1986). Aging and health: effects of the sense of control. *Science*, **233**, 1271-1276.
- Rogers, D.C., Campbell, C.A., Stretton, J.L. & Mackay, K.B. (1997). Correlation between motor impairment and infarct volume after permanent and transient middle cerebral artery occlusion in the rat. *Stroke*, **28**, 2060-2066.
- Rosenberg, G.A., Estrada, E., Kelley, R.O. & Kornfeld, M. (1993). Bacterial collagenase disrupts extracellular matrix and opens blood-brain barrier in rat. *Neuroscience Letters*, **160**, 117-119.
- Rosenzweig, M.R., Bennett, E.L. & Diamond, M.C. (1972). Cerebral changes in response to experience. *Scientific American*, **226**(2), 22-29.
- Roses, A.D. (1996). The Alzheimer diseases. *Current Opinion in Neurobiology*, **6**, 644-650.
- Roßner, S., Schliebs, R. & Bigl, V. (1994). Ibotenic acid lesion of nucleus basalis magnocellularis differentially affects cholinergic, glutamatergic and GABAergic markers in cortical rat brain regions. *Brain Research*, **668**, 85-99.
- Roth, G.S., Ingram, D.K. & Lane, M.A. (1995). Slowing ageing by caloric restriction. *Nature Medicine*, **1**, 414-415.
- Roush, W. (1997). New knockout mice point to molecular basis of memory. *Science*, **275**, 32-33.
- Roux, S., Hubert, I., Lenègre, A., Milinkevitch, D. & Porsolt, R. (1994). Effects of piracetam on indices of cognitive function in a delayed alternation task in young and aged rats. *Pharmacology Biochemistry and Behavior*, **49**, 683-688.
- Roux, S., Hubert, I., Wettstein, J.G., Soubrié, P., Le Fur, G. & Porsolt, R.D. (1995). Facilitating effects of SR 57746A on short-term memory in an operant delayed alternation task in aged rats. *Drug Development Research*, **35**, 83-93.
- Rowan, A.N. (1997). The benefits and ethics of animal research. *Scientific American*, **276**(2), 63.
- Royce, J.R. (1977). On the construct validity of open-field measures. *Psychological Bulletin*, **84**, 1098-1106.
- Runkel, P.J. & McGrath, J.E. (1972). *Research on human behavior. A systematic guide to method*. New York: Holt, Rinehart and Winston.
- Russell, E.S. (1972). Genetic considerations in the selection of rodent species and strains for research in aging. In: Gibson, D.C. (Ed.), *Development of the rodent as a model system of aging* (pp. 33-53). Bethesda: DHEW publication no. (NIH) 72-121.

- Russell, E.S. & Gibson D.C. (Eds), (1972). *Development of the rodent as a model system in aging*. Bethesda: DHEW publication no. (NIH) 72-121, pp. 33-53.
- Russell, W.M.S. & Burch, R.L. (1959). *The principles of humane experimental technique*. London: Methuen.
- Russell, W.M.S. (1997). A festival of animals. In: van Zutphen, L.F.M. & Balls, M. (Eds.), *Animal alternatives, welfare and ethics*. Amsterdam: Elsevier, pp. 9-20.
- Rye, D.B., Wainer, B.H., Mesulam, M.-M., Mufson, E.J. & Saper, C.B. (1984). Cortical projections arising from the basal forebrain: a study of cholinergic and noncholinergic components employing combined retrograde tracing and immunohistochemical localization of choline acetyltransferase. *Neuroscience*, **13**, 627-643.
- ## S
- Sahakian B.J. (1988). Cholinergic drugs and human cognitive performance. In: Iversen, L.L., Iversen, S.D. & Snyder, S.H. (Eds.), *Handbook of Psychopharmacology*, **20**, New York: Plenum Press, pp. 393-424.
- Sahgal., A., Keith, A.B. & Lloyd, S. (1990). Opposing effect of vasopressin on matching versus non-matching to position: further evidence for response, not memory, modulation. *Psychopharmacology*, **102**, 130-135.
- Sakai, N., Yanai, K., Ryu, J.H., Nagasawa, H., Hasegawa, T., Sasaki, T., Kogure, K. & Watanabe, T. (1996). Behavioral studies on rats with transient cerebral ischemia induced by occlusion of the middle cerebral artery. *Behavioural Brain Research*, **77**, 181-188.
- Sams-Dodd, F. (1995). Automation of the social interaction test by a video tracking system: behavioural effects of repeated phencyclidine treatment. *Journal of Neuroscience Methods*, **59**, 157-167.
- Sanberg, P.R. (1986). Neurobehavioral aspects of some animal models of age-related neuropsychiatric disorders. In: Fisher, A., Hanin, I. & Lachman, C. (Eds.), *Alzheimer's and Parkinson's diseases: strategies for research and development*. *Advances in Behavioral Biology*, **29**, 479-485. New York: Plenum Press.
- Sansone, M., Castellano, C., Battaglia, M. & Ammassari-Teule, M. (1991). Effects of oxiracetam-nicotine combinations on active and passive avoidance learning in mice. *Pharmacology Biochemistry & Behavior*, **39**, 197-200.
- Sarter, M., Bruno, J.P., Givens, B., Moore, H., McGaughy, J. & McMahon, K. (1996). Neuronal mechanisms mediating drug-induced cognition enhancement: cognitive activity as a necessary intervening variable. *Cognitive Brain Research*, **3**, 329-343.
- Sarter, M., Hagan, J. & Dudchenko, P. (1992a). Behavioral screening for cognition enhancers: from indiscriminate to valid testing: part I. *Psychopharmacology*, **107**, 144-159.
- Sarter, M., Hagan, J. & Dudchenko, P. (1992b). Behavioral screening for cognition enhancers: from indiscriminate to valid testing: part II. *Psychopharmacology*, **107**, 461-473.
- SAS Institute Inc., (1990). *SAS/STAT User's Guide*, vol. 2, version 6, 4th edition. Cary, NC.
- Sauter, A. & Rudin, M. (1995). Strain-dependent drug effects in rat middle cerebral artery occlusion model of stroke. *Journal of Pharmacology and Experimental Therapeutics*, **274**, 1008-1013.
- Schindler, U. (1989). Pre-clinical evaluation of cognition enhancing drugs. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, **13**, S99-S115.
- Schramm, A. (1997). Akuttherapie des Schlaganfalls in einer geriatrischen Klinik. In: Schütz, R.-M., Ries, W. & Tews, H.P. (Eds.), *Altern in Gesundheit und Krankheit*. Melsungen: Bibliomed - Medizinische Verlagsgesellschaft, pp. 155-169.
- Schuurman, T., Horváth, E., Spencer, D.G., Jr. & Traber, J. (1986). Old rats: an animal model for senile dementia. In: Bès, A. (Ed.), *Senile dementias: early detection*. London: John Libbey Eurotext, pp. 624-630.
- Schuurman, T., Klein, H., Beneke, M. & Traber, J. (1987). Nimodipine and motor deficits in the aged rat. *Neuroscience Research Communications*, **1**(1), 9-15.
- Schuurman, T. & Traber, J. (1989a) Effects of nimodipine on behavior of old rats. In: Traber, J. and Gispen, W.H. (Eds.) *Nimodipine and central nervous system function: new vistas*. Stuttgart: Schattauer, pp. 195-208.
- Schuurman, T. & Traber, J. (1989b). Old rats as an animal model for senile dementia: behavioural effects of nimodipine. In: Bergener, M. & Reisberg, B. (Eds.), *Diagnosis and treatment of senile dementia*. Berlin: Springer Verlag, pp. 295-307.
- Schwarcz, R., Hökfelt, T., Fuxe, K., Jonsson, G., Goldstein, M. & Terenius, L. (1979). Ibotenic acid-induced neuronal degeneration: a morphological and neurochemical study. *Experimental Brain Research*, **37**, 199-215.
- Schwegler, H. & Crusio, W.E. (1995). Correlations between radial-maze learning and structural variations of septum and hippocampus in rodents. *Behavioural Brain Research*, **67**, 29-41.
- Sebesteny, A. (1991). Necessity of a more standardized microbiological characterization of

- rodents for aging studies. *Neurobiology of Aging*, **12**, 663-668.
- Shapiro, M.L. & O'Connor, C. (1992). N-methyl-D-aspartate receptor antagonist MK-801 and spatial memory representation: working memory is impaired in an unfamiliar but not in a familiar environment. *Behavioral Neuroscience*, **106**, 604-612.
- Sharps, M.J. & Gollin, E.S. (1987). Memory for object locations in young and elderly adults. *Journal of Gerontology*, **42**, 336-341.
- Shaughnessy, L.W., Barone, S., Jr., Mundy, W.R., Herr, D.W. & Tilson, H.A. (1994). Comparison of intracranial infusions of colchicine and ibotenic acid as models of neurodegeneration in the basal forebrain. *Brain Research*, **637**, 15-26.
- Shaughnessy, L.W., Barone, S., Jr., Mundy, W.R. & Tilson, H.A. (1996). Neurochemical and behavioral recovery after colchicine lesions of the nucleus basalis magnocellularis in rats. *Restorative Neurology and Neuroscience*, **10**, 135-146.
- Shaughnessy, L.W., Mundy, W.R., Tilson, H.A. & Barone, S., Jr. (1998). Time course of changes in cholinergic and neurotrophin-related markers after infusion of colchicine into the basal forebrain. *Brain Research*, **781**, 62-77.
- Sherman, K.A. & Friedman, E. (1990). Pre- and post-synaptic cholinergic dysfunction in aged rodent brain regions: new findings and an interpretative review. *International Journal of Developmental Neuroscience*, **8**, 689-708.
- Shigeno, T., McCulloch, J., Graham, D.I., Mendelow, A.D. & Teasdale, G.M. (1985). Pure cortical ischemia versus striatal ischemia. Circulatory, metabolic, and neuropathologic consequences. *Surgical Neurology*, **24**, 47-51.
- Shiino, A. (1989). Experimental studies on pharmacologic protection of the brain against focal ischemia. 1. Focal brain ischemia model in rats. *Archiv der Japanischen Chirurgie*, **58**(5), 431-437.
- Shimokawa, I., Higami, Y., Hubbard, G.B., McMahan, C.A., Masoro, E.J. & Yu, B.P. (1993). Diet and the suitability of the male Fischer 344 rat as a model for aging research. *Journal of Gerontology*, **48**, B27-B32.
- Shinoda, M., Matsuo, A. & Toide, K. (1996). Pharmacological studies of a novel prolyl endopeptidase inhibitor, JTP-4819, in rats with middle cerebral artery occlusion. *European Journal of Pharmacology*, **305**, 31-38.
- Shiraishi, K. & Simon, R.P. (1989). A model of proximal middle cerebral artery occlusion in rat. *Journal of Neuroscience Methods*, **30**, 169-174.
- Shukitt-Hale, B., Stillman, M.J. & Liebermann, H.R. (1996). Tyrosine administration prevents hypoxia-induced decrements in learning and memory. *Physiology & Behavior*, **59**, 867-871.
- Siesjö, B.K. (1994). Calcium-mediated processes in neuronal degeneration. In: Disterhoft, J.F., Gispen, W., Traber, J. & Khachaturian, Z.S. (Eds.), Calcium hypothesis of aging and dementia. *Annals of the New York Academy of Sciences*, **747**, 140-161.
- Silva, A.J., Giese, K.P., Fedorov, N.B., Frankland, P.W. & Kogan, J.H. (1998). Molecular, cellular, and neuroanatomical substrates of place learning. *Neurobiology of Learning and Memory*, **70**, 44-61.
- Silva, F. (1993). *Psychometric foundations and behavioral assessment*. Newbury Park: Sage Publications.
- Simon, S.L., Walsh, D.A., Regnier, V.A. & Krauss, I.K. (1992). Spatial cognition and neighborhood use: the relationship in older adults. *Psychology and Aging*, **7**, 389-394.
- Singer, P. (Ed.), (1985). *In defense of animals*. Oxford: Basil Blackwell Publishers, Ltd.
- Sirviö, J., Jäkälä, P., Mazurkiewicz, M., Haapalinna, A., Riekkinen, P., Jr. & Riekkinen, P.J. (1993). Dose- and parameter-dependent effects of atipamezole, and  $\alpha_2$ -antagonist, on the performance of rats in a five-choice serial reaction time task. *Pharmacology Biochemistry & Behavior*, **45**, 123-129.
- Sirviö, J., Riekkinen, P., Jr., Valjakka, A., Jolkkonen, J. & Riekkinen, P.J. (1991). The effects of noradrenergic neurotoxin, DSP-4, on the performance of young and aged rats in spatial navigation task. *Brain Research*, **563**, 297-302.
- Smith, G. (1988). Animal models of Alzheimer's disease: experimental cholinergic denervation. *Brain Research Reviews*, **13**, 103-118.
- Smith, S.E., Hodges, H., Sowinski, P., Man, C.-M., Leach, M.J., Sinden, J.D., Gray, J.A. & Meldrum, B.S. (1996). Long-term effects of BW619C89 on neurological deficit, cognitive deficit and brain damage after middle cerebral artery occlusion in the rat. In: Kriegstein, J. (Ed.), *Pharmacology of Cerebral Ischemia 1996*. Stuttgart: Medpharm Scientific Publishers, pp. 655-666.
- Smoller, J.W. & Tsuang, M.T. (1998). Panic and phobic anxiety: defining phenotypes for genetic studies. *American Journal of Psychiatry*, **155**, 1152-1162.
- Sobey, C.G., Heistad, D.D. & Faraci, F.M. (1997). Effect of subarachnoid hemorrhage on cerebral vasodilatation in response to activation of ATP-sensitive  $K^+$  channels in chronically hypertensive rats. *Stroke*, **28**, 392-397.
- Socci, D.J., Sanberg, P.R. & Arendash, G.W. (1995). Nicotine enhances Morris water maze performance of young and aged rats. *Neurobiology of Aging*, **16**, 857-860.



- Soffié, M. & Lejeune, H. (1991). Acquisition and long-term retention of a two-lever DRL schedule: comparison between mature and aged rats. *Neurobiology of Aging*, **12**, 25-30.
- Sommer, B. (1998). Recent advances in transgenic model development for Alzheimer's disease. *Expert Opinion on Investigational Drugs*, **7**, 2017-2025.
- Sparks, D.L., Hunsaker, J.C., III, Slevin, J.T., DeKosky, S.T., Kryscio, R.J. & Markesbery, W.R. (1992). Monoaminergic and cholinergic synaptic markers in the nucleus basalis of Meynert (nbM): normal age-related changes and the effect of heart disease and Alzheimer's disease. *Annals of Neurology*, **31**, 611-620.
- Spangler, E.L., Waggle, K.S., Hengemihle, J., Roberts, D., Hess, B. & Ingram, D.K. (1994). Behavioral assessment of aging in male Fischer 344 and Brown Norway rat strains and their F<sub>1</sub> hybrid. *Neurobiology of Aging*, **15**, 319-328.
- Spengler, F., Godde, B. & Dinse, H.R. (1995). Effects of ageing on topographic organization of somatosensory cortex. *NeuroReport*, **6**, 469-473.
- Sprott, R.L. (1991). Development of animal models of aging at the National Institute of Aging. *Neurobiology of Aging*, **12**, 635-638.
- Spruijt, B.M. (1991). An ACTH<sub>4-9</sub> analog enhances social attention in aging rats: a longitudinal study. *Neurobiology of Aging*, **13**, 153-158.
- Spruijt, B.M., Hol, T. & Rousseau, J.B.I. (1992). Approach, avoidance, and contact behavior of individually recognized animals automatically quantified with an imaging technique. *Physiology and Behavior*, **51**, 747-752.
- Spruijt, B., Pitsikas, N., Algeri, S. & Gispen, W.H. (1990). Org2766 improves performance of rats with unilateral lesions in the fimbria fornix in a spatial learning task. *Brain Research*, **527**, 192-197.
- Stam, F.C. (1987). *Dementieën*. Arnhem: Ciba-Geigy b.v.
- Steckler, T., Andrews, J.S., Marten, P. & Turner, J.D. (1993). Effects of NBM lesions with two neurotoxins on spatial memory and autoshaping. *Pharmacology Biochemistry and Behavior*, **44**, 877-889.
- Steckler, T. & Muir, J.L. (1996). Measurement of cognitive function: relating rodent performance with human mind. *Cognitive Brain Research*, **3**, 299-308.
- Stephens, D. & Andrews, J.S. (1991). Screening for anxiolytic drugs. In: Willner, P. (Ed.), *Behavioural models in psychopharmacology: theoretical, industrial and clinical perspectives*. Cambridge: Cambridge University Press, pp. 50-75
- Stevens, H., Jansen, H.M.L., DeReuck, J. & Korf, J. (1997). Imaging of stroke. In: ter Horst, G.J. & Korf, J. (Eds.), *Clinical pharmacology of cerebral ischemia*. Totowa, N.J.: Humana Press, pp. 31-41.
- Steward, J., Mitchell, J. & Kalant, N. (1989). The effects of life-long food restriction on spatial memory in young and aged Fischer 344 rats measured in the eight-arm radial and the Morris water mazes. *Neurobiology of Aging*, **10**, 669-675.
- Stoehr, J.D. & Wenk, G.L. (1995). Effects of age and lesions of the nucleus basalis on contextual fear conditioning. *Psychobiology*, **23**, 173-177.
- Stone, C.P. (1929a). The age factor in animal learning. I. Rats in the problem box and the maze. *Genetic Psychology Monograph*, **5**, 1-130.
- Stone, C.P. (1929b). The age factor in animal learning. II. Rats on a multiple light discrimination box and a difficult maze. *Genetic Psychology Monographs*, **6**, 125-202.
- Stone, W.S., Altman, H.J., Berman, R.F., Caldwell, D.F. & Kilbey, M.M. (1989). Association of sleep parameters and memory in intact old rats and young rats with lesions in the nucleus basalis magnocellularis. *Behavioral Neuroscience*, **103**, 755-764.
- Strickberger, M.W. (1976). *Genetics* (2nd ed.). New York: Macmillan Publishing Co., Inc.
- Stubley-Weatherly, L.A., Harding, J.W. & Wright, J.W. (1996). Effects of discrete kainic acid-induced hippocampal lesions on spatial and contextual learning and memory in rats. *Brain Research*, **716**, 29-38.
- Sulter, G. & De Keyser, J. (1999). From stroke unit care to stroke care unit. *Journal of Neurological Sciences*, **162**, 1-5.
- Sutherland, G.R., Dix, G.A. & Auer, R.N. (1996). Effect of age in rodent models of focal and forebrain ischemia. *Stroke*, **27**, 1663-1668.
- Sweeney, J.E., Höhmann, C.F., Moran, T.H. & Coyle, J.T. (1988). A long-acting cholinesterase inhibitor reverses spatial memory deficits in mice. *Pharmacology Biochemistry & Behavior*, **31**, 141-147.

## T

- Tagliavini, F. & Pilleri, G. (1983). Basal nucleus of Meynert. A neuropathological study in Alzheimer's disease, simple senile dementia, Pick's disease and Huntington's chorea. *Journal of the Neurological Sciences*, **62**, 243-260.
- Tagliavini, F., Pilleri, G., Bouras, C. & Constantinidis, J. (1984). The basal nucleus of Meynert in idiopathic Parkinson's disease. *Acta Neurologica Scandinavica*, **69**, 20-28.
- Takeda, T. (1999). Senescence-accelerated mouse (SAM): a biogerontological resource in aging research. *Neurobiology of Aging*, **20**, 105-110.

- Takeda, T., Hosokawa, M., Takeshita, S., Irino, M., Higuchi, K., Matsushita, T., Tomita, Y., Yasuhira, K., Hamamoto, H., Shimizu, K., Ishii, M. & Yamamuro, T. (1981). A new murine model of accelerated senescence. *Mechanisms of Ageing and Development*, **17**, 183-194.
- Tamura, A., Graham, D.I., McCulloch, J. & Teasdale, G.M. (1981). Focal cerebral ischaemia in the rat: I. description of technique and early neuropathological consequences following middle cerebral artery occlusion. *Journal of Cerebral Blood Flow and Metabolism*, **1**, 53-60.
- Tamura, A., Kawai, K. & Takagi, K. (1997). Animal models used in cerebral ischemia and stroke research. In: Ter Horst, G.J. & Korf J. (Eds.), *Clinical pharmacology of cerebral ischemia*. Totowa, N.J.: Humana Press, pp. 265-294.
- Tamura, A., Yamamoto, M., Shimizu, M., Kirino, T. & Sano, K. (1985). Behavioral change after focal cerebral ischemia in the rat. *Journal of Cerebral Blood Flow and Metabolism*, **5**(Suppl.1), 379-380.
- Thal, L.J., Dokla, C.P.J. & Armstrong, D.M. (1988). Nucleus basalis magnocellularis lesions: lack of biochemical and immunocytochemical recovery and effect of cholinesterase inhibitors on passive avoidance. *Behavioral Neuroscience*, **102**, 852-860.
- Thompson, C.B. (1995). Apoptosis in the pathogenesis and treatment of disease. *Science*, **267**, 1458-1462.
- Thompson, R. (1978). *A behavioral atlas of the rat brain*. New York: Oxford University Press.
- Tominaga, T. & Ohnishi, S.T. (1989). Interrelationship of brain edema, motor deficits, and memory impairment in rats exposed to focal ischemia. *Stroke*, **20**, 513-518.
- Torres, E.M., Perry, T.A., Blokland, A., Wilkinson, L.S., Wiley, R.G., Lapp, D.A. & Dunnett, S.B. (1994). Behavioural, histochemical and biochemical consequences of selective immunolesions in discrete regions of the basal forebrain cholinergic system. *Neuroscience*, **63**, 95-122.
- Tucker, M.J. (1993). Variations in disease in inbred and outbred strains of rodents. *Journal of Experimental Animal Science*, **35**, 244-250.
- Turchi, J. & Sarter, M. (1997). Cortical acetylcholine and processing capacity: effects of cortical cholinergic deafferentation on crossmodal divided attention in rats. *Cognitive Brain Research*, **6**, 147-158.

## U

- Uhl, G.R., Hilt, D.C., Hedreen, J.C., Whitehouse, P.J. & Price, D.L. (1983). Pick's disease (lobar

sclerosis): depletion of neurons in the nucleus basalis of Meynert. *Neurology*, **33**, 1470-1473.

- Uttl, B. & Graf, P. (1993). Episodic spatial memory in adulthood. *Psychology and Aging*, **8**, 257-273.

## V

- van Dellen, J.R. & Becker, D.P. (1988). *Current concepts: craniocerebral trauma*. Kalamazoo: The Upjohn Company.
- van der Logt, J.T.M. (1991). Necessity of more standardized virological characterization of rodents for aging studies. *Neurobiology of Aging*, **12**, 669-672.
- van der Staay, F.J. (1989). *Behavioral consequences of chronic dietary choline enrichment*. Doctoral dissertation, University of Nijmegen, Nijmegen, The Netherlands (ISBN 90-9002811-0).
- van der Staay, F.J. (1992). Ansatz zur Konstruktvalidierung mittels genetisch definierter Stämme am Beispiel ethologischer Angstmodelle. In: Oldigs-Kerber, J. & Leonard, J.P. (Eds.), *Pharmakopsychologie. Experimentelle und klinische Aspekte*. Jena: Gustav Fischer Verlag (ISBN 3-334-60424-1), pp. 69-86.
- van der Staay, F.J. (1997). Shift in performance of 24-month-old Wistar rats in the Morris water escape task: a comparison across thirty-six experiments. *Behavioural Brain Research*, **87**, 213-222.
- van der Staay, F.J., Augstein, K.-H. & Horváth, E. (1996a). Sensorimotor impairments in Wistar Kyoto rats with cerebral infarction, induced by unilateral occlusion of the middle cerebral artery: recovery of function. *Brain Research*, **715**, 180-188.
- van der Staay, F.J., Augstein, K.-H. & Horváth, E. (1996b). Sensorimotor impairments in rats with cerebral infarction, induced by unilateral occlusion of the left middle cerebral artery: strain differences and effects of the occlusion site. *Brain Research*, **735**, 271-284.
- van der Staay, F.J. & Blokland, A. (1996a). Behavioral differences between outbred Wistar, inbred Fischer 344, Brown Norway, and hybrid Fischer 344\*Brown Norway rats. *Physiology & Behavior*, **60**(1), 97-109.
- van der Staay, F.J. & Blokland, A. (1996b). Repeated assessment of spatial discrimination performance of aged rats in the Morris water escape task. *Neurobiology of Learning and Memory*, **65**, 99-102.
- van der Staay, F.J., Blokland, A. & Raaijmakers, W. (1990). Different time course for age-related changes of behavior in a complex spatial cone-field discrimination task in Lewis rats. *Psychobiology*, **18**(3), 305-311.

- van der Staay, F.J. & de Jonge, M. (1993). Effects of age on water escape behavior and on repeated acquisition in rats. *Behavioral and Neural Biology*, **60**, 33-41.
- van der Staay, F.J., Hinz, V.C. & Schmidt, B. (1996a). Effects of metrifonate on escape and avoidance learning in young and aged rats. *Behavioural Pharmacology*, **7**, 56-64.
- van der Staay, F.J., Hinz, V.C. & Schmidt, B. (1996b). Effects of metrifonate, its transformation product dichlorvos, and other organophosphorus and reference cholinesterase inhibitors on Morris water-escape behavior in young-adult rats. *The Journal of Pharmacology and Experimental Therapeutics*, **278**, 697-708.
- van der Staay, F.J., Kerbusch, S. & Raaijmakers, W. (1990). Genetic correlations in validating emotionality. *Behavior Genetics*, **20**, 51-62.
- van der Staay, F.J., Krechting, B., Blokland, A. & Raaijmakers, W. (1990). The cone field: a spatial discrimination task for the automatic and simultaneous assessment of working and reference memory in rats. *Journal of Neuroscience Methods*, **31**, 13-22.
- van der Staay, F.J., Raaijmakers, W.G.M. & Blokland, A. (1990). Age differences in spatial memory of rats in two tasks differing only for the response required to find and obtain the food reward. In: van Bezooijen, C.F.A., Ravid, R. & Verhofstad, A.A.J. (Eds.), *From gene to man*. Rijswijk: Stichting Gerontologie en Geriatrie (ISBN 90-9003996-1), pp. 154-158.
- van der Staay, F.J., Raaijmakers, W.G.M. & Collijn, T.H. (1986). Spatial discrimination and passive avoidance behavior in the rat: age-related changes and modulation by chronic dietary choline enrichment. In: Fisher, A., Hanin, I. & Lachman, C. (Eds.), *Alzheimer's and Parkinson's diseases: strategies for research and development*. *Advances in Behavioral Biology*, Vol. **29**. New York: Plenum Press, pp. 603-608.
- van der Staay, F.J., Raaijmakers, W.G.M., Lammers, A.J.J.C. & Tonnaer, J.A.D.M. (1989). Selective fimbria lesions impair acquisition of working and reference memory of rats in a complex spatial discrimination task. *Behavioural Brain Research*, **32**, 151-161.
- van der Staay, F.J., Raaijmakers, W.G.M., Sakkee, A.N. & van Bezooijen, C.F.A. (1988). Spatial working and reference memory of adult and senescent rats after thiopental anaesthesia. *Neuroscience Research Communications*, **3**, 55-61.
- van der Staay, F.J., Stollenwerk, A., Horváth, E. & Schuurman, T. (1992). Unilateral middle cerebral artery occlusion does not affect water-escape behavior of CFW1 mice. *Neuroscience Research Communications*, **11**, 11-18.
- van der Staay, F.J., van Nies, J. & Raaijmakers, W.G.M. (1990). The effects of aging in rats on working and reference memory in a spatial holeboard discrimination task. *Behavioral and Neural Biology*, **53**, 356-370.
- van der Zee, C.E.E.M., Schuurman, T., Gerritsen van der Hoop, R., Traber, J. & Gispen, W.H. (1989). Beneficial effects of nimodipine on peripheral nerve function in aged rats. *Neurobiology of Aging*, **11**, 451-456.
- van Gool, W.A., Mirmiran, M. & van Haaren, F. (1985). Spatial memory and visual evoked potentials in young and old rats after housing in an enriched environment. *Behavioral and Neural Biology*, **44**, 454-469.
- van Hest, A. (1989). Spatial matching and non-matching in male and female Wistar rats: effects of delay interval duration. In: *Behavioral differences between male and female rats: learning and memory*. Doctoral dissertation, University of Amsterdam, pp. 161-170.
- van Luijtelaar, E.L.J.M., van der Staay, F.J. & Kerbusch, J.M.L. (1989). Spatial memory in rats: a cross validation study. *Quarterly Journal of Experimental Psychology*, **41B**, 287-306.
- van Rijzingen, I.M.S., van Dorlemalen, E., Josephy, M., Gispen, W.H. & Spruijt, B.M. (1996). ACTH(4-9) analog ORG2766 treatment 7 months delayed still improves Morris maze performance of fimbria-lesioned rats. *Pharmacology Biochemistry and Behavior*, **53**, 163-169.
- van Zutphen, L.F.M. (1993). Toxicity testing and genetic quality control. *Journal of Experimental Animal Science*, **35**, 202-209.
- van Zutphen, L.F.M. & den Bieman, M.G.C.W. (1984). Genetische karakterisering van rat inteeltstammen: resultaten van een internationaal samenwerkingsproject. *Biotechniek*, **5**, 65-68.
- Vincent, G.P. & Sepinwall, J. (1992). AF102B, a novel M1 agonist, enhanced spatial learning in W1STAR/10 rats with a long duration of action. *Brain Research*, **597**, 264-268.
- Vogels, O.J.M., Broere, C.A.J., ter Laak, H.J., ten Donkelaar, H.J., Nieuwenhuys, R. & Schulte, B.P.M. (1990). Cell loss and shrinkage in the nucleus basalis Meynert complex in Alzheimer's disease. *Neurobiology of Aging*, **11**, 3-13.
- Voits, M., Fink, H., Gerhardt, P. & Huston, J.P. (1995). Application of 'nose-poke habituation' validation with post-trial diazepam- and cholecystokinin-induced hypo- and hypermnesia. *Journal of Neuroscience Methods*, **57**, 101-105.
- Volpe, B.T., Waczek, B. & Davis, H.P. (1988). Modified T-maze training demonstrates dissociated memory loss in rats with ischemic hippocampal injury. *Behavioural Brain Research*, **27**, 259-268.

- Voytko, M.L. (1996). Cognitive functions of the basal forebrain cholinergic system in monkeys: memory or attention? *Behavioural Brain Research*, **75**, 12-25.
- Vrijmoed-de Vries, M.C., Tönissen, H. & Cools, A.R. (1987). The relationship between hindlimb disturbances, forelimb disturbances and catalepsy after increasing doses of muscimol injected into the striatal-pallidal complex. *Psychopharmacology*, **92**, 73-77.

## W

- Wahl, F., Allix, M., Plotkine, M. & Boulu, R.G. (1992). Neurological and behavioral outcomes of focal cerebral ischemia in rats. *Stroke*, **23**, 267-272.
- Wahl, F., Allix, M., Plotkine, M. & Boulu, R.G. (1993). Effect of riluzole on focal cerebral ischemia in rats. *European Journal of Pharmacology*, **230**, 209-214.
- Waite, J.J. & Thal, L.J. (1996). Lesions of the cholinergic nuclei in the rat basal forebrain: excitotoxins vs. an immunotoxin. *Life Sciences*, **58**, 1947-1953.
- Walker, M.D., Salek, S.S. & Bayer, A.J. (1998). A review of quality of life in Alzheimer's disease. *Pharmacoeconomics*, **14**, 499-530.
- Wallace, J.E., Krauter, E.E. & Campbell, B.A. (1980a). Animal models of declining memory in the aged: short-term and spatial memory in the aged rat. *Journal of Gerontology*, **35**, 355-363.
- Wallace, J.E., Krauter, E.E. & Campbell, B.A. (1980b). Motor and reflexive behavior in the aging rat. *Journal of Gerontology*, **35**, 364-370.
- Walsh, R.N. & Cummins, R.A. (1976). The open-field test: a critical review. *Psychological Bulletin*, **83**, 482-504.
- Walsh, T.J. (1998). Models of cholinergic degeneration: AF64A and 192-IgG-Saporin. In: Fisher, A., Hanin, I. & Yoshida, M (Eds.), *Alzheimer's and Parkinson's diseases. Advances in Behavioral Biology*, **49**, 667-674. New York: Plenum Press.
- Watson, B.D., Dietrich, W.D., Busto, R., Wachtel, M.S. & Ginsberg, M.D. (1985). Induction of reproducible brain infarction by photochemically initiated thrombosis. *Annals of Neurology*, **17**, 497-504.
- Wauquier, A., Melis, W. & Janssen, P.A.J. (1989). Long-term neurological assessment of the post-resuscitative effects of flunarizine, verapamil and nimodipine in a new model of global complete ischaemia. *Neuropharmacology*, **28**, 837-846.
- Wehner, J.M., Sleigh, S. & Upchurch, M. (1990). Hippocampal protein kinase C activity is reduced in poor spatial learners. *Brain Research*, **523**, 181-187.
- Weindruch, R. & Masoro, E.J. (1994). Concerns about rodent models for aging research. *Journal of Gerontology*, **46**, B87-B88.
- Welsh, F.A., Sakamoto, T., McKee, A.E. & Sims, R.E. (1987). Effect of lactacidosis on pyridine nucleotide stability during ischemia in mouse brain. *Journal of Neurochemistry*, **49**, 846-851.
- Wenk, G.L. (1996). Neuroprotection and selective vulnerability of neurons within the nucleus basalis magnocellularis. *Behavioural Brain Research*, **72**, 17-24.
- Wenk, G.L., Cribbs, B. & McCall, L. (1984). Nucleus basalis magnocellularis: optimal coordinates for selective reduction of choline acetyltransferase in frontal neocortex by ibotenic acid injections. *Experimental Brain Research*, **56**, 335-340.
- Wenk, G.L., Danysz, W. & Mobley, S.L. (1995). MK-801, memantine and amantadine show neuroprotective activity in the nucleus basalis magnocellularis. *European Journal of Pharmacology*, **293**, 267-270.
- Wenk, G.L., Markowska, A.L. & Olton, D.S. (1989). Basal forebrain lesions and memory: alterations in neurotensin, not acetylcholine, may cause amnesia. *Behavioral Neuroscience*, **103**, 765-769.
- Wenk, G.L. & Olton, D.S. (1984). Recovery of neocortical choline acetyltransferase activity following ibotenic acid injection into the nucleus basalis of Meynert in rats. *Brain Research*, **293**, 184-186.
- Wenk, G.L. & Olton, D.S. (1989). Cognitive enhancers: potential strategies and experimental results. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, **13**, S117-S139.
- Wenk, G.L. & Rökæus, Å. (1988). Basal forebrain lesions differentially alter galanin levels and acetylcholinergic receptors in the hippocampus and neocortex. *Brain Research*, **460**, 17-21.
- Wenk, G.L., Stoehr, J.D., Mobley, S.L., Gurney, J. & Morris, R.J. (1996). Age-related decrease in vulnerability to excitatory amino acids in the nucleus basalis. *Neurobiology of Aging*, **17**, 1-7.
- Whalley, L.J. (1989). Drug treatment of dementia. *British Journal of Psychiatry*, **155**, 595-611.
- Whishaw, I.Q. (1985). Formation of a place learning-set by the rat: a new paradigm for neurobehavioral studies. *Physiology & Behavior*, **35**, 139-143.
- Whishaw, I.Q. (1987). Hippocampal, granule cell and CA3-4 lesions impair formation of a place learning-set in the rat and induce reflex epilepsy. *Behavioural Brain Research*, **24**, 59-72.
- Whishaw, I.Q. (1995). A comparison of rats and mice in a swimming pool place task and matching to place task: some surprising differences. *Physiology & Behavior*, **58**, 687-693.
- Whishaw, I.Q., O'Connor, W.T. & Dunnett, S.B. (1985). Disruption of central cholinergic systems

- in the rat by basal forebrain lesions or atropine: effects on feeding, sensorimotor behavior, locomotor activity and spatial navigation. *Behavioural Brain Research*, **17**, 103-115.
- White, B.C., Grossman, L.I. & Krause, G.S. (1993). Brain injury by global ischemia and reperfusion: a theoretical perspective on membrane damage and repair. *Neurology*, **43**, 1656-1665.
- Whitehouse, P.J., Hedreen, J.C., White, C.L. III & Price, D.L. (1983). Basal forebrain neurons in the dementia of Parkinson disease. *Annals of Neurology*, **13**, 243-248.
- Wiebers, D.O., Adams, H.P. & Whisnant, J.P. (1990). Animal models of stroke: are they relevant to human disease? *Stroke*, **21**, 1-3
- Wiebers, D.O., Feigin, V.L. & Brown, R.D., Jr. (1997). *Handbook of stroke*. Philadelphia: Lippincott - Raven.
- Wilcock, G.K., Esiri, M.M., Bowen, D.M. & Smith, C.C.T. (1982). Alzheimer's disease: correlation of cortical choline acetyltransferase activity with the severity of dementia and histological abnormalities. *Journal of the Neurological Sciences*, **57**, 407-417.
- Willner, P. (1986). Validation criteria for animal models of human mental disorders: learned helplessness as a paradigm case. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, **10**, 677-690.
- Willner, P. (1991). Behavioural models in psychopharmacology. In: Willner, P. (Ed.), *Behavioural models in psychopharmacology: theoretical, industrial and clinical perspectives*. Cambridge: Cambridge University Press, pp. 3-18.
- Willner, P., Wise, D. & Ellis, T. (1986). Specific disruption of spatial behaviour in rats by central muscarinic receptor blockade. *Psychopharmacology*, **90**, 229-235.
- Winblad, B., Hardy, J., Backman, L. & Nilsson, L.-G. (1985). Memory function and brain biochemistry in normal aging and in senile dementia. In: Olton, D.S., Gamzu, E. & Corkin, S. (Eds.), *Memory dysfunctions: an integration of animal and human research from preclinical and clinical perspectives*. *Annals of the New York Academy of Sciences*, **444**, pp. 255-268.
- Winer, B.J. (1971). *Statistical principles in experimental design* (2nd ed.). New York: McGraw-Hill Book Company.
- Winkler, J., Power, A.E., Ramirez, G.A. & Thal, L.J. (1998). Short-term and complete reversal of NGF effects in rats with lesions of the nucleus basalis magnocellularis. *Brain Research*, **788**, 1-12.
- Winkler, J., Suhr, S.T., Gage, F.H., Thal, L.J. & Fisher, L.J. (1995). Essential role of neocortical acetylcholine in spatial memory. *Nature*, **375**, 484-487.
- Wirsching, B.A., Beninger, R.J., Jhamandas, K., Boegman, R.J. & Bialik, M. (1989). Kynurenic acid protects against the neurochemical and behavioral effects of unilateral quinolinic acid injections into the nucleus basalis of rats. *Behavioral Neuroscience*, **103**, 90-97.
- Wong, P.C., Zheng, H., Chen, H., Becher, M.W., Sirinathsinghji, D.J.S., Trumbauer, M.E., Chen, H.Y., Price, D.L., van der Ploeg, L.H.T. & Sisodia, S.S. (1997). Presenilin 1 is required for Notch 1 Dll1 expression in the paraxial mesoderm. *Nature*, **387**, 288-292.
- Wood, N.I., Sopesen, B.V., Roberts, J.C., Pambakian, P., Rothaul, A.L., Hunter, A.J. & Hamilton, T.C. (1996). Motor dysfunction in a photothrombic focal ischaemia model. *Behavioural Brain Research*, 113-120-
- Woolf, N.J. (1991). Cholinergic systems in mammalian brain and spinal cord. *Progress in Neurobiology*, **37**, 475-524.
- Wozniak, D.F., Stewart, G.R., Finger, S., Olney, J.W. & Cozzari, C. (1989). Basal forebrain lesions impair tactile discrimination and working memory. *Neurobiology of Aging*, **10**, 173-179.
- ## X
- Xiong, Y., Gu, Q., Peterson, P.L., Muizelaar, J.P. & Lee, C.P. (1997). Mitochondrial dysfunction and calcium perturbation induced by traumatic brain injury. *Journal of Neurotrauma*, **14**, 23-34.
- ## Y
- Yager, J.Y., Shuaib, A. & Thornhill, J. (1996). The effect of age on susceptibility to brain damage in a model of global hemispheric hypoxia-ischemia. *Developmental Brain Research*, **93**, 143-154.
- Yamamoto, M., Tamura, A., Kirino, T., Shimizu, M. & Sano, K. (1988). Behavioral changes after focal cerebral ischemia by left middle cerebral artery occlusion in rats. *Brain Research*, **452**, 323-328.
- Yamamoto, M., Tamura, A., Kirino, T., Shimizu-Sasamata, M. & Sano, K. (1991). Effects of thyrotropin-releasing hormone on behavioral disturbances in middle cerebral artery-occluded rats. *European Journal of Pharmacology*, **197**, 117-123.
- Yamazaki, M., Matsuoka, N., Maeda, N., Kuratani, K., Ohkubo, Y. & Yamaguchi, I. (1995). FR121196, a potential antedementia drug, ameliorates the impaired memory of rat in the Morris water maze. *The Journal of Pharmacology and Experimental Therapeutics*, **272**, 256-263.
- Yamori, Y., Nara, Y., Nabika, T., Tagami, M. & Horie, R. (1991). Cellular mechanisms of spontaneous hypertension and stroke: role of vascular smooth muscle cells. In: Bruschi, G. & Borghetti, A.

- (Eds.), *Cellular aspects of hypertension*. New York: Springer Verlag, pp. 25-40.
- Yang, G.-Y., Betz, A.L., Chenevert, T.L., Brunberg, J.A. & Hoff, J.T. (1994). Experimental intracerebral hemorrhage: relationship between brain edema, blood flow, and blood-brain barrier permeability in rats. *Journal of Neurosurgery*, **81**, 93-102.
- Yashin, A.I., Iachine, I.A. & Harris, J.R. (1999). Half of the variation in susceptibility to mortality is genetic: findings from Swedish twin survival data. *Behavior Genetics*, **29**, 11-19.
- Yau, J.L.W., Morris, R.G.M. & Seckl, J.R. (1994). Hippocampal corticosteroid receptor mRNA expression and spatial learning in the aged Wistar rat. *Brain Research*, **657**, 59-64.
- Yoerg, S.I. & Kamil, A.C. (1982) Response strategies in the radial arm maze: running around in circles. *Animal Learning and Behavior*, **10**, 530-534.
- Yonemori, F., Yamada, H., Yamaguchi, T., Uemura, A. & Tamura, A. (1996). Spatial memory disturbance after focal cerebral ischemia in rats. *Journal of Cerebral Blood Flow and Metabolism*, **16**, 973-980.
- Youngblood, B.D., Zhou, J., Smagin, G.N., Ryan, D.H. & Harris, R.B.S. (1997). Sleep deprivation by the "flower pot" technique and spatial reference memory. *Physiology & Behavior*, **61**, 249-256.
- Z**
- Zawia, N., Arendash, G.W. & Wecker, L. (1992). Basal forebrain cholinergic neurons in aged rat brain are more susceptible to ibotenate-induced degeneration than neurons in young adult brain. *Brain Research*, **589**, 333-337.
- Zhang, Z., Chopp, M & Powers, C. (1997). Temporal profile of microglial response following transient (2h) middle cerebral artery occlusion. *Brain Research*, **744**, 189-198.
- Zhang, R.L., Chopp, M., Zhang, Z.G., Jiang, Q. & Ewing, J.R. (1997). A rat model of focal embolic cerebral ischemia. *Brain Research*, **766**, 83-92.
- Zhao, Q. (1995). *Transient middle cerebral artery occlusion in rats*. Doctoral dissertation, University of Lund, Sweden.
- Zhao, W., Ginsberg, M., Prado, R. & Belayev, L. (1996). Depiction of infarct frequency distribution by computer-assisted image mapping in rat brains with middle cerebral artery occlusion. *Stroke*, **27**, 1112-1117.
- Zhou, Y, Elkins, P.D., Howell, L.A., Ryan, D.H. & Harris, R.B.S. (1998). Apolipoprotein-E deficiency results in an altered stress responsiveness in addition to an impaired spatial memory in young mice. *Brain Research*, **788**, 151-159.
- Zippel, C. (1994). *Schlaganfall*. Frankfurt/Main: Ullstein Medicus.
- Zola-Morgan, S. & Squire, L.R. (1992). The components of the medial temporal lobe memory system. In: Squire, L.R. & Butters, N. (Eds.), *Neuropsychology of memory* (2nd ed.). New York: The Guilford Press, pp. 325-335.