

University of Groningen

**Travels in a changing world flexibility and constraints in migration and breeding of the barnacle goose**

Eichhorn, Götz

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2008

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*  
Eichhorn, G. (2008). Travels in a changing world flexibility and constraints in migration and breeding of the barnacle goose. s.n.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## References

### A

- Abraham KF, Jefferies RL, Alisauskas RT (2005) The dynamics of landscape change and snow geese in mid-continent North America. *Global Change Biology* 11: 841-855
- ACIA Integration Team (2005) Arctic Climate Impact Assessment - Scientific Report. Cambridge University Press, Cambridge
- Aerts BA, Esselink P, Helder GJF (1996) Habitat selection and diet composition of greylag geese *Anser anser* and barnacle geese *Branta leucopsis* during fall and spring staging in relation to management in the tidal marshes of the Dollard. *Zeitschrift für Ökologie und Naturschutz* 5: 65-75
- Afanasyev V (2004) A miniature daylight level and activity data recorder for tracking animals over long periods. *Memoirs National Institute of Polar Research (Japan) Spec. Issue* 58: 227-233
- Afton AD, Paulus SL (1992) Incubation and brood care. In: Batt BDJ, Afton AD, Anderson MG, Ankney CD, Johnson DH, Kadlec JA, Krapu GL (eds) *Eology and Management of Breeding Waterfowl*. University of Minnesota Press, Minneapolis, pp 62-108
- Aldrich TW, Raveling DG (1983) Effects of experience and body weight on incubation behavior of Canada geese. *Auk* 100: 670-679
- Alerstam T (2006a) Conflicting evidence about long-distance animal navigation. *Science* 313: 791-794
- Alerstam T (2006b) Strategies for the transition to breeding in time-selected bird migration. *Ardea* 94: 347-357
- Alerstam T, Hake M, Kjellen N (2006) Temporal and spatial patterns of repeated migratory journeys by ospreys. *Animal Behaviour* 71: 555-566
- Alerstam T, Hedenström A (1998) The development of bird migration theory. *Journal of Avian Biology* 29: 343-369
- Alerstam T, Hedenström A, Åkesson S (2003) Long-distance migration: evolution and determinants. *Oikos* 103: 247-260
- Alerstam T, Hjort C, Högsted G, Jönsson PE, Karlsson J, Larsson B (1986) Spring migration of birds across the Greenland Inlandice. *Meddelelser om Grønland, Bioscience* 21: 1-38
- Alerstam T, Lindström Å (1990) Optimal bird migration: the relative importance of time, energy and safety. In: Gwinner E (ed) *Bird Migration: Physiology and Ecophysiology*. Springer-Verlag, Berlin, pp 331-351
- Alisauskas RT, Ankney CD (1992a) Egg laying and nutrient reserves. In: Batt BDJ, Afton AD, Anderson MG, Ankney CD, Johnson DH, Kadlec JA, Krapu GL (eds) *Eology and Management of Breeding Waterfowl*. University of Minnesota Press, Minneapolis, pp 30-61
- Alisauskas RT, Ankney CD (1992b) Spring habitat use and diets of midcontinent adult lesser snow geese. *Journal of Wildlife Management* 56: 43-54

- Allen LR, Hume ID (2001) The maintenance nitrogen requirement of the zebra finch *Taeniopygia guttata*. *Physiological and Biochemical Zoology* 74: 366-375
- Alsos IG, Elvebakk A, Gabrielsen GW (1998) Vegetation exploitation by barnacle geese *Branta leucopsis* during incubation on Svalbard. *Polar Research* 17: 1-14
- Amat JA (1995) Effects of wintering greylag geese *Anser anser* on their *Scirpus* food plants. *Ecography* 18: 155-163
- Anderson DR, Burnham KP, Thompson WL (2000) Null hypothesis testing: problems, prevalence, and an alternative. *Journal of Wildlife Management* 64: 912-923
- Ankney CD (1984) Nutrient reserve dynamics of breeding and molting brant. *Auk* 101: 361-370
- Ankney CD, MacInnes CD (1978) Nutrient reserves and reproductive performance of female lesser snow geese. *Auk* 95: 459-471
- Anonymous (1996) Southern Barents Sea and Beloye More Pilot. UK Hydrographic Office, HMSO, pp 1-166
- Ar A, Sidis Y (2002) Nest microclimate during incubation. In: Deeming DC (ed) *Avian Incubation: Behaviour, Environment and Evolution*. Oxford University Press, Oxford, pp 143-160
- Arnould JPY, Boyd IL, Speakman JR (1996) Measuring the body composition of Antarctic fur seals (*Arctocephalus gazella*): validation of hydrogen isotope dilution. *Physiological Zoology* 69: 93-116
- Arzel C, Elmberg J, Guillemain M (2006) Ecology of spring-migrating *Anatidae*: a review. *Journal of Ornithology* 147: 167-184
- Austin JE, Fredrickson LH (1987) Body and organ mass and body composition of post-breeding female lesser scaup. *Auk* 104: 694-699
- B**
- Badyaev AV, Hill GE, Beck ML, Dervan AA, Duckworth RA, McGraw AJ, Nolan PM, Whittingham LA (2002) Sex-biased hatching order and adaptive population divergence in a passerine bird. *Science* 295: 316-318
- Badyaev AV, Martin TE (2000) Sexual dimorphism in relation to current selection in the house finch. *Evolution* 54: 987-997
- Bairlein F, Gwinner E (1994) Nutritional mechanisms and temporal control of migratory energy accumulation in birds. *Annual Review of Nutrition* 14: 187-215
- Baker AJ, Gonzalez PM, Piersma T, Niles LJ, do Nascimento IDS, Atkinson PW, Clark NA, Minton CDT, Peck MK, Aarts G (2004) Rapid population decline in red knots: fitness consequences of decreased refuelling rates and late arrival in Delaware Bay. *Proceedings of the Royal Society of London Series B* 271: 875-882
- Baker DH (2003) Ideal amino acid patterns for broiler chicks. In: D'Mello JPF (ed) *Amino Acids in Animal Nutrition*. CAB International, Wallingford, UK, pp 223-235
- Barboza PS, Jorde DG (2002) Intermittent fasting during winter and spring affects body composition and reproduction of a migratory duck. *Journal of Comparative Physiology B* 172: 419-434
- Barry TW (1962) Effects of late seasons on Atlantic brant reproduction. *Journal of Wildlife Management* 26: 19-26
- Batt BDJ, Afton AD, Anderson MG, Ankney CD, Johnson DH, Kadlec JA, Krapu GL (eds) (1992) *Ecology and Management of breeding waterfowl*. University of Minnesota Press, Minneapolis
- Battley PF (2006) Consistent annual schedules in a migratory shorebird. *Biology Letters* 2: 517-520
- Battley PF, Piersma T (1997) Body composition of lesser knots *Calidris canutus rogersi* preparing to take off on migration from northern New Zealand. *Notornis* 44: 137-150
- Battley PF, Piersma T, Rogers DI, Dekinga A, Spaans B, Van Gils JA (2004) Do body condition and plumage during fuelling predict northwards departure dates of great knots *Calidris tenuirostris* from north-west Australia? *Ibis* 146: 46-60
- Bech C, Østnes JE (1999) Influence of body composition on the metabolic rate of nestling European shags (*Phalacrocorax aristotelis*). *Journal of Comparative Physiology B* 169: 263-270

- Béchet A, Giroux JF, Gauthier G (2004) The effects of disturbance on behaviour, habitat use and energy of spring staging snow geese. *Journal of Applied Ecology* 41: 689-700
- Benson AM, Winker K (2005) Fat-deposition strategies among high-latitude passerine migrants. *Auk* 122: 544-557
- Berthold P, Helbig AJ, Mohr G, Querner U (1992) Rapid microevolution of migratory behaviour in a wild bird species. *Nature* 360: 668-670
- Berthold P, Kaatz M, Querner U (2004) Long-term satellite tracking of white stork (*Ciconia ciconia*) migration: constancy versus variability. *Journal of Ornithology* 145: 356-359
- Berthold P, von der Bossche W, Jakubiec Z, Kaatz C, Kaatz M, Querner U (2002) Long-term satellite tracking sheds light upon variable migration strategies of white storks (*Ciconia ciconia*). *Journal für Ornithologie* 143: 489-493
- Béty J, Gauthier G, Giroux JF (2003) Body condition, migration, and timing of reproduction in snow geese: a test of the condition-dependent model of optimal clutch size. *American Naturalist* 162: 110-121
- Béty J, Giroux JF, Gauthier G (2004) Individual variation in timing of migration: causes and reproductive consequences in greater snow geese (*Anser caerulescens atlanticus*). *Behavioral Ecology and Sociobiology* 57: 1-8
- Black JM (ed) (1996) *Partnerships in Birds: The Study of Monogamy*. Oxford University Press, Oxford
- Black JM, Prop J, Larsson K (2007) *Wild Goose Dilemmas*. Branta Press, Groningen
- Blaxter KL (1989) *Energy Metabolism in Animals and Man*. Cambridge University Press, Cambridge
- Blem CR (1990) Avian energy storage. In: Power DM (ed) *Current Ornithology*. Plenum Press, New York, pp 59-113
- Boisen S (2003) Ideal dietary amino acid profiles for pigs. In: D'Mello JPF (ed) *Amino Acids in Animal Nutrition*. CAB International, Wallingford, UK, pp 157-168
- Boismenu C, Gauthier G, Larochelle J (1992) Physiology of prolonged fasting in greater snow geese (*Chen caerulescens atlantica*). *Auk* 109: 511-521
- Bolduc F, Guillemette M (2003) Incubation constancy and mass loss in the common eider *Somateria mollissima*. *Ibis* 145: 329-332
- Boos M, Zorn T, Koch A, Le Maho Y, Robin JP (2000) Determining body fuels of wintering mallards. *Comptes rendus de l'Académie des sciences Série III, Sciences de la vie* 323: 183-193
- Bos D, Stahl J (2003) Creating new foraging opportunities for dark-bellied brent *Branta bernicla* and barnacle geese *Branta leucopsis* in spring: insights from a large-scale experiment. *Ardea* 91: 153-165
- Bos D, Van der Koppel J, Weissing FJ (2004) Dark-bellied brent geese aggregate to cope with increased levels of primary production. *Oikos* 107: 485-496
- Both C (2007) Comment on "Rapid advance of spring arrival dates in long-distance migratory birds". *Science* 315: 598b
- Both C, Bouwhuis S, Lessells CM, Visser ME (2006) Climate change and population declines in a long-distance migratory bird. *Nature* 441: 81-83
- Both C, Visser ME (2001) Adjustment to climate change is constrained by arrival date in a long-distance migrant bird. *Nature* 411: 296-298
- Botta A, Viovy N, Ciais P, Friedlingstein P, Monfray P (2000) A global prognostic scheme of leaf onset using satellite data. *Global Change Biology* 6: 709-725
- Bowler J (2005) Breeding strategies and biology. In: Kear J (ed) *Ducks, Geese and Swans*. Oxford University Press, pp 68-111
- Brinkhof MWG, Cave AJ, Daan S, Perdeck AC (2002) Timing of current reproduction directly affects future reproductive output in European coots. *Evolution* 56: 400-411
- Brinkhof MWG, Cave AJ, Hage FJ, Verhulst S (1993) Timing of reproduction and fledging success in the coot *Fulica atra*: evidence for a causal relationship. *Journal of Animal Ecology* 62: 577-587
- Brown ME (1996) Assessing body condition in birds. In: Nolan V, Ketterson ED (eds) *Current Ornithology*. Plenum Press, New York, pp 67-135

- Butler PJ, Bishop CM, Woakes AJ (2003) Chasing a wild goose: posthatch growth of locomotor muscles and behavioural physiology of migration of an Arctic goose. In: Berthold P, Gwinner E, Sonnenschein E (eds) *Avian Migration*. Springer-Verlag, Berlin Heidelberg, pp 527-542
- Butler PJ, Woakes AJ, Bevan RM, Stephenson R (2000) Heart rate and rate of oxygen consumption during flight of the barnacle goose, *Branta leucopsis*. *Comparative Biochemistry and Physiology A: Molecular & Integrative Physiology* 126: 379-385
- Butler PJ, Woakes AJ, Bishop CM (1998) Behaviour and physiology of Svalbard barnacle geese *Branta leucopsis* during their autumn migration. *Journal of Avian Biology* 29: 536-545
- C**
- Calder WA, King JR (1974) Thermal and caloric relationships of birds. In: Farner DS, King JR (eds) *Avian Biology*, Vol. IV. Academic Press, New York, pp 259-413
- Caloin M (2004) Modeling of lipid and protein depletion during total starvation. *American Journal of Physiology-Endocrinology and Metabolism* 287: E790-E798
- Campbell RR, Leatherland JF (1980) Estimating body protein and fat from water content in lesser snow geese. *Journal of Wildlife Management* 44: 438-446
- Carey C (ed) (1996a) *Avian Energetics and Nutritional Ecology*. Chapman & Hall, New York
- Carey C (1996b) Female reproductive energetics. In: Carey C (ed) *Avian Energetics and Nutritional Ecology*. Chapman & Hall, New York, pp 324-374
- Cartar RV, Morrison RIG (1997) Estimating metabolic costs for homeotherms from weather data and morphology: an example using calidridine sandpipers. *Canadian Journal of Zoology* 75: 94-101
- Cherel Y, Robin JP, Heitz A, Calgari C, Le Maho Y (1992) Relationships between lipid availability and protein utilization during prolonged fasting. *Journal of Comparative Physiology B* 162: 305-313
- Choiniere L, Gauthier G (1995) Energetics of reproduction in female and male greater snow geese. *Oecologia* 103: 379-389
- Christians JK (2000) Trade-offs between egg size and number in waterfowl: an interspecific test of the van Noordwijk and de Jong model. *Functional Ecology* 14: 497-501
- Clausen P, Green M, Alerstam T (2003) Energy limitations for spring migration and breeding: the case of brent geese *Branta bernicla* tracked by satellite telemetry to Svalbard and Greenland. *Oikos* 103: 426-445
- Conradt L, Roper TJ (2005) Consensus decision making in animals. *Trends in Ecology & Evolution* 20: 449-456
- Cooch EG, Lank DB, Dzubin A, Rockwell RF, Cooke F (1991) Body size variation in lesser snow geese: environmental plasticity in gosling growth rate. *Ecology* 72: 503-512
- Couzin ID, Krause J, Franks NR, Levin SA (2005) Effective leadership and decision-making in animal groups on the move. *Nature* 433: 513-516
- Coyne MS, Godley BJ (2005) Satellite Tracking and Analysis Tool (STAT): an integrated system for archiving, analyzing and mapping animal tracking data. *Marine Ecology Progress Series* 301: 1-7
- Crick HQP, Dudley C, Glue DE, Thomson DL (1997) UK birds are laying eggs earlier. *Nature* 388: 526
- Crum BG, Williams JB, Nagy KA (1985) Can tritiated water-dilution space accurately predict total-body water in chukar partridges? *Journal of Applied Physiology* 59: 1383-1388
- Culebras JM, Moore FD (1977) Total body water and the exchangeable hydrogen. I. Theoretical calculation of non-aqueous exchangeable hydrogen in man. *American Journal of Physiology* 232: R54-R59
- Cuthill IC, Houston AI (1997) Managing time and energy. In: Krebs JR, Davies NB (eds) *Behavioural Ecology: An Evolutionary Approach*. Blackwell Science, Oxford, pp 97-120
- D**
- Daan S, Dijkstra C, Tinbergen JM (1990) Family planning in the kestrel (*Falco tinnunculus*): the ultimate control of covariation of laying date and clutch size. *Behaviour* 114: 83-116

- Daan S, Tinbergen JM (1997) Adaptation of life histories. In: Krebs JR, Davis NB (eds) Behavioural Ecology: An Evolutionary Approach. Blackwell Science, Oxford, pp 311-333
- Dalerum F, Angerbjörn A (2005) Resolving temporal variation in vertebrate diets using naturally occurring stable isotopes. *Oecologia* 144: 647-658
- Dalgaard L, Tombre IM, Erikstad KE (1996) Seasonal decline in clutch size of the barnacle goose in Svalbard. *Condor* 98: 42-47
- Davidson NC (1984) Changes in the condition of dunlins and knots during short-term captivity. *Canadian Journal of Zoology* 62: 1724-1731
- Davies C, Fischer H, Gwinner E (1969) Differences in breeding times between certain species of geese and their hybrids under identical conditions. *Oecologia* 3: 266-276
- Dawson TJ, Whitehead PJ, McLean A, Fanning FD, Dawson WR (2000) Digestive function in Australian magpie geese (*Anseranas semipalmata*). *Australian Journal of Zoology* 48: 265-279
- Degen AA, Pinshow B, Alkon PU, Arnon H (1981) Tritiated water for estimating total body water and water turnover rate in birds. *Journal of Applied Physiology* 51: 1183-1188
- Delany S, Scott D (eds) (2002) Waterbird Population Estimates, 3rd edition. Wetlands International Global Series 12. Wetlands International, Wageningen
- Dietz MW, Piersma T, Dekinga A (1999) Body-building without power training? Endogenously regulated pectoral muscle hypertrophy in confined shorebirds. *Journal of Experimental Biology* 202: 2831-2837
- Drent R, Both C, Green M, Madsen J, Piersma T (2003) Pay-offs and penalties of competing migratory schedules. *Oikos* 103: 274-292
- Drent R, Weijand B, Ebbsing B (1978) Balancing the energy budget of arctic breeding geese throughout the annual cycle: a progress report. *Verhandlungen der Ornithologischen Gesellschaft in Bayern* 23: 239-264
- Drent RH (2006) The timing of birds' breeding seasons: the Perrins hypothesis revisited especially for migrants. *Ardea* 94: 305-322
- Drent RH, Daan S (1980) The prudent parent: energetic adjustments in avian breeding. *Ardea* 68: 225-252
- Drent RH, Eichhorn G, Flagstad A, Van der Graaf AJ, Litvin KE, Stahl J (2007) Migratory connectivity in Arctic geese: spring stopovers are the weak links in meeting targets for breeding. *Journal of Ornithology* 148: S501-S514
- Drent RH, Fox AD, Stahl J (2006) Travelling to breed. *Journal of Ornithology* 147: 122-134
- Dunn EH, MacInnes CD (1987) Geographic variation in clutch size and body size of Canada geese. *Journal of Field Ornithology* 58: 355-371
- E**
- Ebbsing BS (1991) The impact of hunting on mortality rates and spatial distribution of geese wintering in the Western Palearctic. *Ardea* 79: 197-209
- Ebbsing BS (1992) Regulation of numbers of dark-bellied brent geese *Branta bernicla bernicla* on spring staging sites. *Ardea* 80: 203-228
- Ebbsing BS, Spaans B (1995) The importance of body reserves accumulated in spring staging areas in the temperate zone for breeding in dark-bellied brent geese *Branta b. bernicla* in the High Arctic. *Journal of Avian Biology* 26: 105-113
- Ebbsing BS, Van Biezen JB, Van der Voet H (1991) Estimation of annual adult survival rates of barnacle geese *Branta leucopsis* using multiple resightings of marked individuals. *Ardea* 79: 73-112
- Eichholz MW, Sedinger JS (1999) Regulation of incubation behavior in black brant. *Canadian Journal of Zoology* 77: 249-257
- Eichhorn G (2005) Northward bound: fat for flight. How barnacle geese budget their spring travels. In: Drent RH, Tinbergen JM, Bakker JP, Piersma T (eds) Seeking Nature's Limits. KNNV Publishing, Utrecht, pp 102-113
- Eichhorn G, Afanasyev V, Drent RH, Van der Jeugd HP (2006) Spring stopover routines in Russian barnacle geese *Branta leucopsis* tracked by resightings and geolocation. *Ardea* 94: 667-678



- Eichhorn G, Visser GH (2008, *in press*) Evaluation of the deuterium dilution method to estimate body composition in the barnacle goose: accuracy and minimum equilibration time.
- Ekstrom PA (2004) An advance in geolocation by light. *Memoirs National Institute of Polar Research (Japan) Spec. Issue 58*: 210-226
- Ellis HI, Jehl JR (1991) Total body water and body composition in phalaropes and other birds. *Physiological Zoology* 64: 973-984
- Eltis J, Kuresoo A, Leibak E, Leito A, Lilleleht V, Luigujõe L, Lõhmus A, Mägi E, Ots M (2003) Status and numbers of Estonian birds, 1988-2002. *Hirundo* 16: 58-83
- Erikstad KE, Bustnes JO, Moum T (1993) Clutch size determination in precocial birds - a study of the common eider. *Auk* 110: 623-628
- Erikstad KE, Fauchald P, Tveraa T, Steen H (1998) On the cost of reproduction in long-lived birds: The influence of environmental variability. *Ecology* 79: 1781-1788
- Erikstad KE, Tveraa T (1995) Does the cost of incubation set limits to clutch size in common eiders *Somateria mollissima*? *Oecologia* 103: 270-274
- Esler D, Grand JB (1994) The role of nutrient reserves for clutch formation by northern pintails in Alaska. *Condor* 96: 422-432
- Esler D, Grand JB, Afton AD (2001) Intraspecific variation in nutrient reserve use during clutch formation by lesser scaup. *Condor* 103: 810-820
- F**
- Falconer DS (1989) *Introduction to Quantitative Genetics*. Longman Scientific and Technical, New York
- Figuerola J, Green AJ (2006) A comparative study of egg mass and clutch size in the *Anseriformes*. *Journal of Ornithology* 147: 57-68
- Filchagov AV, Leonovich VV (1992) Breeding range expansion of barnacle and brent geese in the Russian European North. *Polar Research* 11: 41-46
- Findlay CS, Cooke F (1982) Synchrony in the lesser snow goose (*Anser caerulescens caerulescens*). II. The adaptive value of reproductive synchrony. *Evolution* 36: 786-799
- Forslund P, Larsson K (1991) The effect of mate change and new partner's age on reproductive success in the barnacle goose *Branta leucopsis*. *Behavioral Ecology* 2: 116-122
- Forslund P, Larsson K (1992) Age-related reproductive success in the barnacle goose. *Journal of Animal Ecology* 61: 195-204
- Forslund P, Larsson K (1995) Intraspecific nest parasitism in the barnacle goose: behavioural tactics of parasites and hosts. *Animal Behaviour* 50: 509-517
- Forstmeier W (2002) Benefits of early arrival at breeding grounds vary between males. *Journal of Animal Ecology* 71: 1-9
- Fox AD, Christian M, Alyn J (2003) Spring migration routes and timing of Greenland white-fronted geese - results from satellite telemetry. *Oikos* 103: 415-425
- Fox AD, Madsen J, Boyd H, Kuijken E, Norriss DW, Tombre IM, Stroud DA (2005) Effects of agricultural change on abundance, fitness components and distribution of two arctic-nesting goose populations. *Global Change Biology* 11: 881-893
- G**
- Gabrielsen GW, Mehlum F, Karlsen HE, Andresen O, Parker E (1991) Energy cost during incubation and thermoregulation in the female common eider *Somateria mollissima*. *Norsk Polarinstitutts Skrifter* 195: 51-62
- Galef B, Heyes CM (2004) Social learning and imitation. *Learning and Behaviour (special issue)* 32: 1-140
- Ganter B, Cooke F (1996) Pre-incubation feeding activities and energy budgets of snow geese: Can food on the breeding grounds influence fecundity? *Oecologia* 106: 153-165
- Ganter B, Larsson K, Syroechkovsky E.V., Litvin KE, Leito A, Madsen J (1999) Barnacle goose *Branta leucopsis*: Russian and Baltic populations. In: Madsen J, Fox AD, Cracknell J (eds) *Goose Populations of the Western Palearctic. A Review of Status and Distribution*. Wetlands International, Wageningen, pp 270-283
- Garrettson PR, Rohwer FC (1998) Reproductive effort and survival of wild blue-winged teal,

- Anas discors*, with backpack harness and implant transmitters. *Canadian Field-Naturalist* 112: 212-216
- Garretson PR, Rohwer FC, Moser EB (2000) Effects of backpack and implanted radiotransmitters on captive blue-winged teal. *Journal of Wildlife Management* 64: 216-222
- Gauthier G, Bêty J, Hobson KA (2003) Are greater snow geese capital breeders? New evidence from a stable-isotope model. *Ecology* 84: 3250-3264
- Gauthier G, Giroux JF, Bedard J (1992) Dynamics of fat and protein reserves during winter and spring migration in greater snow geese. *Canadian Journal of Zoology* 70: 2077-2087
- Gauthier G, Giroux JF, Reed A, Béchet A, Belanger L (2005) Interactions between land use, habitat use, and population increase in greater snow geese: what are the consequences for natural wetlands? *Global Change Biology* 11: 856-868
- Gehre M, Geilmann H, Richter J, Werner RA, Brand WA (2004) Continuous flow  $^2\text{H}/^1\text{H}$  and  $^{18}\text{O}/^{16}\text{O}$  analysis of water samples with dual inlet precision. *Rapid Communications in Mass Spectrometry* 18: 2650-2660
- Gessaman JA (1999) Evaluation of some non-lethal methods of estimating avian body fat and lean mass. In: Adams N, Slotow R (eds) *Proceedings of the 22nd International Ornithological Congress*. Durban University of Natal Press, Durban, South Africa, pp 2-16
- Gill JA, Norris K, Potts PM, Gunnarsson TG, Atkinson PW, Sutherland WJ (2001) The buffer effect and large-scale population regulation in migratory birds. *Nature* 412: 436-438
- Glahder CM, Fox AD, Hübner CE, Madsen J, Tombre IM (2006) Pre-nesting site use of satellite transmitter tagged Svalbard pink-footed geese *Anser brachyrhynchus*. *Ardea* 94: 679-690
- Gloutney ML, Clark RG (1991) The significance of body mass to female dabbling ducks during late incubation. *Condor* 93: 811-816
- Green M (1998) Spring migration of Barnacle Goose *Branta leucopsis* and Dark-bellied Brent Goose *B. bernicla bernicla* over Sweden. *Ornis Svecica* 8: 103-123
- Green M, Alerstam T, Clausen P, Drent R, Ebbs BS (2002) Dark-bellied Brent Geese *Branta bernicla bernicla*, as recorded by satellite telemetry, do not minimize flight distance during spring migration. *Ibis* 144: 106-121
- Grieco F, Van Noordwijk AJ, Visser ME (2002) Evidence for the effect of learning on timing of reproduction in blue tits. *Science* 296: 136-138
- Groscolas R, Schreiber L, Morin F (1991) The use of tritiated water to determine protein and lipid utilization in fasting birds: a validation-study in incubating Great-winged Petrels, *Pterodroma macroptera*. *Physiological Zoology* 64: 1217-1233
- Guan J, Xiang P, Keating XD (2004) Evaluating the replicability of sample results: a tutorial of double cross-validation methods. *Measurement in physical education and exercise science* 8: 227-241
- Gudmundsson GA, Lindström Å, Alerstam T (1991) Optimal Fat Loads and Long-Distance Flights by Migrating Knots *Calidris-Canutus*, Sanderlings *C-Alba* and Turnstones *Arenaria-Interpres*. *Ibis* 133: 140-152
- Gunnarsson TG, Gill JA, Atkinson PW, Gelinaud G, Potts PM, Croger RE, Gudmundsson GA, Appleton GF, Sutherland WJ (2006) Population-scale drivers of individual arrival times in migratory birds. *Journal of Animal Ecology* 75: 1119-1127
- Gurtovaya EN (1997) Breeding conditions for barnacle geese on Vaygach Island in 1996. *Casarca*: 109-110
- Gwinner E (1996) Circannual clocks in avian reproduction and migration. *Ibis* 138: 47-63
- Gwinner E, Dorka V (1976) Endogenous control of annual reproductive rhythm in birds. *Proceedings of the 16th International Ornithological Congress*: 223-234
- H**
- Hallanaro E-L, Pylvänäinen M (2002) Nature in Northern Europe - Biodiversity in a changing environment. *Nord 2001*: 13, Nordic Council of Ministers, Copenhagen
- Hanssen SA (2006) Costs of an immune challenge and terminal investment in a long-lived bird. *Ecology* 87: 2440-2446



- Hanssen SA, Hasselquist D, Folstad I, Erikstad KE (2004) Costs of immunity: immune responsiveness reduces survival in a vertebrate. *Proceedings of the Royal Society of London Series B* 271: 925-930
- Hanssen SA, Hasselquist D, Folstad I, Erikstad KE (2005) Cost of reproduction in a long-lived bird: incubation effort reduces immune function and future reproduction. *Proceedings of the Royal Society of London Series B* 272: 1039-1046
- Hassall M, Lane SJ, Stock M, Percival SM, Pohl B (2001) Monitoring feeding behaviour of brent geese *Branta bernicla* using position-sensitive radio transmitters. *Wildlife Biology* 7: 77-86
- Hedenström A (2007) Adaptations to migration in birds: behavioural strategies, morphology and scaling effects. *Philosophical Transactions of the Royal Society B* doi: 10.1098/rstb.2007.2140
- Helm B, Gwinner E (2005) Carry-over effects of day length during spring migration. *Journal of Ornithology* 146: 348-354
- Helm B, Piersma T, Van der Jeugd HP (2006) Sociable schedules: interplay between avian seasonal and social behaviour. *Animal Behaviour* 72: 245-262
- Hepp GR, Kennamer RA, Harvey WF (1990) Incubation as a reproductive cost in female wood ducks. *Auk* 107: 756-764
- Hik DS, Jefferies RL (1990) Increases in the net aboveground primary production of a salt marsh forage grass: a test of the predictions of the herbivore-optimization model. *Journal of Ecology* 78: 180-195
- Hill RD (1994) Theory of geolocation by light levels. In: Le Boeuf BJ, Laws RM (eds) *Elephant Seals: Population Ecology, Behaviour and Physiology*. University of California Press, Berkeley, pp 227-236
- Hobson KA (2003) Making migratory connections with stable isotopes. In: Berthold P, Gwinner E, Sonnenschein E (eds) *Avian Migration*. Springer-Verlag, Berlin Heidelberg, pp 379-391
- Hobson KA (2005) Using stable isotopes to trace long-distance dispersal in birds and other taxa. *Diversity and Distributions* 11: 157-164
- Hobson KA (2006) Using stable isotopes to quantitatively track endogenous and exogenous nutrient allocations to eggs of birds that travel to breed. *Ardea* 94: 359-369
- Hobson KA, Clark RG (1993) Turnover of  $^{13}\text{C}$  in cellular and plasma fractions of blood: implications for non-destructive sampling in avian dietary studies. *Auk* 110: 638-641
- Hochachka W (1990) Seasonal decline in reproductive-performance of song sparrows. *Ecology* 71: 1279-1288
- Høgda KA, Karlsen SR, Solheim I (2001) Climate change impact on growing season in Fennoscandia studied by a time series of NOAA AVHRR NDVI data. *Proceedings IGARSS 2001*. 9-13 July 2001, Sydney, Australia.
- Hohman WL, Ankney CD, Gordon DH (1992) Ecology and management of postbreeding waterfowl. In: Batt BDJ, Afton AD, Anderson MG, Ankney CD, Johnson DH, Kadlec JA, Krapu GL (eds) *Ecology and Management of breeding waterfowl*. University of Minnesota Press, Minneapolis, pp 128-189
- Houston AI, Stephens PA, Boyd IL, Harding KC, McNamara JM (2007) Capital or income breeding? A theoretical model of female reproductive strategies. *Behavioral Ecology* 18: 241-250
- Hübner CE (2006) The importance of pre-breeding areas for the arctic barnacle goose *Branta leucopsis*. *Ardea* 94: 701-713
- Hughes MR, Roberts JR, Thomas BR (1987) Total body water and its turnover in free-living nestling glaucous-winged gulls with a comparison of body water and water flux in avian species with and without salt glands. *Physiological Zoology* 60: 481-491
- Hupp JW, Pearce JM, Mulcahy DM, Miller DA (2006a) Effects of abdominally implanted radiotransmitters with percutaneous antennas on migration, reproduction, and survival of Canada geese. *Journal of Wildlife Management* 70: 812-822
- Hupp JW, Schmutz JA, Ely CR (2006b) The prelaying interval of emperor geese on the Yukon-Kuskokwim Delta, Alaska. *Condor* 108: 912-924

Hupp JW, Ruhl GA, Pearce JM, Mulcahy DM, Tomeo MA (2003) Effects of implanted radio transmitters with percutaneous antennas on the behavior of Canada geese. *Journal of Field Ornithology* 74: 250-256

Hutchinson AE, Owen RB (1984) Bone-marrow fat in waterfowl. *Journal of Wildlife Management* 48: 585-591

## I

Inger R, Ruxton GD, Newton J, Colhoun K, Robinson JA, Jackson AL, Bearhop S (2006) Temporal and intrapopulation variation in prey choice of wintering geese determined by stable isotope analysis. *Journal of Animal Ecology* 75: 1190-1200

IPCC (2001) *Climate Change 2001: Synthesis Report*. A contribution of working groups I, II, and III to the Third Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge

## J

Jamieson SE, Gilchrist HG, Merkel FR, Falk K, Diamond AW (2006) An evaluation of methods used to estimate carcass composition of common eiders *Somateria mollissima*. *Wildlife Biology* 12: 219-226

Jefferies RL (1980) The role of organic solutes in osmoregulation in halophytic higher plants. In: Rains DW, Valentine RC, Hollaender A (eds) *Genetic Engineering of Osmoregulation*. Plenum Press, New York, pp 135-154

Jefferies RL, Drent RH (2006) Arctic geese, migratory connectivity and agricultural change: calling the sorcerer's apprentice to order. *Ardea* 94: 537-554

Jefferies RL, Drent RH, Bakker JP (2006) Connecting Arctic and temperate wetlands and agricultural landscapes: the dynamics of goose populations in response to global change. In: Verhoeven JTA, Beltman B, Bobbink R, Whigham DF (eds) *Wetlands and Natural Resource Management*. Ecological Studies Vol. 190. Springer-Verlag, Berlin Heidelberg, pp 293-314

Johnson DH, Nichols JD, Schwartz MD (1992) Population dynamics of breeding waterfowl. In: Batt BDJ, Afton AD, Anderson MG, Ankney CD, Johnson DH, Kadlec JA, Krapu GL (eds) *Eology and Management of Breeding Waterfowl*. University of Minnesota Press, Minneapolis, pp 446-485

Jonsson JE, Afton AD, Alisauskas RT (2007) Does body size influence nest attendance? A comparison of Ross's geese (*Chen rossii*) and the larger, sympatric lesser snow geese (*C. caerulescens caerulescens*). *Journal of Ornithology* 148: 549-555

Jonzén N, Lindén A, Ergon T, Knudsen E, Vik JO, Rubolini D, Piacentini D, Brinch C, Spina F, Karlsson L, Stervander M, Andersson A, Waldenström J, Lehtikoinen A, Edvardsen E, Solvang R, Stenseth NC (2006) Rapid advance of spring arrival dates in long-distance migratory birds. *Science* 312: 1959-1961

Jonzén N, Lindén A, Ergon T, Knudsen E, Vik JO, Rubolini D, Piacentini D, Brinch C, Spina F, Karlsson L, Stervander M, Andersson A, Waldenström J, Lehtikoinen A, Edvardsen E, Solvang R, Stenseth NC (2007) Response to comment on "Rapid advance of spring arrival dates in long-distance migratory birds". *Science* 315: 598c

## K

Kalyakin VN (1986) On the distribution and ecology of the barnacle goose on Vaygach Island and Yugorsky Peninsula. In: Ilyichev VD (ed) *Actual Problems in Ornithology*. Nauka, Moscow, pp 93-104

Kalyakin VN (2001) New data on bird fauna of Novaya Zemlya Archipelago and Franz Josef Land. *Ornitologiya* 29: 8-16

Kamp K, Preuss NO (2005) The greylag geese of Utterslev Mose – a long-term population study of wild geese in an urban setting. *Dansk Ornitologisk Forenings Tidsskrift* 99: 1-78

Klaassen M (1994) Growth and energetics of tern chicks from temperate and polar environments. *Auk* 111: 525-544

Klaassen M (2003) Relationships between migration and breeding strategies in arctic breeding birds. In: Berthold P, Gwinner E, Sonnenschein E (eds) *Avian Migration*. Springer-Verlag, Berlin Heidelberg, pp 237-249

- Klaassen M, Bauer S, Madsen J, Tombre IM (2006a) Modelling behavioural and fitness consequences of disturbance for geese along their spring flyway. *Journal of Applied Ecology* 43: 92-100
- Klaassen M, Abraham KF, Jefferies RL, Vrtiska M (2006b) Factors affecting the site of investment, and the reliance on savings for arctic breeders: the capital-income dichotomy revisited. *Ardea* 94: 371-384
- Klaassen M, Drent R (1991) An analysis of hatchling resting metabolism - in search of ecological correlates that explain deviations from allometric relations. *Condor* 93: 612-629
- Klaassen M, Lindström Å, Meltofte H, Piersma T (2001) Arctic waders are not capital breeders. *Nature* 413: 794
- Klasing KC (1998) *Comparative Avian Nutrition*. CAB International, Wallingford
- Klasing KC (2004) The costs of immunity. *Acta Zoologica Sinica* 50: 961-969
- Klein Tank AMG, Wijngaard JB, Können GP, Böhm R, Demarée G, Gocheva A, Mileta M, Pashiardis S, Hejkrlik L, Kern-Hansen C, Heino R, Bessemoulin P, Müller-Westermeier G, Tzanakou M, Szalai S, Páalsdóttir T, Fitzgerald D, Rubin S, Capaldo M, Maugeri M, Leitass A, Bukantis A, Aberfeld R, Van Engelen AFV, Forland E, Miletus M, Coelho F, Mares C, Razuvaev V, Nieplova E, Cegnar T, Lopez JA, Dahlström B, Moberg A, Kirchhofer W, Seylan A, Pachaliuk O, Alexander LV, Petrovic P (2002) Daily dataset of 20th-century surface air temperature and precipitation series for the European Climate Assessment. *International Journal of Climatology* 22: 1441-1453
- Klomp H (1970) Clutch size in birds. *Ardea* 58: 1-121
- Kluyver HN, Tinbergen L (1953) Territory and the regulation of density in titmice. *Archives Néerlandaises de Zoologie* 10: 265-289
- Koffijberg K, Günther K (2005) Recent population dynamics and habitat use of barnacle geese and dark-bellied brent geese in the Wadden Sea. In: Blew J, Südbeck P (eds) *Migratory Waterbirds in the Wadden Sea 1980–2000*. Wadden Sea Ecosystem No. 20. Common Wadden Sea Secretariat, Trilateral Monitoring and Assessment Group, Joint Monitoring Group of Migratory Birds in the Wadden Sea, Wilhelmshaven, Germany,
- Kokko H (1999) Competition for early arrival in migratory birds. *Journal of Animal Ecology* 68: 940-950
- Korschgen CE, Kenow KP, Gendron-Fitzpatrick A, Green WL, Dein FJ (1996) Implanting intra-abdominal radiotransmitters with external whip antennas in ducks. *Journal of Wildlife Management* 60: 132-137
- Korte H (1988) *Measuring condition in brent geese Branta b. bernicla*. MSc Thesis, University Groningen
- Koskimies J, Lahti L (1964) Cold-hardiness of the newly-hatched young in relation to ecology and distribution in ten species of European ducks. *Auk* 81: 281-307
- Krechmar AV, Kondratyev AV (2006) *Waterfowl Birds of North-East Asia*. Acad Sci, Far East Branch, Magadan
- Kumari E (1971) Passage of the barnacle goose through the Baltic area. *Wildfowl* 22: 25-43
- Kymenlaakso Birding Society (1990-2004) Annual reports published in Lintukymi.
- Kvist A, Lindström Å, Green M, Piersma T, Visser GH (2001) Carrying large fuel loads during sustained bird flight is cheaper than expected. *Nature* 413: 730-732
- L**
- Lack D (1966) *Population Studies of Birds*. Clarendon, Oxford
- Lack D (1968) *Ecological Adaptations for Breeding in Birds*. Chapman and Hall, London
- Lank DB, Butler RW, Ireland J, Ydenberg RC (2003) Effects of predation danger on migration strategies of sandpipers. *Oikos* 103: 303-319
- Larsson K (1996) Genetic and environmental effects on the timing of wing moult in the barnacle goose. *Heredity* 76: 100-107
- Larsson K, Forslund P (1991) Environmentally induced morphological variation in the barnacle goose, *Branta leucopsis*. *Journal of Evolutionary Biology* 4: 619-636
- Larsson K, Forslund P (1994) Population dynamics of the barnacle goose, *Branta leucopsis*, in

- the Baltic area: density-dependent effects on reproduction. *Journal of Animal Ecology* 63: 954-962
- Larsson K, Forslund P, Gustafsson L, Ebbinge BS (1988) From the High Arctic to the Baltic: the successful establishment of a barnacle goose *Branta leucopsis* population on Gotland, Sweden. *Ornis Scandinavica* 19: 182-189
- Larsson K, Tegelström H, Forslund P (1995) Intraspecific nest parasitism and adoption of young in the barnacle goose: effects on survival and reproductive performance. *Animal Behaviour* 50: 1349-1360
- Larsson K, Van der Jeugd HP (1998) Continuing growth of the Baltic barnacle goose population: number of individuals and reproductive success in different colonies. *Norsk Polar Institutt Skrifter* 200: 213-219
- Larsson K, Van der Jeugd HP, Van der Veen IT, Forslund P (1998) Body size declines despite positive directional selection on heritable size traits in a barnacle goose population. *Evolution* 52: 1169-1184
- Le Maho Y, Vu Van Kha H, Koubi H, Dewasmes G, Girard J, Ferre P, Cagnard M (1981) Body composition, energy expenditure, and plasma metabolites in long-term fasting geese. *American Journal of Physiology* 241: E342-E354
- Lebreton JD, Burnham KP, Clobert J, Anderson DR (1992) Modelling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs* 62: 67-118
- Leito A (1996) The barnacle goose in Estonia. *Estonia Maritima* 1: 1-103
- Leito A, Renno O, Kuresoo A (1991) Spring numbers and distribution of barnacle goose *Branta leucopsis* staging in Estonia. *Wildfowl* 42: 37-41
- Leito A, Truu J (2004) Changes in distribution and numbers of the barnacle goose (*Branta leucopsis*) in Estonia. *Estonia Maritima* 6: 111-127
- Lepage D, Desrochers A, Gauthier G (1999) Seasonal decline of growth and fledging success in snow geese *Anser caerulescens*: an effect of date or parental quality? *Journal of Avian Biology* 30: 72-78
- Lepage D, Gauthier G, Menu S (2000) Reproductive consequences of egg-laying decisions in snow geese. *Journal of Animal Ecology* 69: 414-427
- Lepage D, Gauthier G, Reed A (1998) Seasonal variation in growth of greater snow goose goslings: the role of food supply. *Oecologia* 114: 226-235
- Lessells CM (1986) Brood size in Canada geese: a manipulation experiment. *Journal of Animal Ecology* 55: 669-690
- Lessells CM, Boag PT (1987) Unrepeatable repeatabilities - a common mistake. *Auk* 104: 116-121
- Lessells CM, Sibly RM, Owen M, Ellis S (1979) Weights of female barnacle geese during breeding. *Wildfowl* 30: 72-74
- Lindström Å (2003) Fuel deposition rates in migrating birds: causes, constraints and consequences. In: Berthold P, Gwinner E, Sonnenschein E (eds) *Avian Migration*. Springer-Verlag, Berlin Heidelberg, pp 307-320
- Lindström Å, Piersma T (1993) Mass changes in migrating birds - the evidence for fat and protein storage re-examined. *Ibis* 135: 70-78
- Long PR, Székely T, Kershaw M, O'Connell M (2007) Ecological factors and human threats both drive wildfowl population declines. *Animal Conservation* 10: 183-191
- Loonen MJJE, Follestad A (1997) Geographical variation in the timing of wing moult in greylag geese *Anser anser*. In: Loonen MJJE (ed) *Goose Breeding Ecology: Overcoming Successive Hurdles to Raise Goslings*. PhD Thesis. University of Groningen, Groningen
- Loonen MJJE, Larsson K, Van der Veen IT, Forslund P (1997) Timing of wing moult and growth of young in arctic and temperate-breeding barnacle geese. In: Loonen MJJE (ed) *Goose Breeding Ecology: Overcoming Successive Hurdles to Raise Goslings*. PhD Thesis. University of Groningen, Groningen, pp 136-153
- Loudon H, Buturlin SA (1908) Eine ornithologische Fahrt an die Matzal Wiek. *Journal für Ornithologie* 56: 61-72

## M

- Madsen J (1985) Relations between change in spring habitat selection and daily energetics of pink-footed geese *Anser brachyrhynchus*. *Ornis Scandinavica* 16: 222-228
- Madsen J (2001) Spring migration strategies in pink-footed geese *Anser brachyrhynchus* and consequences for spring fattening and fecundity. *Ardea* 89: 43-55
- Madsen J, Fox AD, Cracknell J (1999) Goose Populations of the Western Palearctic. Wetlands International, Wageningen
- Madsen J, Klaassen M (2006) Assessing body condition and energy budget components by scoring abdominal profiles in free-ranging pink-footed geese *Anser brachyrhynchus*. *Journal of Avian Biology* 37: 283-287
- Mann FE, Sedinger JS (1993) Nutrient-reserve dynamics and control of clutch size in northern pintails breeding in Alaska. *Auk* 110: 264-278
- Martin LB, Pless M, Svoboda J, Wikelski M (2004) Immune activity in temperate and tropical house sparrows: A common-garden experiment. *Ecology* 85: 2323-2331
- Mata AJ, Caloin M, Robin JP, Le Maho Y (2006) Reliability in estimates of body composition of birds: Oxygen-18 versus deuterium dilution. *Physiological and Biochemical Zoology* 79: 202-209
- McCleery RH, Perrins CM (1998) ...temperature and egg-laying trends. *Nature* 391: 30-31
- McDonald P, Edwards RA, Greenhalgh JFD, Morgan CA (1995) *Animal Nutrition*. Longman, United Kingdom
- McLandress MR, Raveling DG (1981) Changes in diet and body composition of Canada geese before spring migration. *Auk* 98: 65-79
- McNab BK (2002) *The Physiological Ecology of Vertebrates: A View from Energetics*. Cornell University Press, Ithaca, New York
- McNaughton SJ (1979) Grazing as an optimization process: grass-ungulate relationships in the Serengeti. *American Naturalist* 113: 691-703
- McNaughton SJ (1984) Grazing lawns: animals in herds, plant form, and coevolution. *American Naturalist* 124: 863-886
- Meijer T, Drent R (1999) Re-examination of the capital and income dichotomy in breeding birds. *Ibis* 141: 399-414
- Meininger PL, Van Swelm ND (1994) Brandganzen *Branta leucopsis* als broedvogel in het Deltagebied. *Limosa* 67: 1-5
- Menu S, Gauthier G, Reed A (2005) Survival of young greater snow geese (*Chen caerulescens atlantica*) during fall migration. *Auk* 122: 479-496
- Merilä J, Kruuk LEB, Sheldon BC (2001) Cryptic evolution in a wild bird population. *Nature* 412: 76-79
- Miller MR (1989) Estimating carcass fat and protein in northern pintails during the nonbreeding season. *Journal of Wildlife Management* 53: 123-129
- Miller MR, Eadie JM (2006) The allometric relationship between resting metabolic rate and body mass in wild waterfowl (*Anatidae*) and an application to estimation of winter habitat requirements. *Condor* 108: 166-177
- Miller MR, Takekawa JY, Fleskes JP, Orthmeyer DL, Casazza ML, Perry WM (2005) Spring migration of northern pintails from California's Central Valley wintering area tracked with satellite telemetry: routes, timing, and destinations. *Canadian Journal of Zoology* 83: 1314-1332
- Møller AP (2001) Heritability of arrival date in a migratory bird. *Proceedings of the Royal Society of London Series B* 268: 203-206
- Møller AP, Fiedler W, Berthold P (eds) (2004) *Birds and climate change*. *Advances in Ecological Research* 35: 1-251
- Monaghan P, Nager RG (1997) Why don't birds lay more eggs? *Trends in Ecology & Evolution* 12: 270-274
- Moore F, Mabey S, Woodrey M (2003) Priority access to food in migratory birds: age, sex and motivational asymmetries. In: Berthold P, Gwinner E, Sonnenschein E (eds) *Avian Migration*. Springer-Verlag, Berlin Heidelberg, pp 281-292



- Moreno J (1989) Strategies of mass change in breeding birds. *Biological Journal of the Linnean Society* 37: 297-310
- Morozov VV (2001) Faunistic material on birds of Vaygach Island. *Ornitologiya* 29: 29-46
- Morrison RIG (2006) Body transformations, condition, and survival in red knot *Calidris canutus* travelling to breed at Alert, Ellesmere Island, Canada. *Ardea* 94
- N**
- Nager RG (2006) The challenges of making eggs. *Ardea* 94: 323-346
- Nager RG, Keller LF, Van Noordwijk AJ (2000) Understanding natural selection on traits that are influenced by environmental conditions. In: Mousseau TA, Sinervo B, Endler JA (eds) *Adaptive Genetic Variation in the Wild*. Oxford University Press, Oxford, pp 95-115
- Newton I (1977) Timing and success of breeding in tundra-nesting geese. In: Stonehouse B, Perrins C (eds) *Evolutionary Ecology*. Macmillan, London, pp 113-126
- Newton I (2006) Can conditions experienced during migration limit the population levels of birds? *Journal of Ornithology* 147: 146-166
- Newton I (2007) Weather-related mass-mortality events in migrants. *Ibis* 149: 453-467
- Nolet BA (2006) Speed of spring migration of tundra swans *Cygnus columbianus* in accordance with income or capital breeding strategy? *Ardea* 94: 579-591
- Nolet BA, Butler PJ, Masman D, Woakes AJ (1992) Estimation of daily energy expenditure from heart rate and doubly labeled water in exercising geese. *Physiological Zoology* 65: 1188-1216
- Nolet BA, Drent RH (1998) Bewick's swans refuelling on pondweed tubers in the Dvina Bay (White Sea) during their spring migration: first come, first served. *Journal of Avian Biology* 29: 574-581
- Nolet BA, Klaassen M (2005) Time and energy constraints in demanding phases of the annual cycle: an example of time limitation in refuelling migratory swans. *Oikos* 111: 302-310
- Nowak E (1995) Jagdaktivitäten in der Vergangenheit und heute als Einflußfaktor auf Gänsepopulationen und andere Vögel Nord Sibiriens. In: Prokosch P, Hötter H (eds) *Faunistik und Naturschutz auf Taimyr - Expeditionen 1989-1991*. *Corax* (spec. issue)16: 143-159
- Nur N (1990) The consequences of brood size for breeding blue tits III. Measuring the cost of reproduction: survival, future fecundity, and differential dispersal. *Evolution* 42: 351-362
- O**
- Odum EP, Rogers DT, Hicks DL (1964) Homeostasis of the nonfat components of migrating birds. *Science* 143: 1037-1039
- Ogilvie M (1978) *Wild Geese*. Poyser, Berkhamsted
- Olsen J, Seierstad I, Vinther B, Johnsen S, Heinemeier J (2006) Memory effect in deuterium analysis by continuous flow isotope ratio measurement. *International Journal of Mass Spectrometry* 254: 44-52
- Ouweneel GL (2001) Snelle groei van de broedpopulatie Brandganzen *Branta leucopsis* in het deltagebied. *Limosa* 74: 137-146
- Owen M (1980) *Wild Geese of the World: Their Life History and Ecology*. Batsford Ltd, London
- Owen M, Black JM (1989) Factors affecting the survival of barnacle geese on migration from the breeding grounds. *Journal of Animal Ecology* 58: 603-617
- P**
- Pace N, Rathbun EN (1945) Studies on body composition. III. The body water and chemically combined nitrogen content in relation to fat content. *Journal of Biological Chemistry* 158: 685-691
- Parker H, Holm H (1990) Patterns of nutrient and energy expenditure in female common eiders nesting in the High Arctic. *Auk* 107: 660-668
- Paxinos EE, James HF, Olson SL, Sorenson MD, Jackson J, Fleischer RC (2001) mtDNA from fossils reveals a radiation of Hawaiian geese recently derived from the Canada goose (*Branta canadensis*). *Proceedings of the National Academy of Sciences of the USA* 99: 1399-1404



- Pennycuik CJ (1975) Mechanics of flight. In: Farner DS, King JR (eds) *Avian Biology*. Academic Press, London, pp 1-75
- Percival SM, Percival T (1997) Feeding ecology of barnacle geese on their spring staging grounds in northern Iceland. *Ecography* 20: 461-465
- Perrins CM (1970) The timing of birds' breeding season. *Ibis* 112: 242-255
- Phillips DL, Gregg JW (2001) Uncertainty in source partitioning using stable isotopes. *Oecologia* 127: 171-179
- Phillips RA, Silk JRD, Croxall JP, Afanasyev V, Bennett VJ (2005) Summer distribution and migration of nonbreeding albatrosses: Individual consistencies and implications for conservation. *Ecology* 86: 2386-2396
- Phillips RA, Silk JRD, Croxall JP, Afanasyev V, Briggs DR (2004) Accuracy of geolocation estimates for flying seabirds. *Marine Ecology Progress Series* 266: 265-272
- Piersma T (1984) Estimating energy reserves of great crested grebes *Podiceps cristatus* on the basis of body dimensions. *Ardea* 72: 119-126
- Piersma T (1997) Do global patterns of habitat use and migration strategies co-evolve with relative investments in immunocompetence due to spatial variation in parasite pressure? *Oikos* 80: 623-631
- Piersma T, Lindström Å, Drent RH, Tulp I, Jukema J, Morrison RIG, Reneerkens J, Schekkerman H, Visser GH (2003) High daily energy expenditure of incubating shorebirds on High Arctic tundra: a circumpolar study. *Functional Ecology* 17: 356-362
- Pistorius PA, Follestad A, Taylor FE (2006) Temporal changes in spring migration phenology in the Norwegian greylag goose *Anser anser*, 1971-2004. *Wildfowl* 56: 23-36
- Ploeger PL (1968) Geographical differentiation in arctic Anatidae as a result of isolation during last glacial. *Ardea* 56: 1-159
- Podlesak DW, McWilliams SR, Hatch KA (2005) Stable isotopes in breath, blood, feces and feathers can indicate intra-individual changes in the diet of migratory songbirds. *Oecologia* 142: 501-510
- Poisbleau M, Dalloyau S, Fritz H, Bost CA, Ebbinge BS (2007) Brent goose *Branta bernicla bernicla* feeding behaviour during incubation, Taimyr Peninsula, Russia. *Polar Biology* 30: 1343-1349
- Pokrovskaya LV, Gavrilov MV (1998) Present distribution of barnacle goose in Russia. Problems of conservation of poorly studied fauna of the North. Materials for the Red Data Book. Moscow, pp 92-100
- Ponomareva TS (1992) Barnacle goose nesting in the Kolguyev Island region. *Byulleten Moskovskogo Obshchestva Ispytatelei Prirody, Otdel Biologicheskii* 98: 39-44
- Popov AA (1937) Okhota i rybolovstvo u Dolgan. *Pamyati V.G. Bogoraza 1865-1936*. Akademii nauk, Moscow, pp 147-206
- Poussart C, Gauthier G, Larochelle J (2001) Incubation behaviour of greater snow geese in relation to weather conditions. *Canadian Journal of Zoology* 79: 671-678
- Pouw A, Van der Jeugd HP, Eichhorn G (2005) Broedbiologie van Brandganzen *Branta leucopsis* op de Hellegatsplaten. Student report, Groningen
- Price T, Liou L (1989) Selection on clutch size in birds. *American Naturalist* 134: 950-959
- Prins HHT, Ydenberg RC (1985) Vegetation growth and a seasonal habitat shift of the barnacle goose (*Branta leucopsis*). *Oecologia* 66: 122-125
- Prop J (2004) Food Finding: On the Trail to Successful Reproduction in Migratory Geese. PhD Thesis. University of Groningen, Groningen
- Prop J, Black JM (1998) Food intake, body reserves and reproductive success of barnacle geese *Branta leucopsis* staging in different habitats. *Norsk Polarinstittutt Skrifter* 200: 175-193
- Prop J, Black JM, Shimmings P (2003) Travel schedules to the High arctic: barnacle geese trade-off the timing of migration with accumulation of fat deposits. *Oikos* 103: 403-414
- Prop J, de Vries J (1993) Impact of snow and food conditions on the reproductive performance of barnacle geese *Branta leucopsis*. *Ornis Scandinavica* 24: 110-121
- Prop J, Deerenberg C (1991) Spring staging in brent geese *Branta bernicla*: feeding

- constraints and the impact of diet on the accumulation of body reserves. *Oecologia* 87: 19-28
- Prop J, Spaans B (2004) Body stores in pre-migratory brent geese: the consequence of habitat choice on protein deposition. In: Prop J (ed) *Food finding: On the Trail to Successful Reproduction in Migratory Geese*. PhD thesis. University of Groningen, Groningen, pp 71-85
- Prop J, Van Eerden MR, Drent RH (1984) Reproductive success of the barnacle goose in relation to food exploitation on the breeding grounds, western Spitsbergen. *Norsk Polarinstitutt Skrifter* 181: 87-117
- Prop J, Vulink T (1992) Digestion by barnacle geese in the annual cycle: the interplay between retention time and food quality. *Functional Ecology* 6: 180-189
- Pulido F, Berthold P, Mohr G, Querner U (2001) Heritability of the timing of autumn migration in a natural bird population. *Proceedings of the Royal Society of London Series B* 268: 953-959
- R**
- Randla T (1976) *Estonian Birds of Prey*. Tallinn
- Rasbash J, Steele F, Browne W, Prosser B (2004) *A user's guide to MLwiN - version 2.0*. Centre for Multilevel Modeling, London
- Raveling DG (1979) The annual cycle of body composition of Canada geese with special reference to control of reproduction. *Auk* 96: 234-252
- Reed A, Hughes RJ, Gauthier G (1995) Incubation behavior and body mass of female greater snow geese. *Condor* 97: 993-1001
- Rees EC (1989) Consistency in the timing of migration for individual Bewick's swans. *Animal Behaviour* 38: 384-393
- Reese EC (2006) *Bewick's Swan*. T & AD Poyser, London
- Reinecke KJ, Stone TL, Owen RB (1982) Seasonal carcass composition and energy balance of female black ducks in Maine. *Condor* 84: 420-426
- Ricklefs RE (1980) Geographical variation in clutch size among passerine birds: Ashmole's hypothesis. *Auk* 97: 38-49
- Ricklefs RE, Wikelski M (2002) The physiology/life-history nexus. *Trends in Ecology & Evolution* 17: 462-468
- Rohwer FC (1992) The evolution of reproductive patterns in waterfowl. In: Batt BDJ, Afton AD, Anderson MG, Ankney CD, Johnson DH, Kadlec JA, Krapu GL (eds) *Eology and Management of Breeding Waterfowl*. University of Minnesota Press, Minneapolis, pp 486-539
- Rohwer FC, Anderson MG (1988) Female-biased philopatry, monogamy, the timing of pair formation in waterfowl. In: Johnston RF (ed) *Current Ornithology*. Plenum Press, New York, pp 187-221
- Ryder JP (1970) A possible factor in evolution of clutch size in Ross goose. *Wilson Bulletin* 82: 5-13
- S**
- Sanderson FJ, Donald PF, Pain DJ, Burfield IJ, Van Bommel FPJ (2006) Long-term population declines in Afro-Palaearctic migrant birds. *Biological Conservation* 131: 93-105
- Schmutz JA, Hobson KA, Morse JA (2006) An isotopic assessment of protein from diet and endogenous stores: effects on egg production and incubation behaviour of geese. *Ardea* 94: 385-397
- Schoeller DA, Van Santen E, Peterson DW, Dietz W, Jaspán J, Klein PD (1980) Total body water measurement in humans with  $^{18}\text{O}$  and  $^2\text{H}$  labeled water. *American Journal of Clinical Nutrition* 33: 2686-2693
- Schubert CA, Cooke F (1993) Egg-laying intervals in the lesser snow goose. *The Wilson Bulletin* 105: 414-426
- Schwilch R, Piersma T, Holmgren NMA, Jenni L (2002) Do migratory birds need a nap after a long non-stop flight? *Ardea* 90: 149-154
- Seber GAF (1982) *The Estimation of Animal Abundance and Related Parameters*. Griffin, London

- Sedinger JS (1984) Protein and amino acid composition of tundra vegetation in relation to nutritional requirements of geese. *Journal of Wildlife Management* 48: 1128-1136
- Sedinger JS, Flint PL (1991) Growth-rate is negatively correlated with hatch date in black brant. *Ecology* 72: 496-502
- Sedinger JS, Raveling DG (1986) Timing of nesting by Canada geese in relation to the phenology and availability of their food plants. *Journal of Animal Ecology* 55: 1083-1102
- Sedinger JS, Raveling DG (1988) Foraging behavior of cackling Canada goose goslings: implications for the roles of food availability and processing rate. *Oecologia* 75: 119-124
- Sedinger JS, White RG, Hauer WE (1992) Heat increment of feeding and partitioning of dietary energy in yearling black brant. *Canadian Journal of Zoology* 70: 1047-1051
- Shaffer SA, Gabrielsen GW, Verreault J, Costa DP (2006) Validation of water flux and body composition in glaucous gulls (*Larus hyperboreus*). *Physiological and Biochemical Zoology* 79: 836-845
- Sillett TS, Holmes RT (2002) Variation in survivorship of a migratory songbird throughout its annual cycle. *Journal of Animal Ecology* 71: 296-308
- Skagen SK, Knopf FL, Cade BS (1993) Estimation of lipids and lean mass of migrating sandpipers. *Condor* 95: 944-956
- Skalski JR, Hoffmann A, Smith SG (1993) Testing the significance of individual- and cohort-level covariates in animal survival studies. In: Lebreton JD, North PM (eds) *Marked Individuals in the Study of Bird Populations*. Birkhäuser Verlag, Basel, pp 9-28
- Smith RJ, Moore FR (2003) Arrival fat and reproductive performance in a long-distance passerine migrant. *Oecologia* 134: 325-331
- Spaans B, Postma P (2001) Inland pastures are an appropriate alternative for salt-marshes as a feeding area for spring-fattening dark-bellied brent geese *Branta bernicla*. *Ardea* 89: 427-440
- Spaans B, Van der Veer W, Ebginge BS (1999) Cost of incubation in a greater white-fronted Goose. *Waterbirds* 22: 151-155
- Spaans B, Van't Hoff CA, Van der Veer W, Ebginge BS (2007) The significance of female body stores for egg laying and incubation in dark-bellied brent geese *Branta bernicla bernicla*. *Ardea* 95: 3-15
- Speakman JR (ed) (2001) *Body Composition Analysis of Animals: A Handbook of Non-Destructive methods*. Cambridge University Press, Cambridge
- Speakman JR, Visser GH, Ward S, Krol E (2001) The isotope dilution method for the evaluation of body composition. In: Speakman JR (ed) *Body Composition Analysis of Animals: A Handbook of Non-Destructive Methods*. Cambridge University Press, Cambridge, pp 56-98
- Stahl J (2001) *Limits to the Co-Occurrence of Avian Herbivores - How Geese Share Scarce Resources*. PhD thesis. University of Groningen, Groningen
- Stahl J, Van der Graaf AJ, Drent RH, Bakker JP (2006) Subtle interplay of competition and facilitation among small herbivores in coastal grasslands. *Functional Ecology* 20: 908-915
- Stahl J, Veeneklaas RM, Van der Graaf AJ, Loonen MJJE, Drent RH (2001) Conversion factors for energetic expenditure of actively foraging brent and barnacle geese obtained by non-invasive heart rate telemetry. In: Stahl J (ed) *Limits to the Co-Occurrence of Avian Herbivores - How Geese Share Scarce Resources*. PhD thesis. University of Groningen, Groningen
- Stearns SC (1992) *The Evolution of Life Histories*. Oxford University Press, New York
- Stervander M, Lindström Å, Jonzén N, Andersson A (2005) Timing of spring migration in birds: long-term trends, North Atlantic Oscillation and the significance of different migration routes. *Journal of Avian Biology* 36: 210-221
- Stevenson RD, Woods WA (2006) Condition indices for conservation: new uses for evolving tools. *Integrative and Comparative Biology* 46: 1169-1190
- Stewart GR, Lee JA (1974) The role of proline accumulation in halophytes. *Planta* 120: 279-289

- Stock M, Hofeditz F (2002) Einfluss des Salzwiesen-Managements auf Habitatnutzung und Bestandsentwicklung von Nonnengänsen *Branta leucopsis* im Wattenmeer. *Vogelwelt* 123: 265-282
- Sutherland WJ (1998) Evidence for flexibility and constraint in migration systems. *Journal of Avian Biology* 29: 441-446
- Swennen C, Ursem JCH, Duiven P (1993) Determinate laying and egg attendance in common eiders. *Ornis Scandinavica* 24: 48-52
- Syroechkovsky Jr. EE (1995) News in distribution of barnacle boose in Russia. *Casarca* 1: 39-46
- T
- Takekawa JY, Kurechi M, Orthmeyer DL, Sabano Y, Uemura S, Perry WM, Yee JL (2000) A Pacific spring migration route and breeding range expansion for greater white-fronted geese wintering in Japan. *Global Environmental Research* 4: 155-168
- Terpstra K, De Hart N (1974) The estimation of urinary nitrogen and fecal nitrogen in poultry excreta. *Zeitschrift für Tierphysiologie, Tierernährung und Futtermittelkunde* 32: 306-320
- Thomas VG, Mainguy SK, Prevett JP (1983) Predicting fat content of geese from abdominal fat weight. *Journal of Wildlife Management* 47: 1115-1119
- Thompson SC, Raveling DG (1987) Incubation behavior of emperor geese compared with other geese: interactions of predation, body size, and energetics. *Auk* 104: 707-716
- Tieleman BI, Williams JB, Ricklefs RE, Klasing KC (2005) Constitutive innate immunity is a component of the pace-of-life syndrome in tropical birds. *Proceedings of the Royal Society of London Series B* 272: 1715-1720
- Tinbergen JM, Williams JB (2002) Energetics of incubation. In: Deeming DC (ed) *Avian Incubation: Behaviour, Environment and Evolution*. Oxford University Press, Oxford, pp 299-313
- Tombre IM, Erikstad KE (1996) An experimental study of incubation effort in high-Arctic barnacle geese. *Journal of Animal Ecology* 65: 325-331
- Tombre IM, Madsen J, Tømmervik H, Haugen KP, Eythórsson E (2005) Influence of organised scaring on distribution and habitat choice of geese on pastures in Northern Norway. *Agriculture, Ecosystems and Environment* 111: 311-320
- Trevor-Battye A (1895) *Ice-bound on Kolguyev*. Westminster
- V
- Van der Graaf AJ (2006) *Geese on a Green wave: Flexible Migrants in a Changing World*. PhD thesis. University of Groningen, Groningen
- Van der Graaf AJ, Bos D, Loonen MJJE, Engelmoer M, Drent RH (2002) Short- and long-term facilitation of goose grazing by livestock. *Journal of Coastal Conservation* 8: 179-188
- Van der Graaf AJ, Feige N, Van der Jeugd HP, Leito A, Larsson K, Litvin KE, Drent RH, Bakker JP, Stahl J (2006a) Has the recent breeding range expansion of Arctic geese been facilitated by changes in human land use? In: Van der Graaf AJ (ed) *Geese on a Green wave: Flexible Migrants in a Changing World*. PhD thesis. University of Groningen, Groningen
- Van der Graaf AJ, Lavrinenko OV, Elsakov V, Van Eerden MR, Stahl J (2004) Habitat use of barnacle geese at a subarctic salt marsh in the Kolokolkova Bay, Russia. *Polar Biology* 27: 651-660
- Van der Graaf AJ, Stahl J, Bakker JP (2005) Compensatory growth of *Festuca rubra* after grazing: can migratory herbivores increase their own harvest during staging? *Functional Ecology* 19: 961-969
- Van der Graaf AJ, Stahl J, Bos D, Drent RH (2001) Influence of wind exposure and temperature on energy expenditure and site choice in brent and barnacle geese. In: Stahl J (ed) *Limits to the Co-Occurrence of Avian Herbivores - How Geese Share Scarce Resources*. PhD thesis. University of Groningen, Groningen
- Van der Graaf AJ, Stahl J, Klimkowska A, Bakker JP, Drent RH (2006b) Surfing on a green wave - how plant growth drives spring migration in the barnacle goose *Branta leucopsis*. *Ardea* 94: 567-577

- Van der Graaf AJ, Stahl J, Veeneklaas R, Bakker JP (2007a) The salt marsh of Grötlingbo-udd, a stopover site for migrating barnacle geese. *Annales Botanici Fennici* 44: 41
- Van der Graaf AJ, Stahl J, Veen GF, Havinga RM, Drent RH (2007b) Patch choice of avian herbivores along a migration trajectory - From Temperate to Arctic. *Basic and Applied Ecology* 8: 354-363
- Van der Jeugd HP (1999) Life History Decisions in a Changing Environment: A Long-term Study of a Temperate Barnacle Goose Population. PhD thesis. University of Uppsala, Uppsala
- Van der Jeugd HP, Arisz J, Schouten M (2006) Broedbiologie van brandganzen op de Hellegatsplaten in 2005 en verspreiding buiten het broedseizoen. Unpublished report, Groningen
- Van der Jeugd HP, Blaakmeer KB (2001) Teenage love: the importance of trial liaisons, subadult plumage and early pairing in barnacle geese. *Animal Behaviour* 62: 1075-1083
- Van der Jeugd HP, Gurtovaya E, Eichhorn G, Litvin KY, Mineev OY, Van Eerden MR (2003) Breeding barnacle geese in Kolokolkova Bay, Russia: number of breeding pairs, reproductive success and morphology. *Polar Biology* 26: 700-706
- Van der Jeugd HP, Larsson K (1998) Pre-breeding survival of barnacle geese *Branta leucopsis* in relation to fledgling characteristics. *Journal of Animal Ecology* 67: 953-966
- Van der Jeugd HP, Litvin KY (2006) Travels and traditions: long distance dispersal in the barnacle goose exemplified by individual case histories. *Ardea* 94: 421-432
- Van der Jeugd HP, Olthoff MP, Stahl J (2001) Breeding range translates into staging site choice: Baltic and arctic barnacle geese *Branta leucopsis* use different habitats at a Dutch Wadden Sea island. *Ardea* 89: 253-265
- Van der Jeugd HP, Van der Veen IT, Larsson K (2002) Kin clustering in barnacle geese: familiarity or phenotype matching? *Behavioral Ecology* 13: 786-790
- Van der Meer J, Piersma T (1994) Physiologically inspired regression models for estimating and predicting nutrient stores and their composition in birds. *Physiological Zoology* 67: 305-329
- Van der Meijden R (1996) Heukels' Flora van Nederland. Wolters-Noordhoff, Groningen
- Van der Wal R, Van de Koppel J, Sagel M (1998) On the relation between herbivore foraging efficiency and plant standing crop: an experiment with barnacle geese. *Oikos* 82: 123-130
- Van Dinteren G (1988) De benutting van de Oosterkweldervegetatie op Schiermonnikoog door de brandganzen (*Branta leucopsis*). MSc thesis. University of Groningen, Groningen
- Van Eerden MR, Drent RH, Stahl J, Bakker JP (2005) Connecting seas: western Palaearctic continental flyway for water birds in the perspective of changing land use and climate. *Global Change Biology* 11: 894-908
- Van Eerden MR, Zijlstra M, Van Roomen M, Timmerman A (1996) The response of *Anatidae* to changes in agricultural practice: long-term shifts in the carrying capacity of wintering waterfowl. *Gibier Faune Sauvage* 13: 706
- Van Noordwijk AJ, Pulido F, Helm B, Coppack T, Delingat J, Hedenström A., Van der Jeugd HP, Pérez-Tris J (2006) A framework for the study of genetic variation in migratory behaviour. *Journal of Ornithology* 147: 221-233
- Verhulst S, Van Balen JH, Tinbergen JM (1995) Seasonal decline in reproductive success of the great tit - variation in time or quality? *Ecology* 76: 2392-2403
- Vézina F, Williams TD (2003) Plasticity in body composition in breeding birds: What drives the metabolic costs of egg production? *Physiological and Biochemical Zoology* 76: 716-730
- Vézina F, Williams TD (2005) Interaction between organ mass and citrate synthase activity as an indicator of tissue maximal oxidative capacity in breeding European starlings: implications for metabolic rate and organ mass relationships. *Functional Ecology* 19: 119-128
- Vickery JA, Gill JA (1999) Managing grassland for wild geese in Britain: a review. *Biological Conservation* 89: 93-106



- Visser ME (2008) Keeping up with a warming world; assessing the rate of adaptation to climate change. *Proceedings of the Royal Society of London Series B* 275: 649-659
- Visser ME, Holleman LJM (2001) Warmer springs disrupt the synchrony of oak and winter moth phenology. *Proceedings of the Royal Society of London Series B* 268: 289-294
- Visser ME, Van Noordwijk AJ, Tinbergen JM, Lessells CM (1998) Warmer springs lead to mistimed reproduction in great tits (*Parus major*). *Proceedings of the Royal Society of London Series B* 265: 1867-1870
- Voslamber B, Van der Jeugd HP, Koffijberg K (2007) Numbers, trends and distribution of breeding goose populations in the Netherlands. *Limosa* 80: 1-17
- Wulink T (2001) Hungry Herds: Management of temperate lowland wetlands by grazing. PhD Thesis. University of Groningen, Groningen; Van Zee tot Land 66, Ministerie van Verkeer en Waterstaat, Directoraat-Generaal Rijkswaterstaat, Directie IJsselmeergebied
- W**
- Wang ZM, Deurenberg P, Pietrobelli A, Baumgartner RN, Heymsfield SB (1999) Hydration of fat-free body mass: review and critique of a classic body-composition constant. *American Journal of Clinical Nutrition* 69: 833-841
- Ward DH, Reed A, Sedinger JS, Black JM, Derksen DV, Castelli PM (2005) North American brant: effects of changes in habitat and climate on population dynamics. *Global Change Biology* 11: 869-880
- Weber TP, Ens BJ, Houston AI (1998) Optimal avian migration: A dynamic model of fuel stores and site use. *Evolutionary Ecology* 12: 377-401
- White GC, Burnham KP (1999) Program mark: survival estimation from populations of marked animals. *Bird Study* 46 (suppl.): 120-139
- Wiersma P, Munoz-Garcia A, Walker A, Williams JB (2007) Tropical birds have a slow pace of life. *Proceedings of the National Academy of Sciences of the USA* 104: 9340-9345
- Wiersma P, Piersma T (1994) Effects of microhabitat, flocking, climate and migratory goal on energy expenditure in the annual cycle of red knots. *Condor* 96: 257-279
- Wikelski M, Spinney L, Schelsky W, Scheuerlein A, Gwinner E (2003) Slow pace of life in tropical sedentary birds: a common-garden experiment on four stonechat populations from different latitudes. *Proceedings of the Royal Society of London Series B* 270: 2383-2388
- Wilson RP, Ducamp JJ, Rees G, Culik BM, Niekamp K (1992) Estimation of location: global coverage using light intensity. In: Priede IM, Swift SM (eds) *Wildlife Telemetry: Remote Monitoring and Tracking of Animals*. Ellis Horward, Chichester, pp 131-134
- Z**
- Zar JH (1999) *Biostatistical Analysis*. Prentice Hall, Upper Saddle River, New Jersey



