

University of Groningen

## Functional trait patterns in grassland communities, and the importance of scale

Cordlandwehr, Verena

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2016

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Cordlandwehr, V. (2016). Functional trait patterns in grassland communities, and the importance of scale. [Groningen]: Rijksuniversiteit Groningen.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

---

## References

## A

- Ackerly, D.D. & Cornwell, W.K. 2007. A trait-based approach to community assembly: partitioning of species trait values into within- and among-community components. *Ecology Letters* 10: 135–145.
- Albert, C.H., de Bello, F., Boulangeat, I., Pellet, G., Lavorel, S. & Thuiller, W. 2012. On the importance of intraspecific variability for the quantification of functional diversity. *Oikos* 121: 116–126.
- Albert, C.H., Grassein, F., Schurr, F.M., Vieilledent, G. & Violle, C. 2011. When and how should intraspecific variability be considered in trait-based plant ecology? *Perspectives in Plant Ecology Evolution and Systematics* 13: 217–225.
- Albert, C.H., Thuiller, W., Yoccoz, N.G., Douzet, R., Aubert, S. & Lavorel, S. 2010a. A multi-trait approach reveals the structure and the relative importance of intra- vs. interspecific variability in plant traits. *Functional Ecology* 24: 1192–1201.
- Albert, C.H., Thuiller, W., Yoccoz, N.G., Soudant, A., Boucher, F., Saccone, P. & Lavorel, S. 2010b. Intraspecific functional variability: extent, structure and sources of variation. *Journal of Ecology* 98: 604–613.
- Ameloot, E., Verheyen, K., Bakker, J.P., de Vries, Y. & Hermy, M. 2006. Long-term dynamics of the hemiparasite *Rhinanthus angustifolius* and its relationship with vegetation structure. *Journal of Vegetation Science* 17: 637–646.
- Ameloot, E., Verheyen, K. & Hermy, M. 2005. Meta-analysis of standing crop reduction by *Rhinanthus* spp. and its effect on vegetation structure. *Folia Geobotanica* 40: 289–310.
- Armstrong, W., Justin, S.H.F.W., Beckett, P.M. & Lythe, S. 1991. Root Adaptation to Soil Waterlogging. *Aquatic Botany* 39: 57–73.
- Auger, S. & Shipley, B. 2013. Inter-specific and intra-specific trait variation along short environmental gradients in an old-growth temperate forest. *Journal of Vegetation Science* 24: 419–428.

## B

- Baastrup-Spohr, L., Sand-Jensen, K., Nicolajsen, S.V. & Bruun, H.H. 2015. From soaking wet to bone dry: predicting plant community composition along a steep hydrological gradient. *Journal of Vegetation Science* 26: 619–630.
- Baayen, R.H. 2011. languageR: data sets and functions with “Analyzing linguistic data: a practical introduction to statistics”. In: R package version 1.2.
- Bailey-Serres, J. & Voeseinek, L.A.C.J. 2008. Flooding stress: acclimations and genetic diversity. *Annual Review of Plant Biology* 59: 313–339.
- Baker, T.R., Phillips, O.L., Malhi, Y., Almeida, S., Arroyo, L., Di Fiore, A., Erwin, T., Killeen, T.J., Laurance, S.G., Laurance, W.F., Lewis, S.L., Lloyd, J., Monteagudo, A., Neill, D.A., Patino, S., Pitman, N.C.A., Silva, J.N.M. & Martinez, R.V. 2004. Variation in wood density determines spatial patterns in Amazonian forest biomass. *Global Change Biology* 10: 545–562.
- Bakker, J.P. 1989. *Nature Management by Grazing and Cutting*. Kluwer Academic Publishers, Dordrecht.
- Bakker, J.P., Elzinga, J.A. & de Vries, Y. 2002. Effects of long-term cutting in a grassland system: perspectives for restoration of plant communities on nutrient-poor soils. *Applied Vegetation Science* 5: 107–120.
- Bakker, J.P. & Olff, H. 1995. Nutrient dynamics during restoration of fen meadows by hay making without fertilizer application. In: *Restoration of temperate wetlands*.
- Bakker, J.P., Poschlod, P., Strykstra, R.J., Bekker, R.M. & Thompson, K. 1996. Seed banks and seed dispersal: Important topics in restoration ecology. *Acta Botanica Neerlandica* 45: 461–490.
- Baraloto, C., Paine, C.E.T., Patino, S., Bonal, D., Herault, B. & Chave, J. 2010. Functional trait variation and sampling strategies in species-rich plant communities. *Functional Ecology* 24: 208–216.
- Bates, D., Maechler, M. & Bolker, B.M. 2011. lme4: linear mixed-effects models using S4 classes. In.
- Bekker, R.M. & Kwak, M.M. 2005. Life history traits as predictors of plant rarity, with particular reference to hemiparasitic *Orobanchaceae*. *Folia Geobotanica* 40: 231–242.
- Bekker, R.M., Verweij, G.L., Bakker, J.P. & Fresco, L.F.M. 2000. Soil seed bank dynamics in hayfield succession. *Journal of Ecology* 88: 594–607.
- Bell, G. 2001. Ecology - Neutral macroecology. *Science* 293: 2413–2418.
- Belyea, L.R. & Lancaster, J. 1999. Assembly rules within a contingent ecology. *Oikos* 86: 402–416.

- Bignal, E.M. & McCracken, D.I. 1996. Low-intensity farming systems in the conservation of the countryside. *Journal of Applied Ecology* 33: 413–424.
- Bischoff, A. 2002. Dispersal and establishment of floodplain grassland species as limiting factors in restoration. *Biological Conservation* 104: 25–33.
- Blomberg, S.P., Garland, T. & Ives, A.R. 2003. Testing for phylogenetic signal in comparative data: Behavioral traits are more labile. *Evolution* 57: 717–745.
- Bolnick, D.I., Svanback, R., Fordyce, J.A., Yang, L.H., Davis, J.M., Hulsey, C.D. & Forister, M.L. 2003. The ecology of individuals: Incidence and implications of individual specialization. *Biological Conservation* 161: 1–28.
- Borchert, H. & Graf, R. 1988. Zum Vergleich von Penetrometermessungen, durchgeführt bei unterschiedlichem Wassergehalt. *Zeitschrift für Pflanzen und Bodenkunde* 151: 69–71.
- Botta-Dukat, Z. 2005. Rao's quadratic entropy as a measure of functional diversity based on multiple traits. *Journal of Vegetation Science* 16: 533–540.
- Bremer, B., Bremer, K., Chase, M.W., Reveal, J.L., Soltis, D.E., Soltis, P.S., Stevens, P.F., Anderberg, A.A., Fay, M.F., Goldblatt, P., Judd, W.S., Kallersjo, M., Karehed, J., Kron, K.A., Lundberg, J., Nickrent, D.L., Olmstead, R.G., Oxelman, B., Pires, J.C., Rodman, J.E., Rudall, P.J., Savolainen, V., Sytsma, K.J., van der Bank, M., Wurdack, K., Xiang, J.Q.Y., Zmarzty, S. & Angiosperm Phylogeny, G. 2003. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. *Botanical Journal of the Linnean Society* 141: 399–436.
- Brooker, R.W., Callaway, R.M., Cavieres, L.A., Kikvidze, Z., Lortie, C.J., Michalet, R., Pugnaire, F.I., Valiente-Banuet, A. & Whitham, T.G. 2009. Don't Diss Integration: A Comment on Ricklefs's Disintegrating Communities. *The Biological Conservation* 174: 919–927.
- C**
- Chase, J.M. & Leibold, M.A. 2003. *Ecological Niches*. Chicago University Press.
- Clark, J.S., Bell, D.M., Hersh, M.H., Kwit, M.C., Moran, E., Salk, C., Stine, A., Valle, D. & Zhu, K. 2011. Individual-scale variation, species-scale differences: inference needed to understand diversity. *Ecology Letters* 14: 1273–1287.
- Colmer, T.D. 2003. Long-distance transport of gases in plants: a perspective on internal aeration and radial oxygen loss from roots. *Plant Cell Environ* 26: 17–36.
- Cordlandwehr, V., Meredith, R.L., Ozinga, W.A., Bekker, R.M., van Groenendael, J.M. & Bakker, J.P. 2013. Do plant traits retrieved from a database accurately predict on-site measurements? *Journal of Ecology* 101: 662–670.
- Cornelissen, J.H.C., Lavorel, S., Garnier, E., Díaz, S., Buchmann, N., Gurvich, D.E., Reich, P.B., ter Steege, H., Morgan, H.D., van der Heijden, M.G.A., Pausas, J.G. & Poorter, H. 2003. A handbook of protocols for standardised and easy measurement of plant functional traits worldwide. *Australian Journal of Botany* 51: 335–380.
- Cornwell, W.K. & Ackerly, D.D. 2009. Community assembly and shifts in plant trait distributions across an environmental gradient in coastal California. *Ecological Monographs* 79: 109–126.
- Cornwell, W.K. & Ackerly, D.D. 2010. A link between plant traits and abundance: evidence from coastal California woody plants. *Journal of Ecology* 98: 814–821.
- Cornwell, W.K., Schwillk, D.W. & Ackerly, D.D. 2006. A trait-based test for habitat filtering: Convex hull volume. *Ecology* 87: 1465–1471.
- D**
- de Bello, F., Carmona, C.P., Mason, N.W.H., Sebastia, M.T. & Leps, J. 2013a. Which trait dissimilarity for functional diversity: trait means or trait overlap? *Journal of Vegetation Science* 24: 807–819.
- de Bello, F., Lavorel, S., Albert, C.H., Thuiller, W., Grigulis, K., Dolezal, J., Janecek, S. & Leps, J. 2011. Quantifying the relevance of intraspecific trait variability for functional diversity. *Methods in Ecology and Evolution* 2: 163–174.
- de Bello, F., Price, J.N., Munkemuller, T., Liira, J., Zobel, M., Thuiller, W., Gerhold, P., Gotzenberger, L., Lavergne, S., Leps, J., Zobel, K. & Partel, M. 2012. Functional species pool framework to test for biotic effects on community assembly. *Ecology* 93: 2263–2273.

- de Bello, F., Vandewalle, M., Reitalu, T., Leps, J., Prentice, H.C., Lavorel, S. & Sykes, M.T. 2013b. Evidence for scale- and disturbance-dependent trait assembly patterns in dry semi-natural grasslands. *Journal of Ecology* 101: 1237–1244.
- De Willigen, P. & Van Noordwijk, M. 1989. Model-calculation on the relative importance of internal longitudinal diffusion for aeration of roots of non-wetland plants. *Plant and Soil* 113: 111–119.
- Diamond, J.M. 1975. Assembly of species communities. In: Cody, M.L. & Diamond, J.M. (eds.) *Ecology and Evolution of Communities*, pp. 342–444. Belknap Press of Harvard University Press, Cambridge.
- Díaz, S. & Cabido, M. 2001. Vive la difference: plant functional diversity matters to ecosystem processes. *Trends in Ecology & Evolution* 16: 646–655.
- Díaz, S., Cabido, M. & Casanoves, F. 1998. Plant functional traits and environmental filters at a regional scale. *Journal of Vegetation Science* 9: 113–122.
- Díaz, S., Cabido, M., Zak, M., Carretero, E.M. & Aranibar, J. 1999. Plant functional traits, ecosystem structure and land-use history along a climatic gradient in central-western Argentina. *Journal of Vegetation Science* 10: 651–660.
- Díaz, S., Lavorel, S., Chapin Iii, F.S., Tecco, P.A., Gurrich, D.E. & Grigulis, K. 2007a. Functional Diversity - at the Crossroads between Ecosystem Functioning and Environmental Filters. In: Canadell, J.G., Pataki, D.E. & Pitelka, L.F. (eds.) *Terrestrial Ecosystems in a Changing World*, pp. 81–92. Springer, Berlin - Heidelberg.
- Díaz, S., Lavorel, S., McIntyre, S., Falczuk, V., Casanoves, F., Milchunas, D., Skarpe, C., Rusch, G., Sternberg, M., Noy-Meir, I., Landsberg, J., Zhang, W., Clark, H. & Campbell, B. 2007b. Plant trait responses to grazing - a global synthesis. *Global Change Biology* 13: 313–341.
- Dierschke, H. & Wittig, B. 1991. Die Vegetation des Holtumer Moores (Nordwest-Deutschland). Veränderungen in 25 Jahren (1963–1988). *Tuexenia* 11: 171–190.
- Doledec, S., Chessel, D., terBraak, C.J.F. & Champely, S. 1996. Matching species traits to environmental variables: A new three-table ordination method. *Environmental and Ecological Statistics* 3: 143–166.
- Donovan, L.A., Mason, C.M., Bowsher, A.W., Goolsby, E.W. & Ishibashi, C.D.A. 2014. Ecological and evolutionary lability of plant traits affecting carbon and nutrient cycling. *Journal of Ecology* 102: 302–314.
- Douma, J.C., Aerts, R., Witte, J.P.M., Bekker, R.M., Kunzmann, D., Metselaar, K. & van Bodegom, P.M. 2012. A combination of functionally different plant traits provides a means to quantitatively predict a broad range of species assemblages in NW Europe. *Ecography* 35: 364–373.
- Durka, W. 2002. Phylogenie der Farn- und Blütenpflanzen. In: Klotz, S., Kühn, I., & Durka, W. (ed.) *BIOLFLOR - Eine Datenbank mit biologisch-ökologischen Merkmalen zur Flora von Deutschland*, pp. 75–91. Bundesamt für Naturschutz, Bonn.
- E**
- Ellenberg, H., Weber, H.E., Düll, R., Wirth, V., Werner, W. & Paulissen, D. 1992. Zeigerwerte von Pflanzen in Mitteleuropa. In: Erich Goltze KG, Göttingen.
- Elzenga, T.M. & H., v.V. 2010. Waterlogging and plant nutrient uptake. In: Mancuso, S. & Shabala, S. (eds.) *Waterlogging, signalling and tolerance in plants*. Springer, Berlin, Heidelberg.
- Engelaar, W.M.G.H., M.W., V.B., Van Den Hoek, W.P.M., Huyser, M.A.H. & Blom, C.W.P.M. 1993. Root porosities and radial oxygen losses of rumex and plantago species as influenced by soil pore diameter and soil aeration. *New Phytologist* 125: 565–574.
- Eser, U., Neureuther, A.-K. & Müller, A. 2011. Klugheit, Glück, Gerechtigkeit. Ethische Argumentationslinien in der Nationalen Strategie zur biologischen Vielfalt. In: Naturschutz, B.f. (ed.) *Naturschutz und Biologische Vielfalt*, pp. 118. BfN, Bonn.
- F**
- Fibich, P., Vitova, A., Macek, P. & Leps, J. 2013. Establishment and spatial associations of recruits in meadow gaps. *Journal of Vegetation Science* 24: 496–505.
- Fitter, A.H. & Peat, H.J. 1994. The Ecological Flora Database. *Journal of Ecology* 82: 415–425.
- Freschet, G.T., Swart, E.M. & Cornelissen, J.H.C. 2015. Integrated plant phenotypic responses to contrasting above- and below-ground resources: key roles of specific leaf area and root mass fraction. *New Phytologist* 206: 1247–1260.

- Fuller, R.M. 1987. The changing extent and conservation interest of lowland grasslands in England and Wales: a review of grassland surveys 1930–1984. *Biological Conservation* 40: 281–300.
- Funk, J.L., Cleland, E.E., Suding, K.N. & Zavaleta, E.S. 2008. Restoration through reassembly: plant traits and invasion resistance. *Trends in Ecology & Evolution* 23: 695–703.
- G**
- Garnier, E., Cordonnier, P., Guillerme, J.L. & Sonie, L. 1997. Specific leaf area and leaf nitrogen concentration in annual and perennial grass species growing in Mediterranean old-fields. *Oecologia* 111: 490–498.
- Garnier, E., Cortez, J., Billes, G., Navas, M.L., Roumet, C., Debussche, M., Laurent, G., Blanchard, A., Aubry, D., Bellmann, A., Neill, C. & Toussaint, J.P. 2004. Plant functional markers capture ecosystem properties during secondary succession. *Ecology* 85: 2630–2637.
- Garnier, E., Laurent, G., Bellmann, A., Debain, S., Berthelie, P., Ducout, B., Roumet, C. & Navas, M.L. 2001. Consistency of species ranking based on functional leaf traits. *New Phytologist* 152: 69–83.
- Garnier, E., Lavorel, S., Ansquer, P., Castro, H., Cruz, P., Dolezal, J., Eriksson, O., Fortunel, C., Freitas, H., Golodets, C., Grigulis, K., Jouany, C., Kazakou, E., Kigel, J., Kleyer, M., Lehsten, V., Leps, J., Meier, T., Pakeman, R., Papadimitriou, M., Papanastasis, V.P., Quested, H., Quetier, F., Robson, M., Roumet, C., Rusch, G., Skarpe, C., Sternberg, M., Theau, J.P., Thebault, A., Vile, D. & Zarovali, M.P. 2007. Assessing the effects of land-use change on plant traits, communities and ecosystem functioning in grasslands: A standardized methodology and lessons from an application to 11 European sites. *Annals of Botany* 99: 967–985.
- Gaudet, C.L. & Keddy, P.A. 1988. A comparative approach to predicting competitive ability from plant traits. *Nature* 334: 242–243.
- Gerrard, J. 1982. The use of hand-operated soil penetrometers. *Area* 14: 227–234.
- Gotelli, N. & Ellison, A.M. 2004. *A primer of ecological statistics*. Sinauer Associates Inc., Sunderland.
- Gotelli, N.J. & McCabe, D.J. 2002. Species co-occurrence: A meta-analysis of J. M. Diamond's assembly rules model. *Ecology* 83: 2091–2096.
- Götzenberger, L., de Bello, F., Brathen, K.A., Davison, J., Dubuis, A., Guisan, A., Leps, J., Lindborg, R., Moora, M., Partel, M., Pellissier, L., Pottier, J., Vittoz, P., Zobel, K. & Zobel, M. 2012. Ecological assembly rules in plant communities -- approaches, patterns and prospects. *Biological Reviews* 87: 111–127.
- Grassein, F., Till-Bottraud, I. & Lavorel, S. 2010. Plant resource-use strategies: the importance of phenotypic plasticity in response to a productivity gradient for two subalpine species. *Annals of Botany* 106: 637–645.
- Grime, J.P. 1998. Benefits of Plant Diversity to Ecosystems: Immediate, Filter and Founder Effects. *Journal of Ecology* 86: 902–910.
- Grime, J.P. 2002. *Plant strategies, vegetation processes, and ecosystem properties*. 2nd ed. Wiley, Chichester, UK.
- Grime, J.P. 2006. Trait convergence and trait divergence in herbaceous plant communities: Mechanisms and consequences. *Journal of Vegetation Science* 17: 255–260.
- Grootjans, A.P. 1980. Distribution of plant communities along rivulets in relation to hydrology and management. In: Wilmanns, O. & Tüxen, R. (eds.) *Epharmonie*, pp. 143–170. Cramer Verlag, Vaduz.
- Grootjans, A.P., Vandiggelen, R., Wassen, M.J. & Wiersinga, W.A. 1988. The effects of drainage on ground-water quality and plant-species distribution in stream valley meadows. *Vegetatio* 75: 37–48.
- Gross, N., Kunstler, G., Liancourt, P., de Bello, F., Suding, K.N. & Lavorel, S. 2009. Linking individual response to biotic interactions with community structure: a trait-based framework. *Functional Ecology* 23: 1167–1178.
- Grubb, P.J. 1977. The maintenance of species-richness in plant communities; the importance of the regeneration niche. *Biological Reviews* 52: 107–145.
- Gubsch, M., Buchmann, N., Schmid, B., Schulze, E.D., Lipowsky, A. & Roscher, C. 2011. Differential effects of plant diversity on functional trait variation of grass species. *Annals of Botany* 107: 157–169.
- Guo, H.Y., Wieski, K., Lan, Z.J. & Pennings, S.C. 2014. Relative influence of deterministic processes on structuring marsh plant communities varies across an abiotic gradient. *Oikos* 123: 173–178.

## H

- Hafsi, C., Lakhdhar, A., Rabhi, M., Debez, A., Abdelly, C. & Ouerghi, Z. 2007. Interactive effects of salinity and potassium availability on growth, water status, and ionic composition of *Hordeum maritimum*. *Journal of Plant Nutrition and Soil Science-Zeitschrift Fur Pflanzenernahrung Und Bodenkunde* 170: 469–473.
- Hamza, M.A. & Anderson, W.K. 2005. Soil compaction in cropping systems: A review of the nature, causes and possible solutions. *Soil and Tillage Research* 82: 121–145.
- Henle, K., Alard, D., Clitherow, J., Cobb, P., Firbank, L., Kull, T., McCracken, D.I., Moritz, R.F.A., Niemela, J., Rebane, M., Wascher, D., Watt, A. & Young, J. 2008. Identifying and managing the conflicts between agriculture and biodiversity conservation in Europe - a review. *Agriculture Ecosystems & Environment* 124: 60–71.
- Herben, T. & Goldberg, D.E. 2014. Community assembly by limiting similarity vs. competitive hierarchies: testing the consequences of dispersion of individual traits. *Journal of Ecology* 102: 156–166.
- HilleRisLambers, J., Adler, P.B., Harpole, W.S., Levine, J.M. & Mayfield, M.M. 2012. Rethinking Community Assembly through the Lens of Coexistence Theory. *Annual Review of Ecology, Evolution, and Systematics* 43: 227–248.
- Hoagland, D.R. & Arnon, D.I. 1950. The water-culture method for growing plants without soil. In: University of California Agricultural Station, Berkeley.
- Hodgson, J.G., Grime, J.P., Hunt, R. & Thompson, K. 1995. *The Electronic Comparative Plant Ecology*. Chapman & Hall, London.
- Hodgson, J.G., Montserrat-Martí, G., Charles, M., Jones, G., Wilson, P., Shipley, B., Sharafi, M., Cerabolini, B.E.L., Cornelissen, J.H.C., Band, S.R., Bogard, A., Castro-Díez, P., Guerrero-Campo, J., Palmer, C., Pérez-Rontomé, M.C., Carter, G., Hynd, A., Romo-Díez, A., de Torres Espuny, L. & Royo Pla, F. 2011. Is leaf dry matter content a better predictor of soil fertility than specific leaf area? *Annals of Botany*.
- Hooftman, D.A.P. & Bullock, J.M. 2012. Mapping to inform conservation: a case study of changes in semi-natural habitats and their connectivity over 70 years. *Biological Conservation* 145: 30–38.
- Hubbell, S.P. 2001. *The Unified Neutral Theory of Biodiversity and Biogeography*. Princeton University Press, Princeton.
- Huber, H., Jacobs, E. & Visser, E.J.W. 2009. Variation in flooding-induced morphological traits in natural populations of white clover (*Trifolium repens*) and their effects on plant performance during soil flooding. *Annals of Botany* 103: 377–386.
- Huhta, A.P., Rautio, P., Tuomi, J. & Laine, K. 2001. Restorative mowing on an abandoned semi-natural meadow: shortterm and predicted long-term effects. *Journal of Vegetation Science* 12: 677–686.
- Hulshof, C.M. & Swenson, N.G. 2010. Variation in leaf functional trait values within and across individuals and species: an example from a Costa Rican dry forest. *Functional Ecology* 24: 217–223.
- Hutchinson, G.E. 1957. Concluding Remarks. *Cold Spring Harbor Symposia on Quantitative Biology* 22: 415–427.
- IPBES 2015. Report of the Plenary of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services on the work of its thirs session (<http://www.ipbes.net>). In: IPBES, Bonn, Germany.

## I

- IPCC 2014. Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, R.K. Pachauri and L.A. Meyer (eds.)]. In, pp. 151. IPCC, Geneva, Switzerland.
- IUCN 2015. The IUCN Red List of Threatened Species. (<http://www.iucnredlist.org>). In: IUCN.

## J

- Jackson, B.G., Peltzer, D.A. & Wardle, D.A. 2013. The within-species leaf economic spectrum does not predict leaf litter decomposability at either the within-species or whole community levels. *Journal of Ecology* 101: 1409–1419.
- Jackson, M.B. & Armstrong, W. 1999. Formation of aerenchyma and the processes of plant ventilation in relation to soil flooding and submergence. *Plant Biology* 1: 274–287.
- Jafarzadeh, F. 2006. Dynamic compaction method in physical model tests. *Scientia Iranica* 13: 187–192.

- Jakobsson, A. & Eriksson, O. 2000. A comparative study of seed number, seed size, seedling size and recruitment in grassland plants. *Oikos* 88: 494–502.
- Jamil, T., Ozinga, W.A., Kleyer, M. & ter Braak, C.J.F. 2013. Selecting traits that explain species-environment relationships: a generalized linear mixed model approach. *Journal of Vegetation Science* 24: 988–1000.
- Jensen, L.S., McQueen, D.J. & Shepherd, T.G. 1996. Effects of soil compaction on N-mineralization and microbial-C and -N.1. Field measurements. *Soil and Tillage Research* 38: 175–188.
- Jung, V., Albert, C.H., Violle, C., Kunstler, G., Loucougaray, G. & Spiegelberger, T. 2014. Intraspecific trait variability mediates the response of subalpine grassland communities to extreme drought events. *Journal of Ecology* 102: 45–53.
- Jung, V., Violle, C., Mondy, C., Hoffmann, L. & Muller, S. 2010. Intraspecific variability and trait-based community assembly. *Journal of Ecology* 98: 1134–1140.
- Justin, S.H.F.W. & Armstrong, W. 1987. The Anatomical Characteristics of Roots and Plant Response to Soil Flooding. *New Phytologist* 106: 465–495.
- K**
- Kattge, J., Diaz, S., Lavorel, S., Prentice, C., Leadley, P., Bonisch, G., Garnier, E., Westoby, M., Reich, P.B., Wright, I.J., Cornelissen, J.H.C., Violle, C., Harrison, S.P., van Bodegom, P.M., Reichstein, M., Enquist, B.J., Soudzilovskaia, N.A., Ackerly, D.D., Anand, M., Atkin, O., Bahn, M., Baker, T.R., Baldocchi, D., Bekker, R., Blanco, C.C., Blonder, B., Bond, W.J., Bradstock, R., Bunker, D.E., Casanoves, F., Cavender-Bares, J., Chambers, J.Q., Chapin, F.S., Chave, J., Coomes, D., Cornwell, W.K., Craine, J.M., Dobrin, B.H., Duarte, L., Durka, W., Elser, J., Esser, G., Estiarte, M., Fagan, W.F., Fang, J., Fernandez-Mendez, F., Fidelis, A., Finegan, B., Flores, O., Ford, H., Frank, D., Freschet, G.T., Fyllas, N.M., Gallagher, R.V., Green, W.A., Gutierrez, A.G., Hickler, T., Higgins, S.I., Hodgson, J.G., Jalili, A., Jansen, S., Joly, C.A., Kerckhoff, A.J., Kirkup, D., Kitajima, K., Kleyer, M., Klotz, S., Knops, J.M.H., Kramer, K., Kuhn, I., Kurokawa, H., Laughlin, D., Lee, T.D., Leishman, M., Lens, F., Lenz, T., Lewis, S.L., Lloyd, J., Llusia, J., Louault, F., Ma, S., Mahecha, M.D., Manning, P., Massad, T., Medlyn, B.E., Messier, J., Moles, A.T., Muller, S.C., Nadrowski, K., Naeem, S., Niinemets, U., Nollert, S., Nuske, A., Ogaya, R., Oleksyn, J., Onipchenko, V.G., Onoda, Y., Ordóñez, J., Overbeck, G., Ozinga, W.A., Patino, S., Paula, S., Pausas, J.G., Penuelas, J., Phillips, O.L., Pillar, V., Poorter, H., Poorter, L., Poschlod, P., Prinzing, A., Proulx, R., Rammig, A., Reinsch, S., Reu, B., Sack, L., Salgado-Negre, B., Sardans, J., Shiodera, S., Shipley, B., Siefert, A., Sosinski, E., Soussana, J.F., Swaine, E., Swenson, N., Thompson, K., Thornton, P., Waldram, M., Weiher, E., White, M., White, S., Wright, S.J., Yguel, B., Zaehle, S., Zanne, A.E. & Wirth, C. 2011. TRY - a global database of plant traits. *Global Change Biology* 17: 2905–2935.
- Kazakou, E., Violle, C., Roumet, C., Navas, M.L., Vile, D., Kattge, J. & Garnier, E. 2014. Are trait-based species rankings consistent across data sets and spatial scales? *Journal of Vegetation Science* 25: 235–247.
- Keddy, P.A. 1992a. Assembly and Response Rules -- 2 Goals for Predictive Community Ecology. *Journal of Vegetation Science* 3: 157–164.
- Keddy, P.A. 1992b. A Pragmatic Approach to Functional Ecology. *Functional Ecology* 6: 621–626.
- Kembel, S.W., Cowan, P.D., Helmus, M.R., Cornwell, W.K., Morlon, H., Ackerly, D.D., Blomberg, S.P. & Webb, C.O. 2010. Picante: R tools for integrating phylogenies and ecology. *Bioinformatics* 26: 1463–1464.
- Kleyer, M., Bekker, R.M., Knevel, I.C., Bakker, J.P., Thompson, K., Sonnenschein, M., Poschlod, P., van Groenendael, J.M., Klimes, L., Klimesova, J., Klotz, S., Rusch, G., Hermy, M., Adriaens, D., Boedeltje, G., Bossuyt, B., Dannemann, A., Endels, P., Götzenberger, L., Hodgson, J.G., Jackel, A.K., Kühn, I., Kunzmann, D., Ozinga, W.A., Römermann, C., Stadler, M., Schlegelmilch, J., Steendam, H.J., Tackenberg, O., Wilmann, B., Cornelissen, J.H.C., Eriksson, O., Garnier, E. & Peco, B. 2008. The LEDA Traitbase: a database of life-history traits of the Northwest European flora. *Journal of Ecology* 96: 1266–1274.
- Kleyer, M., Dray, S., de Bello, F., Leps, J., Pakeman, R.J., Strauss, B., Thuiller, W. & Lavorel, S. 2012. Assessing species and community functional responses to environmental gradients: which multivariate methods? *Journal of Vegetation Science* 23: 805–821.
- Klimesova, J. & de Bello, F. 2009. CLO-PLA: the database of clonal and bud bank traits of Central European flora. *Journal of Vegetation Science* 20: 511–516.



- Knevel, I.C., Bekker, R.M., Bakker, J.P. & Kleyer, M. 2003. Life-history traits of the northwest European flora: The LEDA database. *Journal of Vegetation Science* 14: 611–614.
- Kühner, A. 2004. *Habitat models for plant functional groups with respect to soil parameters and management*. PhD thesis, C.v.O. University Oldenburg.
- L**
- Laanbroek, H.J. 1990. Bacterial cycling of minerals that affect plant growth in waterlogged soils—a review. *Aquatic Botany* 38: 109–125.
- Laliberte, E. & Legendre, P. 2010. A distance-based framework for measuring functional diversity from multiple traits. *Ecology* 91: 299–305.
- Laliberte, E., Legendre, P. & Shipley, B. 2014. FD: measuring functional diversity from multiple traits, and other tools for Functional Ecology. In.
- Laughlin, D.C., Leppert, J.J., Moore, M.M. & Sieg, C.H. 2010. A multi-trait test of the leaf-height-seed plant strategy scheme with 133 species from a pine forest flora. *Functional Ecology* 24: 493–501.
- Lavelle, S. & Garnier, E. 2002. Predicting changes in community composition and ecosystem functioning from plant traits: revisiting the Holy Grail. *Functional Ecology* 16: 545–556.
- Lavelle, S. & Grigulis, K. 2012. How fundamental plant functional trait relationships scale-up to trade-offs and synergies in ecosystem services. *Journal of Ecology* 100: 128–140.
- Lavelle, S., Grigulis, K., McIntyre, S., Williams, N.S.G., Garden, D., Dorrough, J., Berman, S., Quetier, F., Thebault, A. & Bonis, A. 2008. Assessing functional diversity in the field - methodology matters! *Functional Ecology* 22: 134–147.
- Lavelle, S., McIntyre, S., Landsberg, J. & Forbes, T.D.A. 1997. Plant functional classifications: from general groups to specific groups based on response to disturbance. *Trends in Ecology & Evolution* 12: 474–478.
- Lehsten, D. 2009. *Storage effects : the relationship between the hydrological dynamic of small infield pools and plant functional groups*. PhD thesis, C.v.O. University Oldenburg.
- Lehsten, V. 2005. *Functional analysis and modelling of vegetation - Plant functional types in a mesocosmos experiment and a mechanistic model*. PhD thesis, University of Oldenburg.
- Leps, J., de Bello, F., Smilauer, P. & Dolezal, J. 2011. Community trait response to environment: disentangling species turnover vs intraspecific trait variability effects. *Ecography* 34: 856–863.
- Lienin, P. & Kleyer, M. 2012. Plant trait responses to the environment and effects on ecosystem properties. *Basic and Applied Ecology* 13: 301–311.
- Liira, J., Issak, M., Jõgar, Ü., Mändoja, M. & Zobel, M. 2009. Restoration Management of a Floodplain Meadow and Its Cost-Effectiveness — the Results of a 6-Year Experiment. *Annales Botanici Fennici* 46: 397–408.
- Londo, G. 1976. The decimal scale for releves of permanent quadrats. *Vegetatio* 33: 61–64.
- Losos, J.B. 2008. Phylogenetic niche conservatism, phylogenetic signal and the relationship between phylogenetic relatedness and ecological similarity among species. *Ecology Letters* 11: 995–1003.
- Louault, F., Pillar, V.D., Aufrère, J., Garnier, E. & Soussana, J.F. 2005. Plant traits and functional types in response to reduced disturbance in a semi-natural grassland. *Journal of Vegetation Science* 16: 151–160.
- M**
- MAB 2015. *MAB strategy 2015–2025*. UNESCO, Paris.
- MacArthur, R.H. & Wilson, E.O. 1967. *The theory of island biogeography*. Princeton University Press, Princeton, N.J.
- Marteinsdottir, B. 2014. Seed Rain and Seed Bank Reveal that Seed Limitation Strongly Influences Plant Community Assembly in Grasslands. *Plos One* 9.
- Mason, N.W.H., Mouillot, D., Lee, W.G. & Wilson, J.B. 2005. Functional richness, functional evenness and functional divergence: the primary components of functional diversity. *Oikos* 111: 112–118.
- Mayfield, M.M. & Levine, J.M. 2010. Opposing effects of competitive exclusion on the phylogenetic structure of communities. *Ecology Letters* 13: 1085–1093.
- McGill, B.J., Enquist, B.J., Weiher, E. & Westoby, M. 2006. Rebuilding community ecology from functional traits. *Trends in Ecology & Evolution* 21: 178–185.

- Messier, J., McGill, B.J. & Lechowicz, M.J. 2010. How do traits vary across ecological scales? A case for trait-based ecology. *Ecology Letters* 13: 838–848.
- Millennium Ecosystem Assessment 2005. *Ecosystems and Human Well-being: Biodiversity Synthesis*. World Resources Institute, Washington, DC.
- Minden, V. & Kleyer, M. 2015. Ecosystem multifunctionality of coastal marshes is determined by key plant traits. *Journal of Vegetation Science* 26: 651–662.
- Minden, V. & Kleyer, M. 2011. Testing the effect-response framework: key response and effect traits determining above-ground biomass of salt marshes. *Journal of Vegetation Science* 22: 387–401.
- Mokany, K. & Ash, J.L. 2008. Are traits measured on pot grown plants representative of those in natural communities? *Journal of Vegetation Science* 19: 119–126.
- Moles, A.T. & Westoby, M. 2004. Seedling survival and seed size: a synthesis of the literature. *Journal of Ecology* 92: 372–383.
- Münkemüller, T., Lavergne, S., Bzeznik, B., Dray, S., Jombart, T., Schiffrers, K. & Thuiller, W. 2012. How to measure and test phylogenetic signal. *Methods in Ecology and Evolution* 3: 743–756.
- Munns, R. & Tester, M. 2008. Mechanisms of salinity tolerance. In: *Annual Review of Plant Biology*, pp. 651–681. Annual Reviews, Palo Alto.
- Musselman, L.J. & Press, M.C. 1995. Introduction to parasitic plants. In: Press, M.C. & Graves, J.D. (eds.) *Parasitic plants*. Chapman & Hall, London, UK.
- N**
- Nevens, F. & Reheul, D. 2003. The consequences of wheel-induced soil compaction and subsoiling for silage maize on a sandy loam soil in Belgium. *Soil and Tillage Research* 70: 175–184.
- O**
- Oksanen, J., Kindt, R., Legendre, P., O'Hara, B., Simpson, G.L., Solymos, P., Stevens, M.H. & Wagner, H. 2008. *Vegan: community ecology package*. In.
- Olf, H., De Leeuw, J., Bakker, J.P., Platerink, R.J., Van Wijnen, H.J. & De Munck, W. 1997. Vegetation succession and herbivory in a salt marsh: changes induced by sea level rise and silt deposition along an elevational gradient. *Journal of Ecology* 85: 799–814.
- Oster, M. & Eriksson, O. 2012. Recruitment in species-rich grasslands: the effects of functional traits and propagule pressure. *Journal of Plant Ecology* 5: 260–269.
- Ozinga, W.A., Bekker, R.M., Schaminée, J.H.J. & van Groenendael, J.M. 2004. Dispersal potential in plant communities depends on environmental conditions. *Journal of Ecology* 92: 767–777.
- Ozinga, W.A., Hennekens, S.M., Schaminée, J.H.J., Bekker, R.M., Prinzing, A., Bonn, S., Poschold, P., Tackenberg, O., Thompson, K., Bakker, J.P. & van Groenendael, J.M. 2005. Assessing the relative importance of dispersal in plant communities using an ecoinformatics approach. *Folia Geobotanica* 40: 53–67.
- Ozinga, W.A., Romermann, C., Bekker, R.M., Prinzing, A., Tamis, W.L.M., Schaminée, J.H.J., Hennekens, S.M., Thompson, K., Poschold, P., Kleyer, M., Bakker, J.P. & van Groenendael, J.M. 2009. Dispersal failure contributes to plant losses in NW Europe. *Ecology Letters* 12: 66–74.
- P**
- Pagel, M. 1999. Inferring the historical patterns of biological evolution. *Nature* 401: 877–884.
- Pakeman, R.J. 2014. Functional trait metrics are sensitive to the completeness of the species' trait data? *Methods in Ecology and Evolution* 5: 9–15.
- Pakeman, R.J. 2011. Multivariate identification of plant functional response and effect traits in an agricultural landscape. *Ecology* 92: 1353–1365.
- Pakeman, R.J., Leps, J., Kleyer, M., Lavorel, S., Garnier, E. & Consortium, V. 2009. Relative climatic, edaphic and management controls of plant functional trait signatures. *Journal of Vegetation Science* 20: 148–159.
- Paradis, E., Claude, J. & Strimmer, K. 2004. APE: Analyses of Phylogenetics and Evolution in R language. *Bioinformatics* 20: 289–290.
- Pärtel, M., Szava-Kovats, R. & Zobel, M. 2013. Community Completeness: Linking Local and Dark Diversity within the Species Pool Concept. *Folia Geobotanica* 48: 307–317.
- Pinheiro, J., Bates, D., DebRoy, S., Sarkar, D. & R Development Core Team 2013. nlme: Linear and Nonlinear Mixed Effects Models. In: *R package version 3.1-113*.

- Ponnamperuma, F.N. 1984. Effect of flooding on soils. In: Koalowski, T.T. (ed.) *Flooding and plant growth*, pp. 9–45. Academic, New York.
- Poorter, H., Niinemets, U., Poorter, L., Wright, I.J. & Villar, R. 2009. Causes and consequences of variation in leaf mass per area (LMA): a meta-analysis. *New Phytologist* 182: 565–588.
- Poschlod, P. & Biewer, H. 2005. Diaspore and gap availability are limiting species richness in wet meadows. *Folia Geobotanica* 40: 13–34.
- Press, M.C. & Phoenix, G.K. 2005. Impacts of parasitic plants on natural communities. *New Phytologist* 166: 737–751.
- Prinzing, A., Reiffers, R., Braakhekke, W.G., Hennekens, S.M., Tackenberg, O., Ozinga, W.A., Schaminee, J.H.J. & van Groenendael, J.M. 2008. Less lineages -- more trait variation: phylogenetically clustered plant communities are functionally more diverse. *Ecology Letters* 11: 809–819.
- Q**
- Quested, H., Eriksson, O., Fortunel, C. & Garnier, E. 2007. Plant traits relate to whole-community litter quality and decomposition following land use change. *Functional Ecology* 21: 1016–1026.
- Quetier, F., Thebault, A. & Lavorel, S. 2007. Plant traits in a state and transition framework as markers of ecosystem response to land-use change. *Ecological Monographs* 77: 33–52.
- R**
- R Development Core Team 2012. R: A language and environment for statistical computing. In: R Foundation for Statistical Computing, Vienna, Austria.
- Rasiah, V. & Kay, B.D. 1998. Legume N mineralization: effect of aeration and size distribution of water-filled pores. *Soil Biology & Biochemistry* 30: 89–96.
- Reich, P.B. 2014. The world-wide 'fast-slow' plant economics spectrum: a traits manifesto. *Journal of Ecology* 102: 275–301.
- Reich, P.B., Walters, M.B. & Ellsworth, D.S. 1997. From tropics to tundra: Global convergence in plant functioning. *Proceedings of the National Academy of Sciences* 94: 13730–13734.
- Roche, P., Diaz-Burlinson, N. & Gachet, S. 2004. Congruency analysis of species ranking based on leaf traits: which traits are the more reliable? *Plant Ecology* 174: 37–48.
- Rosindell, J., Hubbell, S.P. & Etienne, R.S. 2011. The Unified Neutral Theory of Biodiversity and Biogeography at Age Ten. *Trends in Ecology & Evolution* 26: 340–348.
- Ryser, P. & Urbas, P. 2000. Ecological significance of leaf life span among Central European grass species. *Oikos* 91: 41–50.
- S**
- Schadek, U. 2006. *Plants in urban brownfields : modeling the driving factors of site conditions and of plant functional group occurrence in a dynamic environment*. PhD thesis, C.v.O. University Oldenburg.
- Schaminée, J.H.J., Hennekens, S.M. & Ozinga, W.A. 2007. Use of the ecological information system SynBioSys for the analysis of large datasets. *Journal of Vegetation Science* 18: 463–470.
- Schaminée, J.H.J., Stortelder, A.H.F. & Weeda, A.J. 1996. *De Vegetatie van Nederland – Deel 3 graslanden, zomen, droge heiden*. Opulus Press, Uppsala, Leiden.
- Scheepens, J.F., Frei, E.S. & Stocklin, J. 2010. Genotypic and environmental variation in specific leaf area in a widespread Alpine plant after transplantation to different altitudes. *Oecologia* 164: 141–150.
- Scheffer, M. & van Nes, E.H. 2006. Self-organized similarity, the evolutionary emergence of groups of similar species. *Proceedings of the National Academy of Sciences of the United States of America* 103: 6230–6235.
- Schrama, M., Heijning, P., Bakker, J., van Wijnen, H., Berg, M. & Olf, H. 2013a. Herbivore trampling as an alternative pathway for explaining differences in nitrogen mineralization in moist grasslands. *Oecologia* 172: 231–243.
- Schrama, M.J.J., Cordlandwehr, V., Visser, E.J.W., Elzenga, T.M., de Vries, Y. & Bakker, J.P. 2013b. Grassland cutting regimes affect soil properties, and consequently vegetation composition and belowground plant traits. *Plant and Soil* 366: 401–413.
- Schumacher, J. & Roscher, C. 2009. Differential effects of functional traits on aboveground biomass in semi-natural grasslands. *Oikos* 118: 1659–1668.

- Semchenko, M., Abakumova, M., Lepik, A. & Zobel, K. 2013. Plants are least suppressed by their frequent neighbours: the relationship between competitive ability and spatial aggregation patterns. *Journal of Ecology* 101: 1313–1321.
- Sharpe, P.J. & Baldwin, A.H. 2009. Patterns of wetland plant species richness across estuarine gradients of Chesapeake Bay. *Wetlands* 29: 225–235.
- Shiple, B. 2007. Comparative plant ecology as a tool for integrating across scales - Preface. *Annals of Botany* 99: 965–966.
- Shiple, B. 2010. *From plant traits to vegetation structure : chance and selection in the assembly of ecological communities*. Cambridge University Press, Cambridge, UK.
- Shiple, B. 2006. Net assimilation rate, specific leaf area and leaf mass ratio: which is most closely correlated with relative growth rate? A meta-analysis. *Functional Ecology* 20: 565–574.
- Siefert, A. 2012a. Incorporating intraspecific variation in tests of trait-based community assembly. *Oecologia* 170: 767–775.
- Siefert, A. 2012b. Spatial patterns of functional divergence in old-field plant communities. *Oikos* 121: 907–914.
- Siefert, A., Ravenscroft, C., Althoff, D., Alvarez-Yepiz, J.C., Carter, B.E., Glennon, K.L., Heberling, J.M., Jo, I.S., Pontes, A., Sauer, A., Willis, A. & Fridley, J.D. 2012. Scale dependence of vegetation-environment relationships: a meta-analysis of multivariate data. *Journal of Vegetation Science* 23: 942–951.
- Siefert, A., Ravenscroft, C., Weiser, M.D. & Swenson, N.G. 2013. Functional beta-diversity patterns reveal deterministic community assembly processes in eastern North American trees. *Global Ecology and Biogeography* 22: 682–691.
- Silvertown, J., McConway, K., Gowing, D., Dodd, M., Fay, M.F., Joseph, J.A. & Dolphin, K. 2006. Absence of phylogenetic signal in the niche structure of meadow plant communities. *Proceedings of the Royal Society B-Biological Sciences* 273: 39–44.
- Snowden, R.E.D. & Wheeler, B.D. 1993. Iron toxicity to fen plant-species. *Journal of Ecology* 81: 35–46.
- Soane, B.D., Dickson, J.W. & Cambell, D.J. 1982. Compaction by agricultural vehicles: a review. *Soil and Tillage Research* 2: 2–36.
- Sonnier, G., Shipley, B. & Navas, M.L. 2010. Quantifying relationships between traits and explicitly measured gradients of stress and disturbance in early successional plant communities. *Journal of Vegetation Science* 21: 1014–1024.
- Sparrius, L.B., Odé, B. & Beringen, R. 2012. Basisrapport Rode Lijst Vaatplanten 2012 volgens Nederlandse en IUCN-criteria. In: *FLORON Rapport 57*. FLORON, Nijmegen.
- Spasojevic, M.J., Grace, J.B., Harrison, S. & Damschen, E.I. 2014. Functional diversity supports the physiological tolerance hypothesis for plant species richness along climatic gradients. *Journal of Ecology* 102: 447–455.
- Striker, G.G., Insausti, P., Grimoldi, A.A. & Vega, A.S. 2007. Trade-off between root porosity and mechanical strength in species with different types of aerenchyma. *Plant Cell and Environment* 30: 580–589.
- Strykstra, R.J., Verweij, G.L. & Bakker, J.P. 1997. Seed dispersal by mowing machinery in a Dutch brook valley system. *Acta Botanica Neerlandica* 46: 387–401.
- Suding, K.N., Lavorel, S., Chapin, F.S., Cornelissen, J.H.C., Díaz, S., Garnier, E., Goldberg, D., Hooper, D.U., Jackson, S.T. & Navas, M.L. 2008. Scaling environmental change through the community-level: a trait-based response-and-effect framework for plants. *Global Change Biology* 14: 1125–1140.
- Swenson, N.G., Anglada-Cordero, P. & Barone, J.A. 2011. Deterministic tropical tree community turnover: evidence from patterns of functional beta diversity along an elevational gradient. *Proceedings of the Royal Society B-Biological Sciences* 278: 877–884.
- Swenson, N.G., Enquist, B.J., Thompson, J. & Zimmerman, J.K. 2007. The influence of spatial and size scale on phylogenetic relatedness in tropical forest communities. *Ecology* 88: 1770–1780.
- T**
- Tansley, A.G. 1920. The Classification of Vegetation and the Concept of Development. *Journal of Ecology* 8: 118–149.
- Team, R.D.C. 2009. R: A language and environment for statistical computing. In: R Foundation for Statistical Computing, Vienna, Austria.

- ter Steege, H., Pitman, N.C.A., Phillips, O.L., Chave, J., Sabatier, D., Duque, A., Molino, J.F., Prevoist, M.F., Spichiger, R., Castellanos, H., von Hildebrand, P. & Vasquez, R. 2006. Continental-scale patterns of canopy tree composition and function across Amazonia. *Nature* 443: 444–447.
- Thompson, K., Petchey, O.L., Askew, A.P., Dunnett, N.P., Beckerman, A.P. & Willis, A.J. 2010. Little evidence for limiting similarity in a long-term study of a roadside plant community. *Journal of Ecology* 98: 480–487.
- Tilman, D. 1997. Community invasibility, recruitment limitation, and grassland biodiversity. *Ecology* 78: 81–92.
- Tilman, D. 1988. *Plant Strategies and the Dynamics and Structure of Plant Communities*. Princeton University Press.
- U**
- UK National Ecosystem Assessment 2014. *The UK National Ecosystem Assessment: Synthesis of the Key Findings*. UNEP-WCMC, LWEC, UK.
- V**
- Van Bochove, E., Beauchemin, S. & Theriault, G. 2002. Continuous multiple measurement of soil redox potential using platinum microelectrodes. *Soil Science Society of America Journal* 66: 1813–1820.
- van der Maarel, E. & Sykes, M.T. 1993. Small-scale plant species turnover in a limestone grassland: the carousel model and some comments on the niche concept. *Journal of Vegetation Science* 4: 179–188.
- Van der Meijden, R. 1996. *Heukels' Flora van Nederland [22e druk]*. Wolters-Noordhoff, Groningen.
- Van der Meijden, R. 2005. *Heukels' Flora van Nederland [23e druk]*. Wolters-Noordhoff, Groningen.
- Van Duren, I.C. & Peggel, D.M. 2000. Nutrient limitations in wet, drained and rewetted fen meadows: evaluation of methods and results. *Plant and Soil* 220: 35–47.
- Van Straalen, N.M. & Rijninks, P.C. 1982. The efficiency of Tullgren apparatus with respect to interpreting seasonal changes in age structure of soil arthropod populations. *Pedobiologia* 24: 197–209.
- van Tooren, B.F. 1988. The Fate of Seeds after Dispersal in Chalk Grassland: The Role of the Bryophyte Layer. *Oikos* 53: 41–48.
- Vartapetian, B.B. & Jackson, M.B. 1997. Plant Adaptations to Anaerobic Stress. *Annals of Botany* 79: 3–20.
- Villeger, S., Mason, N.W.H. & Moullot, D. 2008. New multidimensional functional diversity indices for a multifaceted framework in Functional Ecology. *Ecology* 89: 2290–2301.
- Violle, C., Bonis, A., Plantegenest, M., Cudennec, C., Damgaard, C., Marion, B., Le Coeur, D. & Bouzille, J.B. 2011. Plant functional traits capture species richness variations along a flooding gradient. *Oikos* 120: 389–398.
- Violle, C., Borge, B. & Choler, P. 2015. Trait databases: misuses and precautions. *Journal of Vegetation Science* 26: 826–827.
- Violle, C., Enquist, B.J., McGill, B.J., Jiang, L., Albert, C.H., Hulshof, C., Jung, V. & Messier, J. 2012. The return of the variance: intraspecific variability in community ecology. *Trends in Ecology & Evolution* 27: 244–252.
- Violle, C., Navas, M., Vile, D., Kazakou, E., Fortunel, C., Hummel, I. & Garnier, E. 2007. Let the concept of trait be functional! *Oikos* 116: 882–892.
- Visser, E.J.W. & Bogemann, G.M. 2003. Measurement of porosity in very small samples of plant tissue. *Plant and Soil* 253: 81–90.
- Vivian, L.M., Doherty, M.D. & Cary, G.J. 2010. Classifying the fire-response traits of plants: How reliable are species-level classifications? *Austral Ecology* 35: 264–273.
- von Kutschera, L., Lichtenegger, E. & Sobotik, M. 1982. *Wurzelatlas mitteleuropäischer Gründlandpflanzen*. G. Fischer Verlag, New York.
- Voorhees, W.B., Evans, S.D. & Warnes, D.D. 1985. Effect of preplant wheel traffic on soil compaction, water use, and growth of spring wheat. *Soil Science Society of America Journal* 49: 215–220.
- W**
- Walker, K.J., Stevens, P.A., Stevens, D.P., Mountford, J.O., Manchester, S.J. & Pywell, R.F. 2004. The restoration and re-creation of species-rich lowland grassland on land formerly managed for intensive agriculture in the UK. *Biological Conservation* 119: 1–18.

- Wallin, L., Svensson, B.M. & Lonn, M. 2009. Artificial dispersal as a restoration tool in meadows: sowing or planting? *Restoration Ecology* 17: 270–279.
- Weiher, E., Clarke, G.D.P. & Keddy, P.A. 1998. Community assembly rules, morphological dispersion, and the coexistence of plant species. *Oikos* 81: 309–322.
- Weiher, E., Freund, D., Bunton, T., Stefanski, A., Lee, T. & Bentivenga, S. 2011. Advances, challenges and a developing synthesis of ecological community assembly theory. *Philosophical Transactions of the Royal Society B-Biological Sciences* 366: 2403–2413.
- Weiher, E. & Keddy, P.A. 1995. Assembly Rules, Null Models, and Trait Dispersion: New Questions from Old Patterns. *Oikos* 74: 159–164.
- Weiher, E., van der Werf, A., Thompson, K., Roderick, M., Garnier, E. & Eriksson, O. 1999. Challenging Theophrastus: A common core list of plant traits for Functional Ecology. *Journal of Vegetation Science* 10: 609–620.
- Westoby, M., Falster, D.S., Moles, A.T., Vesk, P.A. & Wright, I.J. 2002. Plant ecological strategies: Some leading dimensions of variation between species. *Annual Review of Ecology and Systematics* 33: 125–159.
- Westoby, M. & Wright, I.J. 2006. Land-plant ecology on the basis of functional traits. *Trends in Ecology & Evolution* 21: 261–268.
- Wheeler, E.A., Baas, P. & Rodgers, S. 2007. Variations in dicot wood anatomy: a global analysis based on the insidewood database. *Iawa Journal* 28: 229–258.
- Whitlock, R., Bilton, M.C., Grime, J.P. & Burke, T. 2011. Fine-scale community and genetic structure are tightly linked in species-rich grasslands. *Philosophical Transactions of the Royal Society B-Biological Sciences* 366: 1346–1357.
- Whitlock, R., Grime, J.P. & Burke, T. 2010. Genetic variation in plant morphology contributes to the species-level structure of grassland communities. *Ecology* 91: 1344–1354.
- Wiengweera, A., Greenway, H. & Thomson, C.J. 1997. The use of agar nutrient solution to simulate lack of convection in waterlogged soils. *Annals of Botany* 80: 115–123.
- Wilson, J.B. 1989. A Null Model of Guild Proportionality, Applied to Stratification of A New-Zealand Temperate Rain-Forest. *Oecologia* 80: 263–267.
- Wilson, J.B. 2012. Species presence/absence sometimes represents a plant community as well as species abundances do, or better. *Journal of Vegetation Science* 23: 1013–1023.
- Wilson, J.B. & Whittaker, R.J. 1995. Assembly rules demonstrated in a salt-marsh community. *Journal of Ecology* 83: 801–807.
- Wilson, P.J., Thompson, K. & Hodgson, J.G. 1999. Specific leaf area and leaf dry matter content as alternative predictors of plant strategies. *New Phytologist* 143: 155–162.
- Wright, I.J., Reich, P.B. & Westoby, M. 2001. Strategy shifts in leaf physiology, structure and nutrient content between species of high- and low-rainfall and high- and low-nutrient habitats. *Functional Ecology* 15: 423–434.
- Wright, I.J., Reich, P.B., Westoby, M., Ackerly, D.D., Baruch, Z., Bongers, F., Cavender-Bares, J., Chapin, T., Cornelissen, J.H.C., Diemer, M., Flexas, J., Garnier, E., Groom, P.K., Gulias, J., Hikosaka, K., Lamont, B.B., Lee, T., Lee, W., Lusk, C., Midgley, J.J., Navas, M.L., Niinemets, U., Oleksyn, J., Osada, N., Poorter, H., Poot, P., Prior, L., Pyankov, V.I., Roumet, C., Thomas, S.C., Tjoelker, M.G., Veneklaas, E.J. & Villar, R. 2004. The worldwide leaf economics spectrum. *Nature* 428: 821–827.
- Wright, I.J. & Westoby, M. 1999. Differences in seedling growth behaviour among species: trait correlations across species, and trait shifts along nutrient compared to rainfall gradients. *Journal of Ecology* 87: 85–97.
- Z**
- Zobel, M. 1997. The relative role of species pools in determining plant species richness. An alternative explanation of species coexistence? *Trends in Ecology & Evolution* 12: 266–269.

