

University of Groningen

## To diversity and beyond

Rozema, Patrick Dennis

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2017

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Rozema, P. D. (2017). To diversity and beyond: Shifting Antarctic microbial communities along environmental gradients. [Groningen]: University of Groningen.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

## References

- Abele D, Vazquez S, Buma AGJ et al. (2017) Pelagic and benthic communities of the Antarctic ecosystem of Potter Cove: Genomics and ecological implications. *Marine Genomics*, **33**, 1–11.
- Abell GCJ, Bowman JP (2005) Ecological and biogeographic relationships of class Flavobacteria in the Southern Ocean. *FEMS Microbiology Ecology*, **51**, 265–277.
- Ackley SF, Sullivan CW (1994) Physical controls on the development and characteristics of Antarctic sea ice biological communities- a review and synthesis. *Deep-Sea Research Part I*, **41**, 1583–1604.
- Ajani P, Harwood DT, Murray A (2017) Recent trends in marine phycotoxins from Australian coastal waters. *Marine Drugs*, **15**.
- Alderkamp AC, de Baar HJW, Visser RJW, Arrigo KR (2010) Can photoinhibition control phytoplankton abundance in deeply mixed water columns of the Southern Ocean? *Limnology and Oceanography*, **55**, 1248–1264.
- Alderkamp AC, Kulk G, Buma AGJ, Visser RJW, van Dijken GL, Mills MM, Arrigo KR (2012a) The effect of iron limitation on the photophysiology of phaeocystis antarctica (prymnesiophyceae) and fragilariopsis cylindrus (bacillariophyceae) under dynamic irradiance. *Journal of Phycology*, **48**, 45–59.
- Alderkamp AC, Mills MM, van Dijken GL et al. (2012b) Iron from melting glaciers fuels phytoplankton blooms in the Amundsen Sea (Southern Ocean): Phytoplankton characteristics and productivity. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **71–76**, 32–48.
- Alderkamp AC, Mills MM, van Dijken GL, Arrigo KR (2013) Photoacclimation and non-photochemical quenching under in situ irradiance in natural phytoplankton assemblages from the Amundsen Sea, Antarctica. *Marine Ecology Progress Series*, **475**, 15–34.
- Amann RI, Binder BJ, Olson RJ, Chisholm SW, Devereux R, Stahl DA (1990) Combination of 16S rRNA-targeted oligonucleotide probes with flow cytometry for analyzing mixed microbial populations. *Applied and Environmental Microbiology*, **56**, 1919–1925.
- Anderson MJ (2001) A new method for non-parametric multivariate analysis of variance. *Austral Ecology*, **26**, 32–46.
- Annett AL, Carson DS, Crosta X, Clarke A, Ganeshram RS (2010) Seasonal progression of diatom assemblages in surface waters of Ryder Bay, Antarctica. *Polar Biology*, **33**, 13–29.
- Annett AL, Skiba M, Henley SF, Venables HJ, Meredith MP, Statham PJ, Ganeshram RS (2015) Comparative roles of upwelling and glacial iron sources in Ryder Bay, coastal western Antarctic Peninsula. *Marine Chemistry*, **176**, 21–33.
- Annett AL, Fitzsimmons JN, Séguret MJM, Lagerström M, Meredith MP, Schofield O, Sherrell RM (2017a) Controls on dissolved and particulate iron distributions in surface waters of the Western Antarctic Peninsula shelf. *Marine Chemistry*.
- Annett AL, Henley SF, Venables HJ, Meredith MP, Clarke A, Ganeshram RS (2017b) Silica cycling and isotopic composition in northern Marguerite Bay on the rapidly-warming western Antarctic Peninsula. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **139**, 132–142.
- Ardelan MV, Holm-Hansen O, Hewes CD et al. (2010) Natural iron enrichment around the Antarctic Peninsula in the Southern Ocean. *Biogeosciences*, **7**, 11–25.
- Armbrust EV (2009) The life of diatoms in the world's oceans. *Nature*, **459**, 185–192.
- Arrigo KR (1997) Primary Production in Antarctic Sea Ice. *Science*, **276**, 394–397.
- Arrigo KR (2005) Marine microorganisms and global nutrient cycles. *Nature*, **437**, 343–348.
- Arrigo KR (2016) Sea ice as a habitat for primary producers. In: *Sea Ice*, 3rd edn (ed Thomas DN), pp. 352–369. Chichester.
- Arrigo KR, Robinson DH, Worthen DL, Dunbar RB, DiTullio GR, van Woert M, Lizotte MP (1999) Phytoplankton Community Structure and the Drawdown of Nutrients and CO<sub>2</sub> in the Southern Ocean. *Science*, **283**, 365–367.
- Arrigo KR, van Dijken GL, Pabi S (2008) Impact of a shrinking Arctic ice cover on marine primary production. *Geophysical Research Letters*, **35**.
- Arrigo KR, Mills MM, Kropuenske LR, van Dijken GL, Alderkamp AC, Robinson DH (2010) Photophysiology in two major southern ocean phytoplankton taxa: Photosynthesis and growth of phaeocystis antarctica and fragilariopsis

## References

- cylindrus under different irradiance levels. *Integrative and Comparative Biology*, **50**, 950–966.
- Arrigo KR, Brown ZW, Mills MM (2014) Sea ice algal biomass and physiology in the Amundsen Sea, Antarctica. *Elementa: Science of the Anthropocene*, **2**.
- Assmy P, Henjes J, Klaas C, Smetacek V (2007) Mechanisms determining species dominance in a phytoplankton bloom induced by the iron fertilization experiment EisenEx in the Southern Ocean. *Deep-Sea Research Part I: Oceanographic Research Papers*, **54**, 340–362.
- Atkinson A, Siegel V, Pakhomov EA, Rothery P (2004) Long-term decline in krill stock and increase in salps within the Southern Ocean. *Nature*, **432**, 100–103.
- Atkinson A, Siegel V, Pakhomov EA et al. (2008) Oceanic circumpolar habitats of Antarctic krill. *Marine Ecology Progress Series*, **362**, 1–23.
- Atkinson A, Ward P, Hunt BP V, Pakhomov EA, Hosie GW (2012) an Overview of Southern Ocean Zooplankton Data: Abundance, Biomass, Feeding and Functional Relationships. *Ccamlr Science*, **19**, 171–218.
- Aumont O, Ethé C, Tagliabue A, Bopp L, Gehlen M (2015) PISCES-v2: An ocean biogeochemical model for carbon and ecosystem studies. *Geoscientific Model Development*, **8**, 2465–2513.
- de Baar HJW, La Roche J (2003) Trace Metals in the Oceans: Evolution, Biology and Global Change. In: *Marine Science Frontiers for Europe* (eds Wefer G, Lamy F, Mantoura F), pp. 79–105. Springer Berlin Heidelberg, Berlin, Heidelberg.
- de Baar HJW, Saager PM, Nolting RF, van der Meer J (1994) Cadmium versus phosphate in the world ocean. *Marine Chemistry*, **46**, 261–281.
- de Baar HJW, de Jong JTM, Bakker DCE, Löscher BM, Veth C, Bathmann U V., Smetacek V (1995) Importance of iron for plankton blooms and carbon dioxide drawdown in the Southern Ocean. *Nature*, **373**, 412–415.
- de Baar HJW, Boyd PW, Coale KH et al. (2005) Synthesis of iron fertilization experiments: From the iron age in the age of enlightenment. *Journal of Geophysical Research C: Oceans*, **110**, 1–24.
- Baars O, Abouchami W, Galer SJG, Boye M, Croot PL (2014) Dissolved cadmium in the Southern Ocean: Distribution, speciation, and relation to phosphate. *Limnology and Oceanography*, **59**, 385–399.
- Bálint M, Bahram M, Eren AM et al. (2016) Millions of reads, thousands of taxa: Microbial community structure and associations analyzed via marker genes. *FEMS Microbiology Reviews*, **40**, 686–700.
- Balzano S, Abs E, Leterme SC (2015) Protist diversity along a salinity gradient in a coastal lagoon. *Aquatic Microbial Ecology*, **74**, 263–277.
- Banse K (1992) Grazing, Temporal Changes of Phytoplankton Concentrations, and the Microbial Loop in the Open Sea BT - Primary Productivity and Biogeochemical Cycles in the Sea. *Primary productivity and biogeochemical cycles in the sea*, 409–440.
- Barrand NE, Vaughan DG, Steiner N, Tedesco M, Kuipers Munneke P, van den Broeke MR, Hosking JS (2013) Trends in Antarctic Peninsula surface melting conditions from observations and regional climate modeling. *Journal of Geophysical Research: Earth Surface*, **118**, 315–330.
- Barton AD, Dutkiewicz S, Flierl G, Bragg J, Follows MJ (2010) Patterns of Diversity in Marine Phytoplankton. *Science*, **327**, 1509–1511.
- Behrenfeld MJ (2010) Abandoning sverdrup's critical depth hypothesis on phytoplankton blooms. *Ecology*, **91**, 977–989.
- Behrenfeld M, Falkowski PG (1997) A consumer's guide to phytoplankton primary productivity models. *Limnology and Oceanography*, **42**, 1479–1491.
- Belcher A, Tarling GA, Manno C et al. (2017) The potential role of Antarctic krill faecal pellets in efficient carbon export at the marginal ice zone of the South Orkney Islands in spring. *Polar Biology*, 1–13.
- Billen G, Becquevort S (1991) Phytoplankton Bacteria Relationship in the Antarctic Marine Ecosystem. *Polar Research*, **10**, 245–253.
- Biller D V, Bruland KW (2012) Analysis of Mn, Fe, Co, Ni, Cu, Zn, Cd, and Pb in seawater using the Nobias-chelate PA1 resin and magnetic sector inductively coupled plasma mass spectrometry (ICP-MS). *Marine Chemistry*, **130**, 12–20.
- Bird DF, Karl DM (1991) Spatial patterns of glutamate and thymidine assimilation in Bransfield Strait, antarctica during and following the austral spring bloom. *Deep Sea Research*

- Part A, *Oceanographic Research Papers*, **38**, 1057–1075.
- Bird DF, Karl DM (1999) Uncoupling of bacteria and phytoplankton during the austral spring bloom in Gerlache Strait, Antarctic Peninsula. *Aquatic Microbial Ecology*, **19**, 13–27.
- Boelen P, de Boer MK, Kraay GW, Veldhuis MJW, Buma AGJ (2000) UVBR-induced DNA damage in natural marine picoplankton assemblages in the tropical Atlantic Ocean. *Marine Ecology Progress Series*, **193**, 1–9.
- Bown J, Boye M, Baker A et al. (2011) The biogeochemical cycle of dissolved cobalt in the Atlantic and the Southern Ocean south off the coast of South Africa. *Marine Chemistry*, **126**, 193–206.
- Bown J, Laan P, Ossebaar S, Bakker K, Rozema PD, de Baar HJW (2017) Bioactive trace metal time series during Austral summer in Ryder Bay, Western Antarctic Peninsula. *Deep Sea Research Part II: Topical Studies in Oceanography*, **139**, 103–119.
- Boye M, Wake BD, Lopez Garcia P, Bown J, Baker AR, Achterberg EP (2012) Distributions of dissolved trace metals (Cd, Cu, Mn, Pb, Ag) in the southeastern Atlantic and the Southern Ocean. *Biogeosciences*, **9**, 3231–3246.
- Brainerd KE, Gregg MC (1995) Surface mixed and mixing layer depths. *Deep-Sea Research Part I*, **42**, 1521–1543.
- Bray RJ, Curtis JT (1957) An ordination of the upland forest communities of southern Wisconsin. *Ecological Monographs*, **27**, 325–349.
- Breiman L (2001) Random forests. *Machine Learning*, **45**, 5–32.
- Brum JR, Hurwitz BL, Schofield O, Ducklow HW, Sullivan MB (2015) Seasonal time bombs: dominant temperate viruses affect Southern Ocean microbial dynamics. *ISME J*, **10**, 1–13.
- Brzezinski MA (2008) Mining the diatom genome for the mechanism of biosilicification. *Proceedings of the National Academy of Sciences*, **105**, 1391–1392.
- Buma AGJ, Gieskes WWC, Thomsen HA (1992) Abundance of cryptophyceae and chlorophyll b-containing organisms in the Weddell-Scotia Confluence area in the spring of 1988. *Polar Biology*, **12**, 43–52.
- Buma AGJ, de Boer MK, Boelen P (2001) Depth distributions of DNA damage in antarctic marine phyto and bacterioplankton exposed to summertime UV radiation. *Journal of Phycology*, **37**, 200–208.
- Burkill PH, Edwards ES, Sleight MA (1995) Microzooplankton and their role in controlling phytoplankton growth in the marginal ice zone of the Bellingshausen Sea. *Deep-Sea Research Part II*, **42**, 1277–1290.
- Calbet A, Landry MR (2004) Phytoplankton growth, microzooplankton grazing, and carbon cycling in marine systems. *Limnology and Oceanography*, **49**, 51–57.
- Camacho C, Coulouris G, Avagyan V, Ma N, Papadopoulos J, Bealer K, Madden TL (2009) BLAST+: architecture and applications. *BMC Bioinformatics*, **10**, 421.
- Caporaso JG, Kuczynski J, Stombaugh J et al. (2010) QIIME allows analysis of high-throughput community sequencing data. *Nature methods*, **7**, 335–6.
- Caron DA, Countway PD, Jones AC, Kim DY, Schnetzer A (2011) Marine Protistan Diversity. *Annual Review of Marine Science*, **4**, 467–493.
- Carvalho F, Kohut J, Oliver MJ, Schofield O (2017) Defining the ecologically relevant mixed-layer depth for Antarctica's coastal seas. *Geophysical Research Letters*, **44**, 338–345.
- Cassarino L, Hendry KR, Meredith MP, Venables HJ, De La Rocha CL (2017) Silicon isotope and silicic acid uptake in surface waters of Marguerite Bay, West Antarctic Peninsula. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **139**, 143–150.
- Castro CG, Ríos AF, Doval MD, Pérez FF (2002) Nutrient utilisation and chlorophyll distribution in the Atlantic sector of the Southern Ocean during Austral summer 1995–96. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **49**, 623–641.
- Chao A, Jost L (2012) Coverage-based rarefaction and extrapolation: Standardizing samples by completeness rather than size. *Ecology*, **93**, 2533–2547.
- Chao A, Gotelli NJ, Hsieh TC, Sander EL, Ma KH, Colwell RK, Ellison AM (2014) Rarefaction and extrapolation with Hill numbers: A framework for sampling and estimation in species diversity studies. *Ecological Monographs*, **84**, 45–67.
- Clarke A, Meredith MP, Wallace MI, Brandon MA, Thomas DN (2008) Seasonal and interannual variability in temperature,

## References

- chlorophyll and macronutrients in northern Marguerite Bay, Antarctica. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **55**, 1988–2006.
- Claustre H, Moline MA, Prezelin BB (1997) Sources of variability in the column photosynthetic cross section for Antarctic coastal waters. *Journal of Geophysical Research-Oceans*, **102**, 25047–25060.
- Clem KR, Fogt RL (2013) Varying roles of ENSO and SAM on the Antarctic Peninsula climate in austral spring. *Journal of Geophysical Research Atmospheres*, **118**, 11481–11492.
- Cohan FM (2002) What are bacterial species? *Annual Review of Microbiology*, **56**, 457–487.
- Cole J, Findlay S, Pace M (1988) Bacterial production in fresh and saltwater ecosystems: a cross-system overview. *Marine Ecology Progress Series*, **43**, 1–10.
- Constable AJ, Melbourne-Thomas J, Corney SP et al. (2014) Climate change and Southern Ocean ecosystems I: How changes in physical habitats directly affect marine biota. *Global Change Biology*, **20**, 3004–3025.
- Cook AJ, Fox A. J, Vaughan DG, Ferrigno JG (2005) Retreating glacier fronts on the Antarctic Peninsula over the past half-century. *Science*, **308**, 541–544.
- Cook AJ, Holland PR, Meredith MP, Murray T, Luckman A, Vaughan DG (2016) Ocean forcing of glacier retreat in the western Antarctic Peninsula. *Science*, **353**, 1261–1273.
- Corps C (2011) *Chapter 16: Memories of changes in renal care over three decades - The human perspective on registry statistics*, Vol. 119. North Pacific Marine Science Organization, Sidney, 191 pp.
- Craig H, Gordon L (1965) Deuterium and oxygen 18 variations in the ocean and the marine atmosphere. In: *Stable Isotopes in Oceanographic Studies and Paleotemperatures* (ed Tongiorgio E), pp. 9–130. Spoleto, Italy.
- Croot PL, Baars O, Streu P (2011) The distribution of dissolved zinc in the Atlantic sector of the Southern Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography*, **58**, 2707–2719.
- Cullen JT, Chase Z, Coale KH, Fitzwater SE, Sherrell RM (2003) Effect of iron limitation on the cadmium to phosphorus ratio of natural phytoplankton assemblages from the Southern Ocean. *Limnology and Oceanography*, **48**, 1079–1087.
- Curson ARJ, Rogers R, Todd JD, Brearley CA, Johnston AWB (2008) Molecular genetic analysis of a dimethylsulfoniopropionate lyase that liberates the climate-changing gas dimethylsulfide in several marine alpha-proteobacteria and *Rhodobacter sphaeroides*. *Environmental Microbiology*, **10**, 757–767.
- Decelle J, Probert I, Bittner L et al. (2012) An original mode of symbiosis in open ocean plankton. *Proceedings of the National Academy of Sciences of the United States of America*, **109**, 18000–5.
- Delmont TO, Hammar KM, Ducklow HW, Yager PL, Post AF (2014) Phaeocystis antarctica blooms strongly influence bacterial community structures in the Amundsen Sea polynya. *Frontiers in Microbiology*, **5**.
- Depoorter MA, Bamber JL, Griggs JA, Lenaerts JTM, Ligtenberg SRM, van den Broeke MR, Moholdt G (2013) Calving fluxes and basal melt rates of Antarctic ice shelves. *Nature*, **502**, 89–92.
- Dierssen HM, Smith RC (2000) Bio-optical properties and remote sensing ocean color algorithms for Antarctic Peninsula waters. *Journal of Geophysical Research: Oceans*, **105**, 26301–26312.
- Dierssen HM, Smith RC, Vernet M (2002) Glacial meltwater dynamics in coastal waters west of the Antarctic peninsula. *Proceedings of the National Academy of Sciences of the United States of America*, **99**, 1790–5.
- Diez B, Pedrós-Alió C, Marsh TL, Pedro C (2001) Application of Denaturing Gradient Gel Electrophoresis ( DGGE ) To Study the Diversity of Marine Picoeukaryotic Assemblages and Comparison of DGGE with Other Molecular Techniques Application of Denaturing Gradient Gel Electrophoresis ( DGGE ) To Study the. *Applied and environmental microbiology*, **67**, 2941–2951.
- Diez B, Massana R, Estrada M, Pedrós-Alió C (2004) Distribution of eukaryotic picoplankton assemblages across hydrographic fronts in the Southern Ocean, studied by denaturing gradient gel electrophoresis. *Limnology and Oceanography*, **49**, 1022–1034.
- Ding Q, Steig EJ, Battisti DS, Küttel M (2011) Winter warming in West Antarctica caused by

- central tropical Pacific warming. *Nature Geoscience*, **4**, 398–403.
- DiTullio GR, Garcia N, Riseman SF, Sedwick PN (2007) Effects of iron concentration on pigment composition in *Phaeocystis antarctica* grown at low irradiance. *Biogeochemistry*, **83**, 71–81.
- Dixon DA, Mayewski PA, Goodwin ID, Marshall GJ, Freeman R, Maasch KA, Sneed SB (2012) An ice-core proxy for northerly air mass incursions into West Antarctica. *International Journal of Climatology*, **32**, 1455–1465.
- Dolan JR, Yang EJ, Lee SH, Kim SY (2013) Tintinnid ciliates of amundsen sea (Antarctica) plankton communities. *Polar Research*, **32**, 1–12.
- Dore JE, Tien G, Letelier R, Parrish G, Szyper J, Burgett J, Karl DM (1992) RACER: Distributions of nitrogenous nutrients near receding pack ice in Marguerite Bay. *Antarctic Journal of the United States*, **27**, 177–179.
- Douglas S, Zauner S, Fraunholz M et al. (2001) The highly reduced genome of an enslaved algal nucleus. *Nature*, **410**, 1091–1096.
- Ducklow HW, Baker K, Martinson DG et al. (2007) Marine pelagic ecosystems: the West Antarctic Peninsula. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **362**, 67–94.
- Ducklow H, Clarke A, Dickhut R et al. (2012a) The Marine System of the Western Antarctic Peninsula. In: *Antarctic Ecosystems: An Extreme Environment in a Changing World* (eds Rogers AD, Johnston NM, Murphy EJ, Clarke A), pp. 121–159. John Wiley & Sons, Ltd, Chichester.
- Ducklow HW, Schofield O, Vernet M, Stammerjohn S, Erickson M (2012b) Multiscale control of bacterial production by phytoplankton dynamics and sea ice along the western Antarctic Peninsula: A regional and decadal investigation. *Journal of Marine Systems*, **98–99**, 26–39.
- Ducklow H, Fraser W, Meredith M et al. (2013) West Antarctic Peninsula: An ice-dependent coastal marine ecosystem in transition. *Oceanography*, **26**, 190–203.
- Dulaiova H, Ardelan M V, Henderson PB, Charette MA (2009) Shelf-derived iron inputs drive biological productivity in the southern Drake Passage. *Global Biogeochemical Cycles*, **23**, GB4014.
- Dunn OJ (1961) Multiple Comparisons Among Means. *Journal of the American Statistical Association*, **56**, 52–64.
- Ellwood MJ (2008) Wintertime trace metal (Zn, Cu, Ni, Cd, Pb and Co) and nutrient distributions in the Subantarctic Zone between 40–52°S; 155–160°E. *Marine Chemistry*, **112**, 107–117.
- Eren AM, Vineis JH, Morrison HG, Sogin ML (2013) A Filtering Method to Generate High Quality Short Reads Using Illumina Paired-End Technology. *PLoS ONE*, **8**.
- Eren AM, Morrison HG, Lescault PJ, Reveillaud J, Vineis JH, Sogin ML (2015) Minimum entropy decomposition: unsupervised oligotyping for sensitive partitioning of high-throughput marker gene sequences. *ISME J*, **9**, 968–979.
- Everson I (2000) Role of Krill in Marine Food Webs. 7.3 The Southern Ocean. In: *Krill: Biology, Ecology, and Fisheries*, Fish and A edn (ed Everson I), pp. 194–201. Blackwell Science, Oxford.
- Faust K, Sathirapongsasuti JF, Izard J, Segata N, Gevers D, Raes J, Huttenhower C (2012) Microbial co-occurrence relationships in the Human Microbiome. *PLoS Computational Biology*, **8**.
- Fernández-Gómez B, Richter M, Schüller M, Pinhassi J, Acinas SG, González JM, Pedrós-Alió C (2013) Ecology of marine Bacteroidetes: A comparative genomics approach. *The ISME Journal*, **7**, 1026–37.
- Fitzwater SE, Johnson KS, Gordon RM, Coale KH, Smith WO (2000) Trace metal concentrations in the Ross Sea and their relationship with nutrients and phytoplankton growth. *Deep Sea Research Part II: Topical Studies in Oceanography*, **47**, 3159–3179.
- Flores H, Atkinson A, Kawaguchi S et al. (2012) Impact of climate change on Antarctic krill. *Marine Ecology Progress Series*, **458**, 1–19.
- Frank KL, Rogers DR, Olins HC, Vidoudez C, Girguis PR (2013) Characterizing the distribution and rates of microbial sulfate reduction at Middle Valley hydrothermal vents. *The ISME Journal*, **7**, 1391–1401.
- Fripiat F, Meiners KM, Vancoppenolle M et al. (2017) Macro-nutrient concentrations in Antarctic pack ice: Overall patterns and overlooked processes. *Elem Sci Anth*, **5**, 13.

## References

- Gäbler-Schwarz S, Medlin LK, Leese F (2015) A puzzle with many pieces: the genetic structure and diversity of *Phaeocystis antarctica* Karsten (Prymnesiophyta). *European Journal of Phycology*, **50**, 112–124.
- Garibotti IA, Vernet M, Kozłowski WA, Ferrario ME (2003) Composition and biomass of phytoplankton assemblages in coastal Antarctic waters: A comparison of chemotaxonomic and microscopic analyses. *Marine Ecology Progress Series*, **247**, 27–42.
- Garibotti IA, Vernet M, Ferrario ME (2005) Annually recurrent phytoplanktonic assemblages during summer in the seasonal ice zone west of the Antarctic Peninsula (Southern Ocean). *Deep-Sea Research Part I: Oceanographic Research Papers*, **52**, 1823–1841.
- Garrison DL, Mathot S (1996) Pelagic and sea ice microbial communities. **70**, 155–172.
- Garzio LM, Steinberg DK, Erickson M, Ducklow HW (2013) Microzooplankton grazing along the Western Antarctic Peninsula. *Aquatic Microbial Ecology*, **70**, 215–232.
- Gast RJ, Dennett MR, Caron DA (2004) Characterization of Protistan Assemblages in the Ross Sea, Antarctica, by Denaturing Gradient Gel Electrophoresis. *Applied and Environmental Microbiology*, **70**, 2028–2037.
- Gentile G, Giuliano L, D'Auria G, Smedile F, Azzaro M, De Domenico M, Yakimov MM (2006) Study of bacterial communities in Antarctic coastal waters by a combination of 16S rRNA and 16S rDNA sequencing. *Environmental Microbiology*, **8**, 2150–2161.
- Georges C, Monchy S, Genitsaris S, Christaki U (2014) Protist community composition during early phytoplankton blooms in the naturally iron-fertilized Kerguelen area (Southern Ocean). *Biogeosciences*, **11**, 5847–5863.
- Gerringa LJA, Alderkamp AC, Laan P et al. (2012) Iron from melting glaciers fuels the phytoplankton blooms in Amundsen Sea (Southern Ocean): Iron biogeochemistry. *Deep Sea Research Part II: Topical Studies in Oceanography*, **71–76**, 16–31.
- Gerringa LJA, Laan P, van Dijken GL, van Haren H, de Baar HJW, Arrigo KR, Alderkamp AC (2015) Sources of iron in the Ross Sea Polynya in early summer. *Marine Chemistry*, **177**, 447–459.
- Ghiglione JF, Murray AE (2012) Pronounced summer to winter differences and higher wintertime richness in coastal Antarctic marine bacterioplankton. *Environmental Microbiology*, **14**, 617–629.
- Giovannoni SJ, DeLong EF, Olsen GJ, Pace NR (1988) Phylogenetic group-specific oligodeoxynucleotide probes for identification of single microbial cells. *Journal of Bacteriology*, **170**, 720–726.
- Godhe A, Asplund ME, Härnström K, Saravanan V, Tyagi A, Karunasagar I (2008) Quantification of diatom and dinoflagellate biomasses in coastal marine seawater samples by real-time PCR. *Applied and Environmental Microbiology*, **74**, 7174–7182.
- Grotti M, Soggia F, Abelmoschi ML, Rivarolo P, Magi E, Frache R (2001) Temporal distribution of trace metals in Antarctic coastal waters. *Marine Chemistry*, **76**, 189–209.
- Grzymalski JJ, Riesenfeld CS, Williams TJ et al. (2012) A metagenomic assessment of winter and summer bacterioplankton from Antarctica Peninsula coastal surface waters. *The ISME Journal*, **6**, 1901–1915.
- Guillou L, Bachar D, Audic S et al. (2013) The Protist Ribosomal Reference database (PR2): A catalog of unicellular eukaryote Small Sub-Unit rRNA sequences with curated taxonomy. *Nucleic Acids Research*, **41**, 597–604.
- Haberman KL, Ross RM, Quetin LB (2003) Diet of the Antarctic krill (*Euphausia superba* Dana): II. Selective grazing in mixed phytoplankton assemblages. *Journal of Experimental Marine Biology and Ecology*, **283**, 97–113.
- Hall JA, Safi K (2001) The impact of in situ Fe fertilisation on the microbial food web in the Southern Ocean. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **48**, 2591–2613.
- Hallfors G, Niemi A (1974) A chrysochromulina (Haptophyceae) bloom under the ice in the Tvarminne Archipelago, southern coast of Finland. *Memoranda Soc. Fauna Flora Fennica*, **50**, 89–104.
- Hammer Ø, Harper DAT, Ryan PD (2001) PAST: Paleontological statistics software package for education and data analysis. *Palaeontologia Electronica*, **4**, 1–9.
- Harangozo SA (2006) Atmospheric circulation impacts on winter maximum sea ice extent in the west Antarctic Peninsula region (1979–2001). *Geophysical Research Letters*, **33**, L02502.
- Hatta M, Measures CI, Selph KE, Zhou M, Hiscock WT (2013) Iron fluxes from the shelf

- regions near the South Shetland Islands in the Drake Passage during the austral-winter 2006. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **90**, 89–101.
- Hendry KR, Rickaby REM, de Hoog JCM, Weston K, Rehkämper M (2008) Cadmium and phosphate in coastal Antarctic seawater: Implications for Southern Ocean nutrient cycling. *Marine Chemistry*, **112**, 149–157.
- Hendry KR, Meredith MP, Measures CI, Carson DS, Rickaby REM (2010) The role of sea ice formation in cycling of aluminium in northern Marguerite Bay, Antarctica. *Estuarine, Coastal and Shelf Science*, **87**, 103–112.
- Henley SF, Tuerena RE, Annett AL et al. (2017) Macronutrient supply, uptake and recycling in the coastal ocean of the west Antarctic Peninsula. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **139**, 58–76.
- Heuer H, Wieland G, Schönfeld J, Schönwälder A, Gomes NCM, Smalla K (2001) *Bacterial community profiling using DGGE or TGGE analysis*, Vol. 9 (ed Rouchelle I. P.). Horizon Scientific Press, Wymondham, 177–190 pp.
- van Heukelem L, Thomas CS (2001) Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments. *Journal of Chromatography A*, **910**, 31–49.
- Higgins HW, Wright SW, Schlüter L (2011) Chapter 6: Quantitative interpretation of chemotaxonomic pigment data. In: *Phytoplankton Pigments: Characterization, Chemotaxonomy and Applications in Oceanography*, Vol. 1 (eds Roy S, Llewellyn CA, Egeland ES, Johnsen G), p. 890. Cambridge University Press, Cambridge.
- van den Hoff J, Bell E (2015) The ciliate *Mesodinium rubrum* and its cryptophyte prey in Antarctic aquatic environments. *Polar Biology*, **38**, 1305–1310.
- Holm S (1979) A Simple Sequentially Rejective Multiple Test Procedure. *Scandinavian Journal of Statistics*, **6**, 65–70.
- Huang K, Ducklow H, Vernet M, Cassar N, Bender ML (2012) Export production and its regulating factors in the West Antarctica Peninsula region of the Southern Ocean. *Global Biogeochemical Cycles*, **26**, 1–13.
- Huisman J, Weissing FJ (1999) Biodiversity of plankton by species oscillations and chaos. *Nature*, **402**, 407–410.
- Huse SM, Mark Welch DB, Voorhis A, Shipunova A, Morrison HG, Eren AM, Sogin ML (2014) VAMPS: a website for visualization and analysis of microbial population structures. *BMC bioinformatics*, **15**, 41.
- IPCC (2007) *Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. 996 pp.
- Johnson MD (2015) Inducible Mixotrophy in the Dinoflagellate *Prorocentrum minimum*. *Journal of Eukaryotic Microbiology*, **62**, 431–443.
- Johnson KM, Sieburth JM, Williams PJJ, Brändström L (1987) Coulometric total carbon dioxide analysis for marine studies: Automation and calibration. *Marine Chemistry*, **21**, 117–133.
- Jones EM, Fenton M, Meredith MP et al. (2017) Ocean acidification and calcium carbonate saturation states in the coastal zone of the West Antarctic Peninsula. *Deep Sea Research Part II: Topical Studies in Oceanography*, **139**, 181–194.
- de Jong J, Schoemann V, Lannuzel D, Croot P, de Baar H, Tison JL (2012) Natural iron fertilization of the Atlantic sector of the Southern Ocean by continental shelf sources of the Antarctic Peninsula. *Journal of Geophysical Research: Biogeosciences*, **117**, 25pp.
- Karl DM, Holm-Hansen O, Taylor GT, Tien G, Bird DF (1991) Microbial biomass and productivity in the western Bransfield Strait, Antarctica during the 1986–87 austral summer. *Deep Sea Research Part A, Oceanographic Research Papers*, **38**, 1029–1055.
- Kim H, Ducklow HW (2016) A Decadal (2002–2014) Analysis for Dynamics of Heterotrophic Bacteria in an Antarctic Coastal Ecosystem: Variability and Physical and Biogeochemical Forcings. *Frontiers in Marine Science*, **3**, 214.
- Kim JG, Park SJ, Quan ZX et al. (2014) Unveiling abundance and distribution of planktonic Bacteria and Archaea in a polynya in Amundsen Sea, Antarctica. *Environmental microbiology*, **16**, 1566–1578.
- Kirk J (1983) *Light and photosynthesis in aquatic ecosystems*. Cambridge University Press.
- Klunder MB, Laan P, de Baar HJW, Middag R, Neven I, van Ooijen J (2014) Dissolved Fe across the Weddell Sea and Drake Passage: Impact of



## References

- DFe on nutrient uptake. *Biogeosciences*, **11**, 651–669.
- Kopceżyńska EE, Fiala M, Jeandel C (1998) Annual and interannual variability in phytoplankton at a permanent station off Kerguelen Islands, Southern Ocean. *Polar biology*, **20**, 342–351.
- Korhonen H, Carslaw KS, Forster PM, Mikkonen S, Gordon ND, Kokkola H (2010) Aerosol climate feedback due to decadal increases in southern hemisphere wind speeds. *Geophysical Research Letters*, **37**, 0–5.
- Kozłowski WA, Deutschman D, Garibotti I, Trees C, Vernet M (2011) An evaluation of the application of CHEMTAX to Antarctic coastal pigment data. *Deep-Sea Research Part I: Oceanographic Research Papers*, **58**, 350–364.
- Kropuenske LR, Mills MM, van Dijken GL, Bailey S, Robinson DH, Welschmeyer NA, Arrigo KR (2009) Photophysiology in two major Southern Ocean phytoplankton taxa: Photoprotection in *Phaeocystis antarctica* and *Fragilariopsis cylindrus*. *Limnology and Oceanography*, **54**, 1176–1196.
- Kulk G, Buist A, van de Poll WH, Rozema PD, Buma AGJ (submitted) Size scaling of photophysiology and growth in four freshly isolated diatom species from Ryder Bay, West Antarctic Peninsula. *Journal of Phycology*.
- Ladau J, Sharpton TJ, Finucane MM et al. (2013) Global marine bacterial diversity peaks at high latitudes in winter. *The ISME journal*, **7**, 1669–77.
- Lagerström ME, Field MP, Séguret M, Fischer L, Hann S, Sherrell RM (2013) Automated on-line flow-injection ICP-MS determination of trace metals (Mn, Fe, Co, Ni, Cu and Zn) in open ocean seawater: Application to the GEOTRACES program. *Marine Chemistry*, **155**, 71–80.
- Landa M, Blain S, Christaki U, Monchy S, Obernosterer I (2016) Shifts in bacterial community composition associated with increased carbon cycling in a mosaic of phytoplankton blooms. *The ISME ...*, **10**, 39–50.
- Lannuzel D, Bowie AR, van der Merwe PC, Townsend AT, Schoemann V (2011) Distribution of dissolved and particulate metals in Antarctic sea ice. *Marine Chemistry*, **124**, 134–146.
- Latasa M, Scharek R, Vidal M, Vila-Reixach G, Gutiérrez-Rodríguez A, Emelianov M, Gasol JM (2010) Preferences of phytoplankton groups for waters of different trophic status in the northwestern Mediterranean sea. *Marine Ecology Progress Series*, **407**, 27–42.
- van Leeuwe MA, Villerius LA, Roggeveld J, Visser RJW, Stefels J (2006) An optimized method for automated analysis of algal pigments by HPLC. *Marine Chemistry*, **102**, 267–275.
- van Leeuwe MA, Visser RJW, Stefels J (2014) The pigment composition of *Phaeocystis antarctica* (Haptophyceae) under various conditions of light, temperature, salinity, and iron. *Journal of Phycology*, **50**, 1070–1080.
- Legendre P, Legendre LFJ (1998) *Numerical Ecology*, 2nd edn. Elsevier, Amsterdam, 1-839 pp.
- Legge OJ, Bakker DCE, Meredith MP, Venables HJ, Brown PJ, Jones EM, Johnson MT (2017) The seasonal cycle of carbonate system processes in Ryder Bay, West Antarctic Peninsula. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **139**, 167–180.
- Lewis M, Smith J (1983) A small volume, short-incubation-time method for measurement of photosynthesis as a function of incident irradiance. *Marine Ecology Progress Series*, **13**, 99–102.
- Liaw A, Wiener M (2002) Classification and Regression by randomForest. *R news*, **2**, 18–22.
- Ligowski R, Godlewski M, Łukowski A (1992) Sea ice diatoms and ice edge planktonic diatoms at the northern limit of the Weddell Sea pack ice. *Polar Biol*, **5**, 9–20.
- Lin S, Zhang H, Hou Y, Miranda L, Bhattacharya D (2006) Development of a dinoflagellate-oriented PCR primer set leads to detection of picoplanktonic dinoflagellates from Long Island Sound. *Applied and Environmental Microbiology*, **72**, 5626–5630.
- Long JD, Smalley GW, Barsby T, Anderson JT, Hay ME (2007) Chemical cues induce consumer-specific defenses in a bloom-forming marine phytoplankton. *Proceedings of the National Academy of Sciences of the United States of America*, **104**, 10512–10517.
- Löscher BM (1999) Relationships among Ni, Cu, Zn, and major nutrients in the Southern Ocean. *Marine Chemistry*, **67**, 67–102.
- Luria CM, Ducklow HW, Amaral-Zettler LA (2014) Marine bacterial, archaeal and eukaryotic diversity and community structure on the

- continental shelf of the western Antarctic Peninsula. *Aquatic Microbial Ecology*, **73**, 107–121.
- Luria CM, Amaral-Zettler LA, Ducklow HW, Rich JJ (2016) Seasonal succession of free-living bacterial communities in coastal waters of the western antarctic peninsula. *Frontiers in Microbiology*, **7**, 1731.
- MacIntyre H, Cullen J (2005) Using cultures to investigate the physiological ecology of microalgae. In: *Algal Culturing Techniques* (ed Andersen RA), pp. 287–326. Academic Press.
- Mackey MD, Mackey DJ, Higgins HW, Wright SW (1996) CHEMTAX - A program for estimating class abundances from chemical markers: Application to HPLC measurements of phytoplankton. *Marine Ecology Progress Series*, **144**, 265–283.
- Malmstrom RR, Kiene RP, Cottrell MT, Kirchman DL (2004) Contribution of SAR11 bacteria to dissolved dimethylsulfoniopropionate and amino acid uptake in the North Atlantic Ocean. *Applied and Environmental Microbiology*, **70**, 4129–4135.
- Marshall GJ, Orr A, van Lipzig NPM, King JC (2006) The impact of a changing Southern Hemisphere Annular Mode on Antarctic Peninsula summer temperatures. *Journal of Climate*, **19**, 5388–5404.
- Martin JH, Gordon RM, Fitzwater SE (1990) Iron in Antarctic waters. *Nature*, **345**, 156–158.
- Martinson DG, Stammerjohn SE, Iannuzzi RA, Smith RC, Vernet M (2008) Western Antarctic Peninsula physical oceanography and spatio-temporal variability. *Deep Sea Research Part II: Topical Studies in Oceanography*, **55**, 1964–1987.
- Maxwell K, Johnson GN (2000) Chlorophyll fluorescence—a practical guide. *Journal of Experimental Botany*, **51**, 659–668.
- McMurdie PJ, Holmes S (2014) Waste Not, Want Not: Why Rarefying Microbiome Data Is Inadmissible. *PLoS Computational Biology*, **10**.
- Medlin LK, Kaczmarek I (2004) Evolution of the diatoms: V. Morphological and cytological support for the major clades and a taxonomic revision. *Phycologia*, **43**, 245–270.
- Medlin L, Zingone A (2007) A taxonomic review of the genus *Phaeocystis*. In: *Biogeochemistry*, Vol. 83, pp. 3–18.
- Medlin L, Elwood HJ, Stickel S, Sogin ML (1988) The characterization of enzymatically amplified eukaryotic 16S-like rRNA-coding regions. *Gene*, **71**, 491–499.
- Mendes CRB, Tavano VM, Dotto TS, Kerr R, de Souza MS, Garcia CAE, Secchi ER New insights on the dominance of cryptophytes in Antarctic coastal waters: A case study in Gerlache Strait. *Deep-Sea Research Part II: Topical Studies in Oceanography*.
- Mendes CRB, de Souza MS, Garcia VMT, Leal MC, Brotas V, Garcia CAE (2012) Dynamics of phytoplankton communities during late summer around the tip of the Antarctic Peninsula. *Deep-Sea Research Part I: Oceanographic Research Papers*, **65**, 1–14.
- Mendes CRB, Tavano VM, Leal MC, de Souza MS, Brotas V, Garcia CAE (2013) Shifts in the dominance between diatoms and cryptophytes during three late summers in the Bransfield Strait (Antarctic Peninsula). *Polar Biology*, **36**, 537–547.
- Meredith MP, King JC (2005) Rapid climate change in the ocean west of the Antarctic Peninsula during the second half of the 20th century. *Geophysical Research Letters*, **32**, 1–5.
- Meredith MP, Renfrew IA, Clarke A, King JC, Brandon MA (2004) Impact of the 1997/98 ENSO on upper ocean characteristics in Marguerite Bay, western Antarctic Peninsula. *Journal of Geophysical Research C: Oceans*, **109**, 1–19.
- Meredith MP, Brandon MA, Wallace MI et al. (2008) Variability in the freshwater balance of northern Marguerite Bay, Antarctic Peninsula: Results from  $\delta^{18}O$ . *Deep-Sea Research Part II: Topical Studies in Oceanography*, **55**, 309–322.
- Meredith MP, Wallace MI, Stammerjohn SE et al. (2010) Changes in the freshwater composition of the upper ocean west of the Antarctic Peninsula during the first decade of the 21st century. *Progress in Oceanography*, **87**, 127–143.
- Meredith MP, Venables HJ, Clarke A et al. (2013) The freshwater system west of the antarctic peninsula: Spatial and temporal changes. *Journal of Climate*, **26**, 1669–1684.
- Meredith MP, Stammerjohn SE, Venables HJ et al. (2017) Changing distributions of sea ice melt and meteoric water west of the Antarctic Peninsula. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **139**, 40–57.
- Middag R, de Baar HJW, Laan P, Cai PH, van Ooijen JC (2011) Dissolved manganese in the

## References

- Atlantic sector of the Southern Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography*, **58**, 2661–2677.
- Middag R, de Baar HJW, Klunder MB, Laan P (2013) Fluxes of dissolved aluminum and manganese to the Weddell Sea and indications for manganese co-limitation. *Limnology and Oceanography*, **58**, 287–300.
- Mitchell BG, Holm-Hansen O (1991) Observations of modeling of the Antarctic phytoplankton crop in relation to mixing depth. *Deep Sea Research Part A, Oceanographic Research Papers*, **38**, 981–1007.
- Moffat C, Beardsley RC, Owens B, van Lipzig N (2008) A first description of the Antarctic Peninsula Coastal Current. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **55**, 277–293.
- Moline MA, Prezelin BB (1996) Long-term monitoring and analyses of physical factors regulating variability in coastal Antarctic phytoplankton composition over seasonal and interannual timescales. *Marine Ecology Progress Series*, **145**, 143–160.
- Moline MA, Claustre H, Frazer TK, Schofield O, Vernet M (2004) Alteration of the food web along the Antarctic Peninsula in response to a regional warming trend. *Global Change Biology*, **10**, 1973–1980.
- Montes-Hugo MA, Vernet M, Smith R, Carder K (2008a) Phytoplankton size-structure on the western shelf of the Antarctic Peninsula: a remote-sensing approach. *International Journal of Remote Sensing*, **29**, 801–829.
- Montes-Hugo MA, Vernet M, Martinson D, Smith R, Iannuzzi R (2008b) Variability on phytoplankton size structure in the western Antarctic Peninsula (1997–2006). *Deep Sea Research Part II: Topical Studies in Oceanography*, **55**, 2106–2117.
- Montes-Hugo M., Doney SC, Ducklow HW, Fraser W, Martinson D, Stammerjohn SE, Schofield O (2009) Recent Changes in Phytoplankton Communities Associated with Rapid Regional Climate Change Along the Western Antarctic Peninsula. *Science*, **323**, 1470–1473.
- Moran XAG, Gasol JM, Estrada M, Pedros-Alio C (2001) Dissolved and particulate primary production and bacterial production in offshore antarctic waters during austral summer: coupled or uncoupled? *Marine Ecology Progress Series*, **222**, 25–39.
- Moreno AM, Matz C, Kjelleberg S, Manefield M (2010) Identification of ciliate grazers of autotrophic bacteria in ammonia-oxidizing activated sludge by RNA stable isotope probing. *Applied and Environmental Microbiology*, **76**, 2203–2211.
- Muyzer G (1999) DGGE/TGGE a method for identifying genes from natural ecosystems. *Current Opinion in Microbiology*, **2**, 317–322.
- Neilson JW, Jordan FL, Maier RM (2013) Analysis of artifacts suggests DGGE should not be used for quantitative diversity analysis. *Journal of Microbiological Methods*, **92**, 256–263.
- Nejstgaard JC, Tang KW, Steinke M, Dutz J, Koski M, Antajan E, Long JD (2007) Zooplankton grazing on Phaeocystis: A quantitative review and future challenges. *Phaeocystis, Major Link in the Biogeochemical Cycling of Climate-Relevant Elements*, **83**, 147–172.
- Nielsen ES (1952) The Use of Radio-active Carbon (C<sub>14</sub>) for Measuring Organic Production in the Sea. *ICES Journal of Marine Science*, **18**, 117–140.
- Nielsen GA, Bresta AM (1984) Guidelines for the measurement of phytoplankton primary production (ed Baltic Marine Biologists). *The Baltic Marine Biologists*, **1**, 2nd Edn, 1–23.
- Nishikawa J, Naganobu M, Ichii T, Ishii H, Terazaki M, Kawaguchi K (1995) Distribution of salps near the South Shetland Islands during austral summer, 1990–1991. *Polar Biology*, **15**, 1990–1991.
- Noble AE, Moran DM, Allen AE, Saito MA (2013) Dissolved and particulate trace metal micronutrients under the McMurdo Sound seasonal sea ice: basal sea ice communities as a capacitor for iron. *Frontiers in Chemistry*, **1**, 25.
- Nolting RF, de Baar HJW, van Bennekom AJ, Masson A (1991) Cadmium, copper and iron in the Scotia Sea, Weddell Sea and Weddell/Scotia Confluence (Antarctica). *Marine Chemistry*, **35**, 219–243.
- Nübel U, Engelen B, Felske A et al. (1996) Sequence heterogeneities of genes encoding 16S rRNAs in *Paenibacillus polymyxa* detected by temperature gradient gel electrophoresis. *Journal of bacteriology*, **178**, 5636–5643.

- Oksanen J, Blanchet FG, Friendly M et al. (2017) Community Ecology Package.
- Parkinson CL (2014) Global sea ice coverage from satellite data: Annual cycle and 35-yr trends. *Journal of Climate*, **27**, 9377–9382.
- Parkinson CL, Cavalieri DJ (2012) Antarctic sea ice variability and trends, 1979–2010. *Cryosphere*, **6**, 871–880.
- Pebesma EJ (2004) Multivariable geostatistics in S: The gstat package. *Computers and Geosciences*, **30**, 683–691.
- Peck LS, Barnes DKA, Cook AJ, Fleming AH, Clarke A (2010) Negative feedback in the cold: Ice retreat produces new carbon sinks in Antarctica. *Global Change Biology*, **16**, 2614–2623.
- Peers G, Price NMN (2006) Copper-containing plastocyanin used for electron transport by an oceanic diatom. *Nature*, **441**, 341–4.
- Perissinotto R, Pakhomov EA (1998a) The trophic role of the tunicate *Salpa thompsoni* in the Antarctic marine ecosystem. *Journal of Marine Systems*, **17**, 361–374.
- Perissinotto R, Pakhomov EA (1998b) Contribution of salps to carbon flux of marginal ice zone of the Lazarev Sea, southern ocean. *Marine Biology*, **131**, 25–32.
- Perl J (2009) The SDU (CHORS) Method. In: *The Third SeaWiFS HPLC Analysis Round-Robin Experiment (SeaHARRE-3)*, pp. 89–91. NASA, Greenbelt.
- Petrou K, Kranz SA, Trimborn S et al. (2016) Southern Ocean phytoplankton physiology in a changing climate. *Journal of Plant Physiology*, **203**, 135–150.
- Pickett STA (1989) Space-for-time substitution as an alternative to long-term studies. In: *Long-term studies in ecology* (ed Likens GE), pp. 110–135. Springer, New York.
- Pike J, Crosta X, Maddison EJ, Stickley CE, Denis D, Barbara L, Renssen H (2009) Observations on the relationship between the Antarctic coastal diatoms *Thalassiosira antarctica* Comber and *Porosira glacialis* (Grunow) Jørgensen and sea ice concentrations during the late Quaternary. *Marine Micropaleontology*, **73**, 14–25.
- Piquet AMT, Bolhuis H, Davidson AT, Thomson PG, Buma AGJ (2008) Diversity and dynamics of Antarctic marine microbial eukaryotes under manipulated environmental UV radiation. *FEMS Microbiology Ecology*, **66**, 352–366.
- Piquet AMT, Bolhuis H, Meredith MP, Buma AGJ (2011) Shifts in coastal Antarctic marine microbial communities during and after melt water-related surface stratification. *FEMS Microbiology Ecology*, **76**, 413–427.
- Piquet AMT, van de Poll WH, Visser RJW, Wiencke C, Bolhuis H, Buma AGJ (2014) Springtime phytoplankton dynamics in Arctic Krossfjorden and Kongsfjorden (Spitsbergen) as a function of glacier proximity. *Biogeosciences*, **11**, 2263–2279.
- Platt T, Gallegos CL, Harrison WG (1980) Photoinhibition of photosynthesis in natural assemblages of marine phytoplankton. *Journal of Marine Research (USA)*, **38**, 687–701.
- van de Poll WH, Janknegt PJ, van Leeuwe MA, Visser RJW, Buma AGJ (2009) Excessive irradiance and antioxidant responses of an Antarctic marine diatom exposed to iron limitation and to dynamic irradiance. *Journal of Photochemistry and Photobiology B: Biology*, **94**, 32–37.
- van de Poll WH, Lagunas M, de Vries T, Visser RJW, Buma AGJ (2011) Non-photochemical quenching of chlorophyll fluorescence and xanthophyll cycle responses after excess PAR and UVR in *Chaetoceros brevis*, *Phaeocystis antarctica* and coastal Antarctic phytoplankton. *Marine Ecology Progress Series*, **426**, 119–131.
- Polvani LM, Waugh DW, Correa GJP, Son SW (2011) Stratospheric Ozone Depletion: The Main Driver of Twentieth-Century Atmospheric Circulation Changes in the Southern Hemisphere. *Journal of Climate*, **24**, 795–812.
- Price NM, Morel FMM (1990) Cadmium and cobalt substitution for zinc in a marine diatom. *Nature*, **344**, 658–660.
- Prosser JI, Bohannon BJM, Curtis TP et al. (2007) The role of ecological theory in microbial ecology. *Nature Reviews Microbiology*, **5**, 384–392.
- Quast C, Pruesse E, Yilmaz P et al. (2013) The SILVA ribosomal RNA gene database project: Improved data processing and web-based tools. *Nucleic Acids Research*, **41**, 590–596.
- Quéroué F, Townsend A, van der Merwe P, Lannuzel D, Sarthou G, Bucciarelli E, Bowie A (2014) Advances in the offline trace metal extraction of Mn, Co, Ni, Cu, Cd, and Pb from open ocean seawater samples with

## References

- determination by sector field ICP-MS analysis. *Analytical Methods*, **6**, 2837.
- Quetin LB, Ross RM (1985) Feeding by Antarctic Krill, *Euphausia superba*: Does Size Matter? *Antarctic Nutrient Cycles and Food Webs*, 372–377.
- R Core Team (2016) R package. *R Foundation for Statistical Computing*, 739.
- Ramette A (2007) Multivariate analyses in microbial ecology. *FEMS Microbiology Ecology*, **62**, 142–160.
- Redfield AC (1958) The biological control of chemical factors in the environment. *American Scientific*, **46**, 205–222.
- Reisch CR, Moran MA, Whitman WB (2011) Bacterial catabolism of dimethylsulfoniopropionate (DMS). *Frontiers in Microbiology*, **2**, 172.
- Reiss CS, Walsh J, Goebel ME (2015) Winter preconditioning determines feeding ecology of *Euphausia superba* in the antarctic peninsula. *Marine Ecology Progress Series*, **519**, 89–101.
- Riebesell U, Schloss I, Smetacek V (1991) Aggregation of algae released from melting sea ice: implications for seeding and sedimentation. *Polar Biology*, **11**, 239–248.
- Rignot E, Casassa G, Gogineni P, Krabill W, Rivera A, Thomas R (2004) Accelerated ice discharge from the Antarctic Peninsula following the collapse of Larsen B ice shelf. *Geophysical Research Letters*, **31**.
- Rignot E, Jacobs S, Mouginot J, Scheuchl B (2013) Ice-shelf melting around Antarctica. *Science*, **341**, 266–70.
- Rijkenberg MJA, de Baar HJW, Bakker K et al. (2015) “PRISTINE”, a new high volume sampler for ultraclean sampling of trace metals and isotopes. *Marine Chemistry*, **177**, 501–509.
- Rocap G, Larimer FW, Lamerdin J et al. (2003) Genome divergence in two *Prochlorococcus* ecotypes reflects oceanic niche differentiation. *Nature*, **424**, 1042–1047.
- Rognes T, Flouri T, Nichols B, Quince C, Mahé F (2016) VSEARCH: a versatile open source tool for metagenomics. *PeerJ*, **4**, e2409v1.
- Ross RM, Quetin LB, Haberman KL (1998) Interannual and seasonal variability in short-term grazing impact of *Euphausia superba* in nearshore and offshore waters west of the Antarctic Peninsula. *Journal of Marine Systems*, **17**, 261–273.
- Ross RM, Quetin LB, Martinson DG, Iannuzzi RA, Stammerjohn SE, Smith RC (2008) Palmer LTER: Patterns of distribution of five dominant zooplankton species in the epipelagic zone west of the Antarctic Peninsula, 1993–2004. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **55**, 2086–2105.
- Rozema PD, Venables HJ, van de Poll WH, Clarke A, Meredith MP, Buma AGJ (2017a) Interannual variability in phytoplankton biomass and species composition in northern Marguerite Bay (West Antarctic Peninsula) is governed by both winter sea ice cover and summer stratification. *Limnology and Oceanography*, **62**, 235–252.
- Rozema PD, Biggs T, Sprong PAA et al. (2017b) Summer microbial community composition governed by upper-ocean stratification and nutrient availability in northern Marguerite Bay, Antarctica. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **139**, 151–166.
- Rozema PD, Kulk G, Veldhuis MP, Buma AGJ, Meredith MP, van de Poll WH (2017c) Assessing drivers of coastal phytoplankton productivity in northern Marguerite Bay, Antarctica. *Frontiers in Marine Science*, **4**.
- Russell A, McGregor GR (2010) Southern hemisphere atmospheric circulation: Impacts on Antarctic climate and reconstructions from Antarctic ice core data. *Climatic Change*, **99**, 155–192.
- Saba GK, Fraser WR, Saba VS et al. (2014) Winter and spring controls on the summer food web of the coastal West Antarctic Peninsula. *Nature communications*, **5**, 4318.
- Saito MA, Goepfert TJ (2008) Zinc-cobalt colimitation of *Phaeocystis antarctica*. *Limnology and Oceanography*, **53**, 266–275.
- Saito MA, Goepfert TJ, Noble AE, Bertrand EM, Sedwick PN, DiTullio GR (2010) A seasonal study of dissolved cobalt in the Ross Sea, Antarctica: micronutrient behavior, absence of scavenging, and relationships with Zn, Cd, and P. *Biogeosciences*, **7**, 4059–4082.
- Sakshaug E, Holm-Hansen O (1986) Photoadaptation in Antarctic phytoplankton: Variations in growth rate, chemical composition and P versus I curves. *Journal of Plankton Research*, **8**, 459–473.

- Schlitzer R (2016) Ocean Data View. <http://odv.awi.de>.
- Schoemann V, Becquevort S, Stefels J, Rousseau V, Lancelot C (2005) Phaeocystis blooms in the global ocean and their controlling mechanisms: A review. *Journal of Sea Research*, **53**, 43–66.
- Schofield O, Ducklow HW, Martinson DG, Meredith MP, Moline MA, Fraser WR (2010) How Do Polar Marine Ecosystems Respond to Rapid Climate Change? *Science*, **328**, 1520–1523.
- Schofield O, Saba G, Coleman K et al. (2017) Decadal variability in coastal phytoplankton community composition in a changing West Antarctic Peninsula. *Deep Sea Research Part I: Oceanographic Research Papers*, **124**, 42–54.
- Sedwick PN, DiTullio GR, Mackey DJ (2000) Iron and manganese in the Ross Sea, Antarctica: Seasonal iron limitation in Antarctic shelf waters. *Journal of Geophysical Research*, **105**, 11321.
- Shannon P, Markiel A, Ozier O et al. (2003) Cytoscape: A software Environment for integrated models of biomolecular interaction networks. *Genome Research*, **13**, 2498–2504.
- Shelley RU, Zachhuber B, Sedwick PN, Worsfold PJ, Lohan MC (2010) Determination of total dissolved cobalt in UV-irradiated seawater using flow injection with chemiluminescence detection. *Limnology and Oceanography: Methods*, **8**, 352–362.
- Sherr EB, Sherr BF (1994) Bacterivory and herbivory: Key roles of phagotrophic protists in pelagic food webs. *Microbial Ecology*, **28**, 223–235.
- Sherr EB, Sherr BF (2002) Significance of predation by protists in aquatic microbial food webs. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, **81**, 293–308.
- Sherr EB, Sherr BF (2007) Heterotrophic dinoflagellates: A significant component of microzooplankton biomass and major grazers of diatoms in the sea. *Marine Ecology Progress Series*, **352**, 187–197.
- Sherrell RM, Lagerström ME, Forsch KO, Stammerjohn SE, Yager PL (2015) Dynamics of dissolved iron and other bioactive trace metals (Mn, Ni, Cu, Zn) in the Amundsen Sea Polynya, Antarctica. *Elementa: Science of the Anthropocene*, **3**, 71.
- Shi T, Horvath S (2006) Unsupervised Learning With Random Forest Predictors. *Journal of Computational and Graphical Statistics*, **15**, 118–138.
- Shields AR, Smith WO (2009) Size-fractionated photosynthesis/irradiance relationships during Phaeocystis antarctica-dominated blooms in the Ross Sea, Antarctica. *Journal of Plankton Research*, **31**, 701–712.
- Simon M, López-García P, Moreira D, Jardillier L (2013) New haptophyte lineages and multiple independent colonizations of freshwater ecosystems. *Environmental Microbiology Reports*, **5**, 322–332.
- Simpson EH (1949) Measurement of Diversity. *Nature*, **163**, 688–688.
- Simpson JH, Allen CM, Morris NCG (1978) Fronts on the continental shelf. *Journal of Geophysical Research*, **83**, 4607.
- Smith RC, Stammerjohn SE (2001) Variations of surface air temperature and sea-ice extent in the western Antarctic Peninsula region. *Annals of Glaciology*, **33**, 493–500.
- Sogin ML, Gunderson JH (1987) Structural Diversity of Eukaryotic Small Subunit Ribosomal RNAs: Evolutionary Implications. *Annals of the New York Academy of Sciences*, **503**, 125–139.
- Sohrin Y, Urushihara S, Nakatsuka S et al. (2008) Multielemental determination of GEOTRACES key trace metals in seawater by ICPMS after preconcentration using an ethylenediaminetriacetic acid chelating resin. *Analytical Chemistry*, **80**, 6267–6273.
- Stammerjohn S, Maksym T (2017) Gaining (and losing) Antarctic sea ice: variability, trends and mechanisms. In: *Sea Ice*, 3rd edn (ed Thomas DN), pp. 261–289. John Wiley & Sons, Ltd, Chichester.
- Stammerjohn SE, Martinson DG, Smith RC, Iannuzzi RA (2008a) Sea ice in the western Antarctic Peninsula region: Spatio-temporal variability from ecological and climate change perspectives. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **55**, 2041–2058.
- Stammerjohn SE, Martinson DG, Smith RC, Yuan X, Rind D (2008b) Trends in Antarctic annual sea ice retreat and advance and their relation to El Niño–Southern Oscillation and Southern Annular Mode variability. *Journal of Geophysical Research*, **113**, 1–20.

## References

- Steig EJ, Schneider DP, Rutherford SD, Mann ME, Comiso JC, Shindell DT (2009) Warming of the Antarctic ice-sheet surface since the 1957 International Geophysical Year. *Nature*, **457**, 459–462.
- Steig EJ, Ding Q, White JWC et al. (2013) Recent climate and ice-sheet changes in West Antarctica compared with the past 2,000 years. *Nature Geoscience*, **6**, 372–375.
- Steinberg DK, Landry MR (2017) Zooplankton and the Ocean Carbon Cycle. *Annual Review of Marine Science*, **9**, 413–444.
- Steinberg DK, Ruck KE, Gleiber MR et al. (2015) Long-term (1993–2013) changes in macrozooplankton off the western antarctic peninsula. *Deep-Sea Research Part I: Oceanographic Research Papers*, **101**, 54–70.
- Stoecker DK, Silver MW, Michaels AE, Davis LH (1988) Obligate mixotrophy in *Laboea strobila*, a ciliate which retains chloroplasts. *Marine Biology*, **99**, 415–423.
- Stoecker DK, Hansen PJ, Caron DA, Mitra A (2017) Mixotrophy in the Marine Plankton. *Annual Review of Marine Science*, **9**, 311–335.
- Straza TRA, Ducklow HW, Murray AE, Kirchman DL (2010) Abundance and single-cell activity of bacterial groups in Antarctic coastal waters. *Limnology and Oceanography*, **55**, 2526–2536.
- Stukel MR, Asher E, Couto N, Schofield O, Strebler S, Tortell P, Ducklow HW (2015) The imbalance of new and export production in the western Antarctic Peninsula, a potentially “leaky” ecosystem. *Global Biogeochemical Cycles*, **29**, 1400–1420.
- Sunda WG, Huntsman SA (1995) Iron uptake and growth limitation in oceanic and coastal phytoplankton. *Marine Chemistry*, **50**, 189–206.
- Sunda WG, Huntsman SA (1998) Processes regulating cellular metal accumulation and physiological effects: Phytoplankton as model systems. *Science of The Total Environment*, **219**, 165–181.
- Sunda WG, Swift DG, Huntsman SA (1991) Low iron requirement for growth in oceanic phytoplankton. *Nature*, **351**, 55–57.
- Sverdrup H (1953) On conditions for the vernal blooming of phytoplankton. *Journal du Conseil Permanent International pour l'Exploration de la Mer*, **18**, 287–295.
- Taguchi YH, Oono Y (2005) Relational patterns of gene expression via non-metric multidimensional scaling analysis. *Bioinformatics*, **21**, 730–740.
- Takao S, Hirawake T, Wright SW, Suzuki K (2012) Variations of net primary productivity and phytoplankton community composition in the Indian sector of the Southern Ocean as estimated from ocean color remote sensing data. *Biogeosciences*, **9**, 3875–3890.
- Takeda S (1998) Influence of iron availability on nutrient consumption ratio of diatoms in oceanic waters. *Nature*, **393**, 774–777.
- Thompson DWJ, Solomon S (2002) Interpretation of Recent Southern Hemisphere Climate Change. *Science*, **296**, 3995–3999.
- Timmermans KR, Gerringa LJA, de Baar HJW et al. (2001) Growth rates of large and small Southern Ocean diatoms in relation to availability of iron in natural seawater. *Limnology and Oceanography*, **46**, 260–266.
- Timmermans KR, van der Wagt B, de Baar HJW (2004) Growth rates, half saturation constants, and silicate, nitrate, and phosphate depletion in relation to iron availability of four large open-ocean diatoms from the Southern Ocean. *Limnology and Oceanography*, **49**, 2141–2151.
- Tison JL, Brabant F, Dumont I, Stefels J (2010) High-resolution dimethyl sulfide and dimethylsulfoniopropionate time series profiles in decaying summer first-year sea ice at Ice Station Polarstern, western Weddell Sea, Antarctica. *Journal of Geophysical Research: Biogeosciences*, **115**, G04044.
- Torbjørn R (2016) Vsearch: VSEARCH version 1.1.3. Zenodo.
- Trimborn S, Hoppe CJM, Taylor BB, Bracher A, Hassler C (2015) Physiological characteristics of open ocean and coastal phytoplankton communities of Western Antarctic Peninsula and Drake Passage waters. *Deep Sea Research Part I: Oceanographic Research Papers*, **98**, 115–124.
- Trivelpiece WZ, Hinke JT, Miller AK, Reiss CS, Trivelpiece SG, Watters GM (2011) Variability in krill biomass links harvesting and climate warming to penguin population changes in Antarctica. *Proceedings of the National Academy of Sciences of the United States of America*, **108**, 7625–8.
- Tsuda A, Kawaguchi S (1997) Microzooplankton grazing in the surface water of the Southern

- Ocean during an austral summer. *Polar Biology*, **18**, 240–245.
- Turner J, Colwell SR, Marshall GJ et al. (2005) Antarctic climate change during the last 50 years. *International Journal of Climatology*, **25**, 279–294.
- Turner J, Bindschadler R, Convey P et al. (2009) *Antarctic Climate Change and the Environment*. 555 pp.
- Turner J, Maksym T, Phillips T, Marshall GJ, Meredith MP (2013) The impact of changes in sea ice advance on the large winter warming on the western Antarctic Peninsula. *International Journal of Climatology*, **33**, 852–861.
- Turner J, Lu H, White I et al. (2016) Absence of 21st century warming on Antarctic Peninsula consistent with natural variability. *Nature*, **535**, 411–415.
- Twining BS, Baines SB (2013) The trace metal composition of marine phytoplankton. *Annual review of marine science*, **5**, 191–215.
- Twining BS, Baines SB, Fisher NS (2004) Element stoichiometries of individual plankton cells collected during the Southern Ocean Iron Experiment (SOFEX). *Limnology and Oceanography*, **49**, 2115–2128.
- Uitz J, Claustre H, Griffiths FB, Ras J, Garcia N, Sandroni V (2009) A phytoplankton class-specific primary production model applied to the Kerguelen Islands region (Southern Ocean). *Deep-Sea Research Part I: Oceanographic Research Papers*, **56**, 541–560.
- Vaughan DG, Marshall GJ, Connolley WM et al. (2003) Recent rapid regional climate warming on the Antarctic Peninsula. *Climatic Change*, **60**, 243–274.
- Venables HJ, Meredith MP (2014) Feedbacks between ice cover, ocean stratification, and heat content in Ryder Bay, western Antarctic Peninsula. *Journal of Geophysical Research: Oceans*, **119**, 5323–5336.
- Venables HJ, Clarke A, Meredith MP (2013) Wintertime controls on summer stratification and productivity at the western Antarctic Peninsula. *Limnology and Oceanography*, **58**, 1035–1047.
- Venables HJ, Meredith MP, Brearley JA (2017) Modification of deep waters in Marguerite Bay, western Antarctic Peninsula, caused by topographic overflows. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **139**, 9–17.
- Vernet M, Martinson D, Iannuzzi R et al. (2008) Primary production within the sea-ice zone west of the Antarctic Peninsula: I-Sea ice, summer mixed layer, and irradiance. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **55**, 2068–2085.
- Vernet M, Wendy AK, Lynn RY, Alexander TL, Robin MR, Langdon BQ, Christian HF (2012) Primary production throughout austral fall, during a time of decreasing daylength in the western Antarctic Peninsula. *Marine Ecology Progress Series*, **452**, 45–61.
- Wang Q, Garrity GM, Tiedje JM, Cole JR (2007) Naive Bayesian classifier for rapid assignment of rRNA sequences into the new bacterial taxonomy. *Applied and Environmental Microbiology*, **73**, 5261–5267.
- Wang J, Li M, Chen J, Pan Y (2011) A fast hierarchical clustering algorithm for functional modules discovery in protein interaction networks. *IEEE/ACM transactions on computational biology and bioinformatics / IEEE, ACM*, **8**, 607–20.
- Westerlund S, Öhman P (1991) Cadmium, copper, cobalt, nickel, lead, and zinc in the water column of the Weddell Sea, Antarctica. *Geochimica et Cosmochimica Acta*, **55**, 2127–2146.
- Weston K, Jickells TD, Carson DS et al. (2013) Primary production export flux in Marguerite Bay (Antarctic Peninsula): Linking upper water-column production to sediment trap flux. *Deep-Sea Research Part I: Oceanographic Research Papers*, **75**, 52–66.
- Williams TJ, Long E, Evans F et al. (2012) A metaproteomic assessment of winter and summer bacterioplankton from Antarctic Peninsula coastal surface waters. *The ISME journal*, **6**, 1883–900.
- Williams CM, Dupont AM, Loevenich J, Post AF, Dinasquet J, Yager PL (2016) Pelagic microbial heterotrophy in response to a highly productive bloom of *Phaeocystis antarctica* in the Amundsen Sea Polynya. *Elementa: Science of the Anthropocene*, **4**, 102.
- Wolf C, Frickenhaus S, Kiliyas ES, Peeken I, Metfies K (2013) Protist community composition in the Pacific sector of the Southern Ocean during austral summer 2010. *Polar Biology*, **37**, 375–389.



## References

- Wood LW (1985) Chloroform–Methanol Extraction of Chlorophyll a. *Canadian Journal of Fisheries and Aquatic Sciences*, **42**, 38–43.
- Wright SW, Ishikawa A, Marchant HJ, Davidson AT, van den Enden RL, Nash G V. (2009) Composition and significance of picophytoplankton in Antarctic waters. *Polar Biology*, **32**, 797–808.
- Wright SW, van den Enden RL, Pearce I, Davidson AT, Scott FJ, Westwood KJ (2010) Phytoplankton community structure and stocks in the Southern Ocean (30–80°E) determined by CHEMTAX analysis of HPLC pigment signatures. *Deep-Sea Research Part II: Topical Studies in Oceanography*, **57**, 758–778.
- Yu L, Zhang W, Liu L, Yang J (2015) Determining microeukaryotic plankton community around Xiamen Island, Southeast China, using Illumina MiSeq and PCR-DGGE techniques (ed Chiang T-Y). *PLoS ONE*, **10**, e0127721.
- Zhang J, Kobert K, Flouri T, Stamatakis A (2014) PEAR: A fast and accurate Illumina Paired-End reAd mergeR. *Bioinformatics*, **30**, 614–620.
- Zhao Y, Vance D, Abouchami W, de Baar HJW (2014) Biogeochemical cycling of zinc and its isotopes in the Southern Ocean. *Geochimica et Cosmochimica Acta*, **125**, 653–672.
- Zhu F, Massana R, Not F, Marie D, Vaultot D (2005) Mapping of picoeucaryotes in marine ecosystems with quantitative PCR of the 18S rRNA gene. *FEMS Microbiology Ecology*, **52**, 79–92.
- Zingone A, Chrétiennot-Dinet MJ, Lange M, Medlin L (1999) Morphological and Genetic Characterization of *Phaeocystis Cordata* and *P. Jahnii* (Prymnesiophyceae), Two New Species From the Mediterranean Sea. *Journal of Phycology*, **35**, 1322–1337.