

University of Groningen

## Experimental analysis and modelling of the behavioural interactions underlying the coordination of collective motion and the propagation of information in fish schools

Lecheval, Valentin Jacques Dominique

**IMPORTANT NOTE:** You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*  
2017

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Lecheval, V. J. D. (2017). *Experimental analysis and modelling of the behavioural interactions underlying the coordination of collective motion and the propagation of information in fish schools*. University of Groningen.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

# Bibliography

- Agetsuma, M., Aoki, T., Aoki, R. and Okamoto, H. (2012), Cued fear conditioning in zebrafish (*Danio rerio*), *in* A. V. Kalueff and A. M. Stewart, eds, ‘Zebrafish Protocols for Neurobehavioral Research’, Humana Press, Totowa, NJ, pp. 257–264.
- Ahl, E. (1924), ‘Über eine farbenprächtige Neuheit, *Hemigrammus rhodostomus* E. AHL, sp. n’, *Wschr. Aq. Terr. kde* **2**, 405–406.
- Aoki, I. (1982), ‘A Simulation Study on the Schooling Mechanism in Fish’, *Bulletin of the Japanese Society of Scientific Fisheries* **48**, 1081–1088.
- Ashraf, I., Godoy-Diana, R., Halloy, J., Collignon, B. and Thiria, B. (2016), ‘Synchronization and collective swimming patterns in fish (*Hemigrammus bleheri*)’, *Journal of The Royal Society Interface* **13**(123).
- Atkins, P. and De Paula, J. (2011), *Physical Chemistry for the Life Sciences*, Oxford University Press, New York.
- Attanasi, A., Cavagna, A., Del Castello, L., Giardina, I., Grigera, T. S., Jelic, A., Melillo, S., Parisi, L., Pohl, O., Shen, E. and Viale, M. (2014), ‘Information transfer and behavioural inertia in starling flocks’, *Nature Physics* **10**(9), 691–696.
- Attanasi, A., Cavagna, A., Del Castello, L., Giardina, I., Jelic, A., Melillo, S., Parisi, L., Pohl, O., Shen, E. and Viale, M. (2015), ‘Emergence of collective changes in travel direction of starling flocks from individual birds fluctuations’, *Journal of The Royal Society Interface* **12**(108), 20150319.
- Attanasi, A., Cavagna, A., Del Castello, L., Giardina, I., Melillo, S., Parisi, L., Pohl, O., Rossaro, B., Shen, E., Silvestri, E. and Viale, M. (2014), ‘Collective behaviour without collective order in wild swarms of midges’, *PLoS Comput Biol* **10**(7), e1003697.

- Axelsen, B. E., Anker-Nilssen, T., Fossum, P., Kvamme, C. and Nøttestad, L. (2001), ‘Pretty patterns but a simple strategy: Predator-prey interactions between juvenile herring and Atlantic puffins observed with multi-beam sonar’, *Canadian Journal of Zoology* **79**(9), 1586–1596.
- Ballerini, M., Cabibbo, N., Candelier, R., Cavagna, A., Cisbani, E., Giardina, I., Lecomte, V., Orlandi, A., Parisi, G., Procaccini, A. and others (2008), ‘Interaction ruling animal collective behavior depends on topological rather than metric distance: Evidence from a field study’, *Proceedings of the National Academy of Sciences* **105**(4), 1232–1237.
- Ballesta, S., Reymond, G., Pozzobon, M. and Duhamel, J.-R. (2014), ‘A real-time 3D video tracking system for monitoring primate groups’, *Journal of Neuroscience Methods* **234**, 147 – 152. Measuring Behavior.
- Bates, D., Mächler, M., Bolker, B. and Walker, S. (2015), ‘Fitting linear mixed-effects models using lme4’, *Journal of Statistical Software* **67**(1), 1–48.
- Bhattacharya, K. and Vicsek, T. (2010), ‘Collective decision making in cohesive flocks’, *New Journal of Physics* **12**(9), 093019.
- Bialek, W., Cavagna, A., Giardina, I., Mora, T., Pohl, O., Silvestri, E., Viale, M. and Walczak, A. M. (2014), ‘Social interactions dominate speed control in poising natural flocks near criticality’, *Proceedings of the National Academy of Sciences* **111**(20), 7212–7217.
- Bonabeau, E., Theraulaz, G., Deneubourg, J.-L., Aron, S. and Camazine, S. (1997), ‘Self-organization in social insects’, *Trends in Ecology Evolution* **12**(5), 188 – 193.
- Branson, K., Robie, A. A., Bender, J., Perona, P. and Dickinson, M. H. (2009), ‘High-throughput ethomics in large groups of *Drosophila*’, *Nat Meth* **6**(6), 451–457.
- Brendel, K., Barkema, G. T. and van Beijeren, H. (2003), ‘Magnetization reversal times in the two-dimensional Ising model’, *Physical Review E* **67**(2), 026119.
- Bricard, A., Caussin, J.-B., Desreumaux, N., Dauchot, O. and Bartolo, D. (2013), ‘Emergence of macroscopic directed motion in populations of motile colloids’, *Nature* **503**(7474), 95–98.
- Brown, A. and Poon, W. (2014), ‘Ionic effects in self-propelled Pt-coated Janus swimmers’, *Soft Matter* **10**(22), 4016–4027.

- Brown, C. and Laland, K. N. (2003), ‘Social learning in fishes: A review’, *Fish and Fisheries* **4**(3), 280–288.
- Brown, G. E. (2003), ‘Learning about danger: Chemical alarm cues and local risk assessment in prey fishes’, *Fish and Fisheries* **4**(3), 227–234.
- Brush, S. G. (1967), ‘History of the Lenz-Ising Model’, *Rev. Mod. Phys.* **39**(4), 883–893.
- Buhl, J., Sumpter, D. J. T., Couzin, I. D., Hale, J. J., Despland, E., Miller, E. R. and Simpson, S. J. (2006), ‘From disorder to order in marching locusts’, *Science* **312**(5778), 1402–1406.
- Burgess, H. A., Schoch, H. and Granato, M. (2010), ‘Distinct retinal pathways drive spatial orientation behaviors in zebrafish navigation’, *Current Biology* **20**(4), 381 – 386.
- Buttinoni, I., Volpe, G., Kümmel, F., Volpe, G. and Bechinger, C. (2012), ‘Active Brownian motion tunable by light’, *Journal of Physics: Condensed Matter* **24**(28), 284129.
- Calovi, D. S., Litchinko, A., Lecheval, V., Lopez, U., Pérez-Escudero, A., Chaté, H., Sire, C. and Theraulaz, G. (2017), ‘Disentangling and modeling interactions in fish with burst-and-coast swimming’, *arXiv:1703.03801* .
- Calovi, D. S., Lopez, U., Ngo, S., Sire, C., Chaté, H. and Theraulaz, G. (2014), ‘Swarming, schooling, milling: Phase diagram of a data-driven fish school model’, *New Journal of Physics* **16**(1), 015026.
- Calovi, D. S., Lopez, U., Schuhmacher, P., Chaté, H., Sire, C. and Theraulaz, G. (2015), ‘Collective response to perturbations in a data-driven fish school model’, *Journal of The Royal Society Interface* **12**(104), 20141362.
- Camazine, S., Deneubourg, J.-L., Franks, N., Sneyd, J., Theraulaz, G. and Bonabeau, E. (2001), *Self-Organization in Biological Systems*, Princeton studies in complexity, Princeton University Press.
- Carvalho, F. R., Bertaco, V. A. and Jerep, F. C. (2010), ‘Hemigrammus tocantinsi: A new species from the upper rio Tocantins basin, Central Brazil (Characiformes: Characidae)’, *Neotropical Ichthyology* **8**, 247 – 254.

- Castellano, C., Fortunato, S. and Loreto, V. (2009), ‘Statistical physics of social dynamics’, *Reviews of Modern Physics* **81**(2), 591–646.
- Collignon, B., Séguret, A. and Halloy, J. (2016), ‘A stochastic vision-based model inspired by zebrafish collective behaviour in heterogeneous environments’, *Royal Society Open Science* **3**(1).
- Couzin, I. D., Krause, J., Franks, N. R. and Levin, S. A. (2005), ‘Effective leadership and decision-making in animal groups on the move’, *Nature* **433**(7025), 513–516.
- Couzin, I. D., Krause, J., James, R., Ruxton, G. D. and Franks, N. R. (2002), ‘Collective memory and spatial sorting in animal groups’, *Journal of Theoretical Biology* **218**(1), 1 – 11.
- Day, R. L., MacDonald, T., Brown, C., Laland, K. N. and Reader, S. M. (2001), ‘Interactions between shoal size and conformity in guppy social foraging’, *Animal Behaviour* **62**(5), 917 – 925.
- de Chaumont, F., Coura, R. D.-S., Serreau, P., Cressant, A., Chabout, J., Granon, S. and Olivo-Marin, J.-C. (2012), ‘Computerized video analysis of social interactions in mice’, *Nat Meth* **9**(4), 410–417.
- Delcourt, J. and Poncin, P. (2012), ‘Shoals and schools: Back to the heuristic definitions and quantitative references’, *Reviews in Fish Biology and Fisheries* **22**(3), 595–619.
- Dell, A. I., Bender, J. A., Branson, K., Couzin, I. D., de Polavieja, G. G., Noldus, L. P. J. J., Pérez-Escudero, A., Perona, P., Straw, A. D., Wikelski, M. and Brose, U. (2014), ‘Automated image-based tracking and its application in ecology’, *Trends in Ecology Evolution* **29**(7), 417 – 428.
- Delsuc, F. (2003), ‘Army ants trapped by their evolutionary history’, *PLoS Biology* **1**(2), e7.
- Deseigne, J., Dauchot, O. and Chaté, H. (2010), ‘Collective motion of vibrated polar disks’, *Phys. Rev. Lett.* **105**(9), 098001.
- Domenici, P. and Batty, R. S. (1994), ‘Escape manoeuvres of schooling *Clupea harengus*’, *Journal of Fish Biology* **45**(sA), 97–110.
- Dugatkin, L. A. (2013), *Principles of Animal Behavior: Third International Student Edition*, WW Norton & Company.

- Ebbinghaus, H. (1913), *Memory: A Contribution to Experimental Psychology*, Teachers College, Columbia University, New York.
- Eddelbuettel, D. (2013), *Seamless R and C++ Integration with Rcpp*, Springer.
- Eddelbuettel, D. and Francois, R. (2011), ‘Rcpp: Seamless R and C++ Integration’, *Journal of Statistical Software, Articles* **40**(8), 1–18.
- Efferson, C., Lalive, R., Richerson, P. J., McElreath, R. and Lubell, M. (2008), ‘Conformists and mavericks: The empirics of frequency-dependent cultural transmission’, *Evolution and Human Behavior* **29**(1), 56 – 64.
- Elgar, M. A. (1989), ‘Predator vigilance and group size in mammals and birds: A critical review of the empirical evidence’, *Biological Reviews* **64**(1), 13–33.
- Elgeti, J. and Gompper, G. (2015), ‘Run-and-tumble dynamics of self-propelled particles in confinement’, *EPL (Europhysics Letters)* **109**(5), 58003.
- Elgeti, J., Kaupp, U. B. and Gompper, G. (2010), ‘Hydrodynamics of sperm cells near surfaces’, *Biophysical Journal* **99**(4), 1018 – 1026.
- Eschmeyer, W. N., Fricke, R. and van der Laan, R. (2017), ‘Catalog of fishes: Genera, species, references’, <http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>.
- Evangelista, D. J., Ray, D. D., Raja, S. K. and Hedrick, T. L. (2017), ‘Three-dimensional trajectories and network analyses of group behaviour within chimney swift flocks during approaches to the roost’, *Proceedings of the Royal Society of London B: Biological Sciences* **284**(1849).
- Farkas, I., Helbing, D. and Vicsek, T. (2002), ‘Social behaviour: Mexican waves in an excitable medium’, *Nature* **419**(6903), 131–132.
- Farkas, I., Helbing, D. and Vicsek, T. (2003), ‘Human waves in stadiums’, *Physica A: Statistical Mechanics and its Applications* **330**(1–2), 18 – 24.
- Faucher, K., Parmentier, E., Becco, C., Vandewalle, N. and Vandewalle, P. (2010), ‘Fish lateral system is required for accurate control of shoaling behaviour’, *Animal Behaviour* **79**(3), 679–687.

- Foster, W. A. and Treherne, J. E. (1981), ‘Evidence for the dilution effect in the selfish herd from fish predation on a marine insect’, *Nature* **293**(5832), 466–467.
- Fox, R. F. and Roy, R. (1987), ‘Steady-state analysis of strongly colored multiplicative noise in a dye laser’, *Phys. Rev. A* **35**(4), 1838–1842.
- Gallup, A. C., Hale, J. J., Sumpter, D. J. T., Garnier, S., Kacelnik, A., Krebs, J. R. and Couzin, I. D. (2012), ‘Visual attention and the acquisition of information in human crowds’, *Proceedings of the National Academy of Sciences* **109**(19), 7245–7250.
- Gautrais, J., Ginelli, F., Fournier, R., Blanco, S., Soria, M., Chaté, H. and Theraulaz, G. (2012), ‘Deciphering interactions in moving animal groups’, *PLoS Computational Biology* **8**(9), e1002678.
- Gautrais, J., Jost, C., Soria, M., Campo, A., Motsch, S., Fournier, R., Blanco, S. and Theraulaz, G. (2009), ‘Analyzing fish movement as a persistent turning walker’, *Journal of Mathematical Biology* **58**(3), 429–445.
- Gerlotto, F., Bertrand, S., Bez, N. and Gutierrez, M. (2006), ‘Waves of agitation inside anchovy schools observed with multibeam sonar: A way to transmit information in response to predation’, *ICES Journal of Marine Science* **63**(8), 1405–1417.
- Gerum, R. C., Fabry, B., Metzner, C., Beaulieu, M., Ancel, A. and Zitterbart, D. P. (2013), ‘The origin of traveling waves in an emperor penguin huddle’, *New Journal of Physics* **15**(12), 125022.
- Giardina, I. (2008), ‘Collective behavior in animal groups: Theoretical models and empirical studies’, *HFSP Journal* **2**(4), 205–219.
- Ginelli, F., Peruani, F., Pillot, M.-H., Chaté, H., Theraulaz, G. and Bon, R. (2015), ‘Intermittent collective dynamics emerge from conflicting imperatives in sheep herds’, *Proceedings of the National Academy of Sciences* **112**(41), 12729–12734.
- Ginot, F., Theurkauff, I., Levis, D., Ybert, C., Bocquet, L., Berthier, L. and Cottin-Bizonne, C. (2015), ‘Nonequilibrium Equation of State in Suspensions of Active Colloids’, *Phys. Rev. X* **5**(1), 011004.
- Glauber, R. J. (1963), ‘Time-dependent statistics of the Ising model’, *Journal of Mathematical Physics* **4**(2), 294–307.

- Gleason, P. E., Weber, P. G. and Weber, S. P. (1977), 'Effect of group size on avoidance learning in zebra fish, *Brachydanio rerio* (Pisces: Cyprinidae)', *Animal Learning & Behavior* **5**(2), 213–216.
- Harpaz, R., Tkacik, G. and Schneidman, E. (2017), 'Discrete modes of social information processing predict individual behavior of fish in a group', *arXiv preprint arXiv:1703.03065*.
- Hartman, E. J. and Abrahams, M. V. (2000), 'Sensory compensation and the detection of predators: The interaction between chemical and visual information', *Proceedings of the Royal Society B: Biological Sciences* **267**(1443), 571–575.
- Helfman, G., Collette, B. B., Facey, D. E. and Bowen, B. W. (2009), *The Diversity of Fishes: Biology, Evolution, and Ecology*, John Wiley & Sons.
- Hemelrijk, C. K. and Hildenbrandt, H. (2008), 'Self-organized shape and frontal density of fish schools', *Ethology* **114**(3), 245–254.
- Hemelrijk, C. K., Hildenbrandt, H., Reinders, J. and Stamhuis, E. J. (2010), 'Emergence of oblong school shape: Models and empirical data of fish', *Ethology* **116**(11), 1099–1112.
- Hemelrijk, C. K., van Zuidam, L. and Hildenbrandt, H. (2015), 'What underlies waves of agitation in starling flocks', *Behavioral Ecology and Sociobiology* **69**(5), 755–764.
- Hemelrijk, C., Reid, D., Hildenbrandt, H. and Padding, J. (2014), 'The increased efficiency of fish swimming in a school', *Fish and Fisheries* pp. n/a–n/a.
- Herbert-Read, J. E. (2016), 'Understanding how animal groups achieve coordinated movement', *Journal of Experimental Biology* **219**(19), 2971–2983.
- Herbert-Read, J. E., Buhl, J., Hu, F., Ward, A. J. W. and Sumpter, D. J. T. (2015), 'Initiation and spread of escape waves within animal groups', *Royal Society Open Science* **2**(4), 140355.
- Herbert-Read, J. E., Krause, S., Morrell, L. J., Schaerf, T. M., Krause, J. and Ward, A. J. W. (2012), 'The role of individuality in collective group movement', *Proceedings of the Royal Society of London B: Biological Sciences* **280**(1752), 20122564.



- Herbert-Read, J. E., Perna, A., Mann, R. P., Schaerf, T. M., Sumpter, D. J. and Ward, A. J. (2011), ‘Inferring the rules of interaction of shoaling fish’, *Proceedings of the National Academy of Sciences* **108**(46), 18726–18731.
- Herbert-Read, J. E., Rosén, E., Szorkovszky, A., Ioannou, C. C., Rogell, B., Perna, A., Ramnarine, I. W., Kotrschal, A., Kolm, N., Krause, J. and Sumpter, D. J. T. (2017), ‘How predation shapes the social interaction rules of shoaling fish’, *Proceedings of the Royal Society of London B: Biological Sciences* **284**(1861).
- Hoare, D. J. and Krause, J. (2003), ‘Social organisation, shoal structure and information transfer’, *Fish and Fisheries* **4**(3), 269–279.
- Honkanen, T. and Ekström, P. (1992), ‘Comparative study of the olfactory epithelium of the three-spined stickleback (*Gasterosteus aculeatus*) and the nine-spined stickleback (*Pungitius pungitius*)’, *Cell and Tissue Research* **269**(2), 267–273.
- Horner, J. L., Longo, N. and Bitterman, M. E. (1961), ‘A Shuttle Box for Fish and a Control Circuit of General Applicability’, *The American Journal of Psychology* **74**(1), 114–120.
- Howse, J. R., Jones, R. A. L., Ryan, A. J., Gough, T., Vafabakhsh, R. and Golestanian, R. (2007), ‘Self-motile colloidal particles: From directed propulsion to random walk’, *Phys. Rev. Lett.* **99**(4), 048102.
- Huepe, C., Ferrante, E., Wenseleers, T. and Turgut, A. E. (2015), ‘Scale-free correlations in flocking systems with position-based interactions’, *Journal of Statistical Physics* **158**(3), 549–562.
- Hunter, J. R. (1969), ‘Communication of velocity changes in jack mackerel (*Trachurus symmetricus*) schools’, *Animal Behaviour* **17**, Part **3**(0), 507–514.
- Huth, A. and Wissel, C. (1992), ‘The simulation of the movement of fish schools’, *Journal of Theoretical Biology* **156**(3), 365–385.
- Inada, Y. and Kawachi, K. (2002), ‘Order and flexibility in the motion of fish schools’, *Journal of Theoretical Biology* **214**(3), 371–387.
- Ioannou, C., Tosh, C., Neville, L. and Krause, J. (2007), ‘The confusion effect from neural networks to reduced predation risk’, *Behavioral Ecology* **19**(1), 126–130.

- IUCN (2017), ‘Table 1 - Numbers of threatened species by major groups of organisms (1996–2017)’, [http://www.iucnredlist.org/about/summary-statistics#Tables\\_1\\_2](http://www.iucnredlist.org/about/summary-statistics#Tables_1_2).
- Jiang, L., Giuggioli, L., Perna, A., Escobedo, R., Lecheval, V., Sire, C., Han, Z. and Theraulaz, G. (2017), ‘Identifying influential neighbors in animal flocking’, *PLOS Computational Biology* **13**(11), 1–32.
- Jouary, A., Haudrechy, M., Candelier, R. and Sumbre, G. (2016), ‘A 2D virtual reality system for visual goal-driven navigation in zebrafish larvae’, **6**, 34015.
- Jung, P. and Hänggi, P. (1987), ‘Dynamical systems: A unified colored-noise approximation’, *Phys. Rev. A* **35**(10), 4464–4466.
- Kastberger, G., Hoetzl, T., Maurer, M., Kranner, I., Weiss, S. and Wehmann, F. (2014), ‘Speeding up social waves. Propagation mechanisms of shimmering in giant honeybees’, *PLoS ONE* **9**(1), e86315.
- Kastberger, G., Schmelzer, E. and Kranner, I. (2008), ‘Social waves in giant honeybees repel hornets’, *PLoS ONE* **3**(9), e3141.
- Katz, Y., Tunstrøm, K., Ioannou, C. C., Huepe, C. and Couzin, I. D. (2011), ‘Inferring the structure and dynamics of interactions in schooling fish’, *Proceedings of the National Academy of Sciences* **108**(46), 18720–18725.
- King, A. J., Wilson, A. M., Wilshin, S. D., Lowe, J., Haddadi, H., Hailes, S. and Morton, A. J. (2012), ‘Selfish-herd behaviour of sheep under threat’, *Current Biology* **22**(14), R561–R562.
- Kolpas, A., Moehlis, J. and Kevrekidis, I. G. (2007), ‘Coarse-grained analysis of stochasticity-induced switching between collective motion states’, *Proceedings of the National Academy of Sciences* **104**(14), 5931–5935.
- Krause, J. and Ruxton, G. D. (2002), *Living in Groups*, Oxford University Press.
- Kudrolli, A., Lumay, G., Volfson, D. and Tsimring, L. S. (2008), ‘Swarming and swirling in self-propelled polar granular rods’, *Phys. Rev. Lett.* **100**(5), 058001.
- Kunz, H. and Hemelrijk, C. K. (2003), ‘Artificial fish schools: Collective effects of school size, body size, and body form’, *Artificial Life* **9**(3), 237–253.

- Laan, A., Gil de Sagredo, R. and de Polavieja, G. G. (2017), ‘Signatures of optimal control in pairs of schooling zebrafish’, *Proceedings of the Royal Society of London B: Biological Sciences* **284**(1852).
- Latane, B. (1981), ‘The psychology of social impact’, *American psychologist* **36**(4), 343–356.
- Lemasson, B. H., Anderson, J. J. and Goodwin, R. A. (2009), ‘Collective motion in animal groups from a neurobiological perspective: The adaptive benefits of dynamic sensory loads and selective attention’, *Journal of Theoretical Biology* **261**(4), 501 – 510.
- Lemasson, B. H., Anderson, J. J. and Goodwin, R. A. (2013), ‘Motion-guided attention promotes adaptive communications during social navigation’, *Proceedings of the Royal Society of London B: Biological Sciences* **280**(1754).
- Lenth, R. V. (2016), ‘Least-squares means: The R package lsmeans’, *Journal of Statistical Software* **69**(1), 1–33.
- Lett, C., Semeria, M., Thiebault, A. and Tremblay, Y. (2014), ‘Effects of successive predator attacks on prey aggregations’, *Theoretical Ecology* **7**(3), 239–252.
- Lopez, U. (2015), Étude expérimentale et modélisation des déplacements collectifs chez deux espèces de poissons, Khulia mugil et Hemigrammus rhodostomus., PhD thesis, Université Toulouse 3 Paul Sabatier, Toulouse.
- Lopez, U., Gautrais, J., Couzin, I. D. and Theraulaz, G. (2012), ‘From behavioural analyses to models of collective motion in fish schools’, *Interface Focus* **2**(6), 693–707.
- Marconi, U. M. B., Puglisi, A., Rondoni, L. and Vulpiani, A. (2008), ‘Fluctuation–dissipation: Response theory in statistical physics’, *Physics Reports* **461**(4–6), 111 – 195.
- Marcos Mirande, J. (2009), ‘Weighted parsimony phylogeny of the family Characidae (Teleostei: Characiformes)’, *Cladistics* **25**(6), 574–613.
- Miller, N., Garnier, S., Hartnett, A. T. and Couzin, I. D. (2013), ‘Both information and social cohesion determine collective decisions in animal groups’, *Proceedings of the National Academy of Sciences* **110**(13), 5263–5268.

- Morgan, T. and Laland, K. (2012), ‘The biological bases of conformity’, *Frontiers in Neuroscience* **6**, 87.
- Moussaïd, M., Helbing, D. and Theraulaz, G. (2011), ‘How simple rules determine pedestrian behavior and crowd disasters’, *Proceedings of the National Academy of Sciences* **108**(17), 6884–6888.
- Murre, J. M. J. and Dros, J. (2015), ‘Replication and analysis of Ebbinghaus’ forgetting curve’, *PLOS ONE* **10**(7), 1–23.
- Mwaffo, V., Anderson, R. P., Butail, S. and Porfiri, M. (2015), ‘A jump persistent turning walker to model zebrafish locomotion’, *Journal of The Royal Society Interface* **12**(102), 20140884–20140884.
- Nagy, M., Akos, Z., Biro, D. and Vicsek, T. (2010), ‘Hierarchical group dynamics in pigeon flocks’, *Nature* **464**(7290), 890–893.
- Narayan, V., Ramaswamy, S. and Menon, N. (2007), ‘Long-lived giant number fluctuations in a swarming granular nematic’, *Science* **317**(5834), 105–108.
- Nøttestad, L. and Axelsen, B. E. (1999), ‘Herring schooling manoeuvres in response to killer whale attacks’, *Canadian Journal of Zoology* **77**(10), 1540–1546.
- Palacci, J., Cottin-Bizonne, C., Ybert, C. and Bocquet, L. (2010), ‘Sedimentation and effective temperature of active colloidal suspensions’, *Phys. Rev. Lett.* **105**(8), 088304.
- Palacci, J., Sacanna, S., Steinberg, A. P., Pine, D. J. and Chaikin, P. M. (2013), ‘Living crystals of light-activated colloidal surfers’, *Science* **339**(6122), 936–940.
- Parrish, J. K. and Edelstein-Keshet, L. (1999), ‘Complexity, pattern, and evolutionary trade-offs in animal aggregation’, *Science* **284**(5411), 99–101.
- Parrish, J. K., Viscido, S. V. and Grünbaum, D. (2002), ‘Self-organized fish schools: An examination of emergent properties’, *The biological bulletin* **202**(3), 296–305.
- Partridge, B. L. and Pitcher, T. J. (1980), ‘The sensory basis of fish schools: Relative roles of lateral line and vision’, *Journal of Comparative Physiology* **135**(4), 315–325.

- Pérez-Escudero, A., Vicente-Page, J., Hinz, R. C., Arganda, S. and de Polavieja, G. G. (2014), 'idTracker: Tracking individuals in a group by automatic identification of unmarked animals', *Nature Methods* pp. 743–748.
- Pillot, M.-H., Gautrais, J., Arrufat, P., Couzin, I. D., Bon, R. and Deneubourg, J.-L. (2011), 'Scalable rules for coherent group motion in a gregarious vertebrate', *PLOS ONE* **6**(1), 1–8.
- Pillot, M. H., Gautrais, J., Gouello, J., Michelena, P., sibbald, A. and Bon, R. (2010), 'Moving together: Incidental leaders and naïve followers', *Behavioural Processes* **83**(3), 235 – 241.
- Piront, M.-L. and Schmidt, R. (1988), 'Inhibition of long-term memory formation by anti-ependymin antisera after active shock-avoidance learning in goldfish', *Brain Research* **442**(1), 53 – 62.
- Pita, D., Moore, B. A., Tyrrell, L. P. and Fernández-Juricic, E. (2015), 'Vision in two cyprinid fish: Implications for collective behavior', *PeerJ* **3**, e1113.
- Pitcher, T. J. and Magurran, A. E. (1983), 'Shoal size, patch profitability and information exchange in foraging goldfish', *Animal Behaviour* **31**(2), 546 – 555.
- Pitcher, T. J., Misund, O. A., Fernö, A., Totland, B. and Melle, V. (1996), 'Adaptive behaviour of herring schools in the Norwegian Sea as revealed by high-resolution sonar', *ICES Journal of Marine Science: Journal du Conseil* **53**(2), 449–452.
- Pitcher, T. J. and Parrish, J. K. (1993), Functions of shoaling behaviour in teleosts, in T. J. Pitcher, ed., 'The Behaviour of Teleost Fishes', 2 edn, number 7 in 'Fish & Fisheries Series', Springer Netherlands, pp. 294–337.
- Pitcher, T. J. and Wyche, C. J. (1983), Predator-avoidance behaviours of sand-eel schools: Why schools seldom split, in 'Predators and Prey in Fishes', Springer, pp. 193–204.
- Pitcher, T., Magurran, A. and Winfield, I. (1982), 'Fish in larger shoals find food faster', *Behavioral Ecology and Sociobiology* **10**(2), 149–151.
- Polverino, G., Phamduy, P., Facci, A. L., Drago, M., Khan, K., Yang, L. and Porfiri, M. (2013), Analysis of fish and bioinspired robotic fish swimming together in a water tunnel, in R. J. Martín-Palma and A. Lakhtakia, eds, 'Proceedings of SPIE', Vol. 8686, SPIE, p. 868606.

- Portavella, M., Torres, B. and Salas, C. (2004), 'Avoidance response in goldfish: Emotional and temporal involvement of medial and lateral telencephalic pallium', *Journal of Neuroscience* **24**(9), 2335–2342.
- Pradel, G., Schachner, M. and Schmidt, R. (1999), 'Inhibition of memory consolidation by antibodies against cell adhesion molecules after active avoidance conditioning in zebrafish', *Journal of Neurobiology* **39**(2), 197–206.
- Procaccini, A., Orlandi, A., Cavagna, A., Giardina, I., Zoratto, F., Santucci, D., Chiarotti, F., Hemelrijk, C. K., Alleva, E., Parisi, G. and Carere, C. (2011), 'Propagating waves in starling, *Sturnus vulgaris*, flocks under predation', *Animal Behaviour* **82**(4), 759–765.
- R Core Team (2016), *R: A Language and Environment for Statistical Computing*, R Foundation for Statistical Computing, Vienna, Austria.
- Radakov, D. (1973), *Schooling in the Ecology of Fish*, A Halstead Press book, John Wiley & Sons, New York.
- Reader, S. M. and Laland, K. N. (2000), 'Diffusion of foraging innovations in the guppy', *Animal Behaviour* **60**(2), 175–180.
- Reis, R. E., Kullander, S. O. and Ferraris, C. J. (2003), *Check List of the Freshwater Fishes of South and Central America*, Edipucrs.
- Reuter, H. and Breckling, B. (1994), 'Selforganization of fish schools: An object-oriented model', *Ecological Modelling* **75**(Supplement C), 147 – 159. State-of-the-Art in Ecological Modelling proceedings of ISEM's 8th International Conference.
- Robinson, G. E., Fernald, R. D. and Clayton, D. F. (2008), 'Genes and social behavior', *Science* **322**(5903), 896–900.
- Romenskyy, M., Herbert-Read, J. E., Ward, A. J. W. and Sumpter, D. J. T. (2017), 'Body size affects the strength of social interactions and spatial organization of a schooling fish (*Pseudomugil signifer*)', *Royal Society Open Science* **4**(4), 161056.
- Rosenthal, S. B., Twomey, C. R., Hartnett, A. T., Wu, H. S. and Couzin, I. D. (2015), 'Revealing the hidden networks of interaction in mobile animal groups allows prediction of complex behavioral contagion', *Proceedings of the National Academy of Sciences* **112**(15), 4690–4695.

- Rubin, D. C., Hinton, S. and Wenzel, A. (1999), 'The precise time course of retention.', *Journal of Experimental Psychology: Learning, Memory, and Cognition* **25**(5), 1161.
- Russel, W. M. S. and Burch, R. L. (1959), *The Principles of Humane Experimental Technique.*, London: Methuen Co. Ltd.
- Schaerf, T. M., Dillingham, P. W. and Ward, A. J. W. (2017), 'The effects of external cues on individual and collective behavior of shoaling fish', *Science Advances* **3**(6).
- Schneider, J. and Levine, J. D. (2014), 'Automated identification of social interaction criteria in *Drosophila melanogaster*', *Biology Letters* **10**(10).
- Seghers, B. H. (1974), 'Schooling behavior in the guppy (*poecilia reticulata*): An evolutionary response to predation', *Evolution* **28**(3), 486–489.
- Shaw, E. (1978), 'Schooling fishes: The school, a truly egalitarian form of organization in which all members of the group are alike in influence, offers substantial benefits to its participants', *American Scientist* pp. 166–175.
- Shemesh, Y., Sztainberg, Y., Forkosh, O., Shlapobersky, T., Chen, A. and Schneidman, E. (2013), 'High-order social interactions in groups of mice', *eLife* **2**, e00759.
- Smeets, J. B. J. and Brenner, E. (1994), 'The difference between the perception of absolute and relative motion: A reaction time study', *Vision Research* **34**(2), 191 – 195.
- Steven V. Viscido, Julia K. Parrish and Daniel Grünbaum (2004), 'Individual behavior and emergent properties of fish schools: A comparison of observation and theory', *Marine Ecology Progress Series* **273**, 239–249.
- Strandburg-Peshkin, A., Farine, D. R., Couzin, I. D. and Crofoot, M. C. (2015), 'Shared decision-making drives collective movement in wild baboons', *Science* **348**(6241), 1358–1361.
- Strandburg-Peshkin, A., Twomey, C. R., Bode, N. W., Kao, A. B., Katz, Y., Ioannou, C. C., Rosenthal, S. B., Torney, C. J., Wu, H. S., Levin, S. A. and others (2013), 'Visual sensory networks and effective information transfer in animal groups', *Current Biology* **23**(17), R709–R711.
- Strömbom, D. (2011), 'Collective motion from local attraction', *Journal of Theoretical Biology* **283**(1), 145 – 151.

- Strömbom, D., Siljestam, M., Park, J. and Sumpter, D. (2015), ‘The shape and dynamics of local attraction’, *The European Physical Journal Special Topics* **224**(17), 3311–3323.
- Sumpter, D., Buhl, J., Biro, D. and Couzin, I. (2008), ‘Information transfer in moving animal groups’, *Theory in Biosciences* **127**(2), 177–186.
- Sumpter, D. J. (2010), *Collective Animal Behavior*, Princeton University Press.
- Sumpter, D. J. and Pratt, S. C. (2009), ‘Quorum responses and consensus decision making’, *Philosophical Transactions of the Royal Society B: Biological Sciences* **364**(1518), 743–753.
- Sumpter, D. J. T., Mann, R. P. and Perna, A. (2012), ‘The modelling cycle for collective animal behaviour’, *Interface Focus* **2**(6), 764–773.
- Tailleur, J. and Cates, M. E. (2009), ‘Sedimentation, trapping, and rectification of dilute bacteria’, *EPL (Europhysics Letters)* **86**(6), 60002.
- Teichmann, H. (1954), ‘Vergleichende untersuchungen an der nase der fische’, *Zeitschrift für Morphologie und Ökologie der Tiere* **43**(2), 171–212.
- Theurkauff, I., Cottin-Bizonne, C., Palacci, J., Ybert, C. and Bocquet, L. (2012), ‘Dynamic clustering in active colloidal suspensions with chemical signaling’, *Phys. Rev. Lett.* **108**(26), 268303.
- Thutupalli, S., Seemann, R. and Herminghaus, S. (2011), ‘Swarming behavior of simple model squirmers’, *New Journal of Physics* **13**(7), 073021.
- Toulet, S., Gautrais, J., Bon, R. and Peruani, F. (2015), ‘Imitation combined with a characteristic stimulus duration results in robust collective decision-making’, *PLOS ONE* **10**(10), e0140188.
- Treherne, J. E. and Foster, W. A. (1981), ‘Group transmission of predator avoidance behaviour in a marine insect: The Trafalgar effect’, *Animal Behaviour* **29**(3), 911–917.
- Tunstrøm, K., Katz, Y., Ioannou, C. C., Huepe, C., Lutz, M. J. and Couzin, I. D. (2013), ‘Collective states, multistability and transitional behavior in schooling fish’, *PLoS Computational Biology* **9**(2), e1002915.
- Turner, G. F. and Pitcher, T. J. (1986), ‘Attack abatement: A model for group protection by combined avoidance and dilution’, *American Naturalist* pp. 228–240.



- Vicsek, T., Czirók, A., Ben-Jacob, E., Cohen, I. and Shochet, O. (1995), 'Novel type of phase transition in a system of self-driven particles', *Phys. Rev. Lett.* **75**(6), 1226–1229.
- Videler, J. J. and Weihs, D. (1982), 'Energetic advantages of burst-and-coast swimming of fish at high speeds', *Journal of Experimental Biology* **97**(1), 169–178.
- Vladescu, I. D., Marsden, E. J., Schwarz-Linek, J., Martinez, V. A., Arlt, J., Morozov, A. N., Marenduzzo, D., Cates, M. E. and Poon, W. C. K. (2014), 'Filling an emulsion drop with motile bacteria', *Phys. Rev. Lett.* **113**(26), 268101.
- Walther, A. and Muller, A. H. E. (2008), 'Janus particles', *Soft Matter* **4**(4), 663–668.
- Wang, X. R., Miller, J. M., Lizier, J. T., Prokopenko, M. and Rossi, L. F. (2012), 'Quantifying and tracing information cascades in swarms', *PLoS ONE* **7**(7), e40084.
- Ward, A. J., Sumpter, D. J., Couzin, I. D., Hart, P. J. and Krause, J. (2008), 'Quorum decision-making facilitates information transfer in fish shoals', *Proceedings of the National Academy of Sciences* **105**(19), 6948–6953.
- Ward, A. J. W. (2004), 'The effects of habitat- and diet-based cues on association preferences in three-spined sticklebacks', *Behavioral Ecology* **15**(6), 925–929.
- Ward, A. J. W., Krause, J. and Sumpter, D. J. T. (2012), 'Quorum decision-making in foraging fish shoals', *PLoS ONE* **7**(3), e32411.
- Ward, A. J. W., Schaerf, T. M., Herbert-Read, J. E., Morrell, L., Sumpter, D. J. T. and Webster, M. M. (2017), 'Local interactions and global properties of wild, free-ranging stickleback shoals', *Royal Society Open Science* **4**(7).
- Webster, M., Atton, N., Ward, A. and Hart, P. (2007), 'Turbidity and foraging rate in threespine sticklebacks: The importance of visual and chemical prey cues', *Behaviour* **144**(11), 1347–1360.
- Weihs, D. (1974), 'Energetic advantages of burst swimming of fish', *Journal of Theoretical Biology* **48**(1), 215 – 229.

- Weitz, S., Blanco, S., Fournier, R., Gautrais, J., Jost, C. and Theraulaz, G. (2012), 'Modeling collective animal behavior with a cognitive perspective: A methodological framework', *PLoS ONE* **7**(6), e38588.
- Wickelgren, W. A. (1974), 'Single-trace fragility theory of memory dynamics', *Memory & Cognition* **2**(4), 775–780.
- Woodard, W. T. and Bitterman, M. (1973), 'Pavlovian analysis of avoidance conditioning in the goldfish (*Carassius auratus*).', *Journal of Comparative and physiological Psychology* **82**(1), 123.
- Xu, X., Scott-Scheiern, T., Kempker, L. and Simons, K. (2007), 'Active avoidance conditioning in zebrafish (*Danio rerio*)', *Neurobiology of Learning and Memory* **87**(1), 72 – 77.
- Zheng, M., Kashimori, Y., Hoshino, O., Fujita, K. and Kambara, T. (2005), 'Behavior pattern (innate action) of individuals in fish schools generating efficient collective evasion from predation', *Journal of Theoretical Biology* **235**(2), 153 – 167.

